



Vehicle Information

Date: April 26, 2019
Vehicle: 2016 Jeep Cherokee Utility 4D Latitude 4WD 3.2L V6
VIN: 1C4PJMCSXGW306601
Weight: 4,046



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$27,295	\$3,435	\$995	\$31,725

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
COLD WEATHER GROUP -inc: Power Heated Mirrors, Engine Block Heater, Heated Front Seats, Exterior Mirrors w/Heating Element, Windshield Wiper De-Icer, All-Season Floor Mats, Heated Steering Wheel w/o AFB&AAU-inc: Remote Start System Code: ADE	\$814.00	\$895.00
RADIO: UCONNECT 8.4 -inc: Nav Capable! See Dealer For Details, GPS Antenna Input, 6 Month Trial (Registration Required), Uconnect Access, 8.4" Touchscreen Display, Remote USB Port w/RSD-inc: For Details Visit DriveUconnect.com Code: RA3-R	\$723.00	\$795.00
3.25 AXLE RATIO Code: DMC-R	\$0.00	\$0.00
QUICK ORDER PACKAGE 26J -inc: Engine: 3.2L V6 24V VVT w/ESS, Transmission: 9-Speed 948TE Automatic 1 Speed PTU *Upon selection of this pkg, the cost of powertrain components will be added* Code: 26J	\$0.00	\$0.00
ENGINE: 3.2L V6 24V VVT W/ESS -inc: Pentastar, Stop-Start Multiple VSM System, 3.25 Axle Ratio, 700 Amp Maintenance Free Battery, Dual Bright Exhaust Tips Code: EHK-R	\$1588.00	\$1745.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
BILLET SILVER METALLIC CLEARCOAT Code: PSC	\$0.00	\$0.00
BLACK, PREMIUM CLOTH BUCKET SEATS Code: A5X9	\$0.00	\$0.00
NORMAL DUTY SUSPENSION (STD) Code: SDA-R	\$0.00	\$0.00
TRANSMISSION: 9-SPEED 948TE AUTOMATIC 1 SPEED PTU (STD) Code: DFH-R	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 6 Speakers



- Integrated Roof Antenna
- Integrated Voice Command w/Bluetooth
- Radio w/Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: Uconnect 5.0

EXTERIOR

- Active Grille Shutters
- Black Bodyside Cladding and Black Fender Flares
- Black Grille w/Chrome Surround
- Black Rear Bumper
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Side Mirrors w/Manual Folding
- Chrome Side Windows Trim
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- LED Brake Lights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 BSW AS
- Variable Intermittent Wipers
- Wheels: 17" x 7" Aluminum

INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- 6-Way Passenger Seat -inc: Manual Recline, Height Adjustment, Fore/Aft Movement and Fold Flat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Compass
- Covered Dashboard Storage, Driver And Passenger Door Bins and 1st Row Underseat Storage
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Voltmeter, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Steering Wheel
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Premium Cloth Bucket Seats
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Fuel



Licensed to J.D. Power

- Sentry Key Engine Immobilizer
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 1000# Maximum Payload
- 15.8 Gal. Fuel Tank
- 160 Amp Alternator
- 3.73 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 600CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Auxiliary Transmission Oil Cooler
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 2.4L I4 MultiAir-inc: Tigershark NO LONGER AVAILABLE for factory ordering as of February 4, 2016.
- Federal Emissions
- Front Suspension w/Coil Springs
- Gas-Pressurized Shock Absorbers
- GVWR: 5,500 lbs
- Normal Duty Suspension
- Permanent Locking Hubs
- Rear Suspension w/Coil Springs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 9-Speed 948TE Automatic 1 Speed PTU

SAFETY

- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions


- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 41.4in
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 36.1in
- Cargo Volume to Seat 1 58.9ft³
- Cargo Volume to Seat 2 24.6ft³
- Cargo Volume to Seat 3 24.6ft³

Cooling System

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D.Power



- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 700
- Maximum Alternator Capacity (amps) 160

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine

- Displacement 3.2 L/198
- Engine Order Code EHK
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 271 @ 6500
- SAE Net Torque @ RPM 239 @ 4400

Exterior Dimensions

- Height, Overall 66.2in
- Length, Overall N/Ain
- Liftover Height 30.9in
- Min Ground Clearance 8.2in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.2in
- Track Width, Rear 61.9in
- Wheelbase 106.3in
- Width, Max w/o mirrors 73.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal

Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room 53.8in
- Front Leg Room 41.1in
- Front Shoulder Room 57.6in
- Passenger Capacity 5
- Passenger Volume 104.4ft³
- Second Head Room 38.5in
- Second Hip Room 49.9in
- Second Leg Room 40.3in
- Second Shoulder Room 55.1in

Mileage

- Cruising Range - City 316.00mi
- Cruising Range - Hwy 442.40mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 28MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension



Licensed to J.D. Power

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TRF
- Front Tire Size P225/65TR17
- Rear Tire Order Code TRF
- Rear Tire Size P225/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailer Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.58
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.25
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.81
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70
- Sixth Gear Ratio (:1) 0.81
- Third Gear Ratio (:1) 1.91
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFH
- Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4046lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin