

Date:	May 10, 2019	
Vehicle:	2018 Kia Optima Sedan 4D LX 2.4L I4	10,224
VIN:	5XXGT4L38JG249987	
Weight:	3,219	



# **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	Adjusted Value	
Base MSRP	\$22,600	N/A	\$895	\$23,495	
NADA New Vehicle Values					
High	\$20,759	N/A	\$895	\$21,654	
Optional Equipment					
opacia -la hacar			Invoice	MSRP	
STANDARD PAINT			\$0.00	\$0.00	
Code: -PAINT					
TITANIUM SILVER		\$0.00		\$0.00	
Code: IM-R					
BLACK, CLOTH SEAT TRIM		\$0.00		\$0.00	
-inc: CleanTex anti-soiling Code: WK-I					

# **Standard Equipment**

## **ENTERTAINMENT**

- 2 LCD Monitors In The Front
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation, Radio Data System, External Memory Control and Internal Memory
- Radio: AM/FM/MP3/SiriusXM Audio System inc: 6 speakers, 7" rear camera display, auxiliary and USB input ports, Bluetooth wireless technology and UVO eServices including Android Auto and Apple CarPlay,
- Streaming Audio
- Window Grid Antenna

## **EXTERIOR**

- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Bumper Insert
- Chrome Door Handles
- Chrome Side Windows Trim, Black Front Windshield Trim and Chrome Rear Window Trim
- Clearcoat Paint
- Fixed Rear Window w/Defroster
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
   Fully Only and Charl Danale
- Fully Galvanized Steel Panels
   Light Tinted Glass
- Light Tinted Glass
   Perimeter/Approact
- Perimeter/Approach Lights
  Spare Tire Mobility Kit
- Spare Tire Mobility I
  Tires: P205/65R16
- Trunk Rear Cargo Access
- Variable Intermittent Wipers
- Wheels: 6.5J x 16" Silver Alloy

## **INTERIOR**

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Seat Trim inc: CleanTex anti-soiling
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats inc: 6-way adjustable driver w/driver power lumbar and 6-way adjustable passenger seat w/manual height adjuster
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts
- Illuminated Glove Box
- Interior Trim -inc: Metal-Look Interior Accents
- Leatherette Door Trim Insert
- Manual Air Conditioning
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Power Fuel
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob

## MECHANICAL

- 150 Amp Alternator
- 18.5 Gal. Fuel Tank
- 2.88 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 80-Amp/Hr 800CCA Maintenance-Free Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.4L DOHC I4 GDI
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed Automatic w/Sportmatic inc: drive mode select system (normal, sport, eco)

### SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Cross Traffic Alert (RCTA)
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks



- Rear Parking Sensors
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12in
- Rear Brake Rotor Diam x Thickness 11.2in
   Dear Draw Diam x With the
- Rear Drum Diam x Width in

#### **Cargo Area Dimensions**

• Trunk Volume 15.9ftÅ<sup>3</sup>

#### **Cooling System**

• Total Cooling System Capacity N/Aqts

#### Electrical

- Cold Cranking Amps @ O° F (Primary) 800
- Maximum Alternator Capacity (amps) 150

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.1

#### Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6000
- SAE Net Torque @ RPM 178 @ 4000

#### **Exterior Dimensions**

- Height, Overall 57.7in
- Length, Overall 191.1in
- Liftover Height N/Ain
- Min Ground Clearance 5.3in
   Track Width, Front 63.5in
- Track Width, Front 63.5m
   Track Width, Rear 63.8in
- Wheelbase 110.4in
- Width, Max w/o mirrors 73.2in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.5gal

#### **Interior Dimensions**

- Front Head Room 39.8in
- Front Hip Room 56in
- Front Leg Room 45.5in
- Front Shoulder Room 58.1in
- Passenger Capacity 5
- Passenger Volume 104.8ftÅ<sup>3</sup>
- Second Head Room 37.8in
- Second Hip Room 56in



- Second Leg Room 35.6in
- Second Shoulder Room 56.4in

#### Mileage

- Battery Range N/Ami
- Cruising Range City 462.50mi
- Cruising Range Hwy 666.00mi
- EPA Fuel Economy Est City 25MPG
   EPA Fuel Economy Est Hwy 36MPG
- EPA Fuel Economy Est Hwy 36MPG
   EPA MPG Equivalent City N/A
- EPA MPG Equivalent City N/A
   EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Combined N/I
   EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 29MPG

### Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb N/Aft
- Turning Diameter Wall to Wall N/Aft

#### Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
   Suspension Type Front (Cont.) Strut
- Suspension Type Front (Cont.) Strut
   Suspension Type Front Strut
- Suspension Type Front Strut
   Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear (Cont.) Multi
   Suspension Type Rear Multi-Link
- Tires
  - Front Tire Order Code
  - Front Tire Size P205/65HR16
  - Rear Tire Order Code
  - Rear Tire Size P205/65HR16
  - Spare Tire Order Code
  - Spare Tire Size

## Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- Wt Distributing Hitch Max Tongue Wt. N/Albs
- Wt Distributing Hitch Max Trailer Wt. N/Albs

#### Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 2.88
- First Gear Ratio (:1) 4.21
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.38
  Second Gear Ratio (:1) 2
- Second Gear Ratio (:1) 2.64
  Sixth Gear Ratio (:1) 0.77
- Sixtil Gear Ratio (.1) 0.77
   Third Gear Ratio (.1) 1.80
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6

## Vehicle

• EPA Classification Mid-Size Cars

## Weight Information

• Base Curb Weight 3219lbs



NADA New Cars/Trucks



## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 6.5in
- Front Wheel Size 16 X 6.5m
  Rear Wheel Material Aluminum
  Rear Wheel Size 16 X 6.5in
  Spare Wheel Material
  Spare Wheel Size in