

Vehicle Information

May 10, 2019 Date:

2016 Ford Explorer Utility 4D Limited 4WD 3.5L V6 Vehicle:

1FM5K8F84GGC40841 VIN:

Weight: 4,629



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$43,300	Options \$2,735	Destination \$945	Adjusted Value \$46,980
	Ψ43,300	Ψ2,733	Ψ943	φ 4 0,300
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
ENGINE BLOCK HEATER			\$0.00	\$0.00
(Regional) Standard and only available in Montana, Wisconsin and Wyoming states			,	,
LED FOG LAMPS			\$144.00	\$150.00
Code: 21K				
TWIN PANEL MOONROOF			\$1515.00	\$1595.00
Code: 439				
3.65 AXLE RATIO			\$0.00	\$0.00
(STD) Code: -STDAX				
ENGINE: 3.5L TI-VCT V6 (FFV)			\$0.00	\$0.00
-inc: Flexible Fuel Vehicle (FFV) system is VCT V6 engine shipped to Federal Emiss only available w/a Federal emissions syst requires code 936 or 423 if applicable for destinations). Cross border states include standard equipment in CA Emissions Sta	sions States or Cross Border S em, (FFV system not available California Emissions State de AZ, DC, ID, NH, NV, OH, VA, V	tate dealers and is w/code 422 and aler		
EQUIPMENT GROUP 300A			\$0.00	\$0.00
Code: 300A				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
RUBY RED METALLIC TINTED CLEA	RCOAT		\$375.00	\$395.00
Code: RR				
EBONY BLACK, PERF LEATHER-TRI	MMED HEATED/COOLED	BUCKET SEATS	\$0.00	\$0.00
-inc: 10-way power driver seat w/power lumb power front-passenger seat w/power lumb front-passenger head restraints (2-way up system (50S) is ordered) Code: CW-I	ar and recline and 4-way adjus	table driver and		
TRANSMISSION: 6-SPEED SELECTS	HIFT AUTOMATIC		\$0.00	\$0.00
(STD) Code: 44J			.	.
WHEELS: 20" POLISHED ALUMINUM			\$565.00	\$595.00
Code: 64R				



Standard Equipment

ENTERTAINMENT

- Bluetooth Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio: Sony Audio System w/Single-CD/MP3-Capable inc: 12 speakers, HD Radio, SiriusXM radio and voice-activated navigation system w/in-dash screen, SD card for map and point of interest storage and integrated SiriusXM Traffic and TravelLink, Note:, a 6-month prepaid subscription, SiriusXM Traffic and Travel Link is not available in Alaska and Hawaii, Note: SiriusXM Traffic and Travel Link includes a 5-year prepaid subscription, SYNC services are not available in Alaska and Hawaii, Note: Subscriptions to all SiriusXM services are sold by SiriusXM after trial period, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM Customer Agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc
- Sony w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Streaming Audio
- SYNC w/MyFord Touch-inc: voice-activated communications and entertainment system w/911 Assist, Vehicle Health Report (VHR), 8" LCD color touchscreen in center stack, (2) driver configurable 4.2" color LCD displays in instrument cluster, (1) smart-charging multimedia USB port, (1) powerpoint in media hub, SD card reader and (1) year SYNC services is provided complimentary (traffic reports, GPS based turn-by-turn directions and information services)

EXTERIOR

- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Convex Spotter, Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Door Handles
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Led Low Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Lip Spoiler
- Metal-Look Grille w/Chrome Surround
- · Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/50R20 AS BSW
- Wheels: 20" Premium Painted Aluminum

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Tumble Forward Leather Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench Vinyl 3rd Row Seat Front, Power Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 4 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer



- Heated Leather Steering Wheel w/Auto Tilt-Away
- HVAC inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
- **Illuminated Locking Glove Box**
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood/Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Kevpad
- Leather/Chrome Gear Shift Knob
- **Leatherette Door Trim Insert**
- Manual Adjustable Rear Head Restraints
- Memory Settings inc: Door Mirrors, Steering Wheel and Pedals
- **Outside Temp Gauge**
- Passenger Seat
- Perf Leather-Trimmed Heated/Cooled Bucket Seats -inc: 10-way power driver seat w/power lumbar and recline, memory driver's seat, 10-way power front-passenger seat w/power lumbar and recline and 4-way adjustable driver and front-passenger head restraints (2-way up/down when dual-headrest DVD entertainment system (50S) is ordered)
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Adjustable Pedals
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- **Proximity Key For Doors And Push Button Start**
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Proximity Cargo Access
- Seats w/Leatherette Back Material
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- **Systems Monitor**
- **Trip Computer**
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL

- 18.6 Gal. Fuel Tank
- 200 Amp Alternator
- 3.65 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- **Auto Locking Hubs**
- **Automatic Full-Time Four-Wheel Drive**
- Electric Power-Assist Speed-Sensing Steering
- **Electronic Transfer Case**
- Engine: 3.5L Ti-VCT V6 (FFV) -inc: Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles w/the 3.5L Ti-VCT V6 engine shipped to Federal Emissions States or Cross Border State dealers and is only available w/a Federal emissions system, (FFV system not available w/code 422 and requires code 936 or 423 if applicable for California Emissions State dealer destinations). Cross border states include AZ, DC, ID, NH, NV, OH, VA, WV Not standard equipment in CA Emissions States.
- Front And Rear Anti-Roll Bars
- **Gas-Pressurized Shock Absorbers**
- GVWR: 6,160 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing Equipment inc: Trailer Sway Control
- Transmission: 6-Speed SelectShift Automatic

SAFETY

- 911 Assist Emergency Sos
- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- Back Up Camera w/Washer
- **Dual Stage Driver And Passenger Front Airbags**
- **Dual Stage Driver And Passenger Seat-Mounted Side Airbags**
- Front And Rear Parking Sensors
- Front Camera w/Washer
- Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- **Passenger Knee Airbag**
- Rear Child Safety Locks
- Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams
- Terrain Management System ABS And Driveline Traction Control
- Tire Specific Low Tire Pressure Warning

Technical Specifications



Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
 Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
 Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80.7ftÅ³
- Cargo Volume to Seat 2 43.8ftÂ3
- Cargo Volume to Seat 3 21ftÂ3

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 650
- Maximum Alternator Capacity (amps) 200

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.5 L/213
- Engine Order Code 998-1
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 290 @ 6400
- SAE Net Torque @ RPM 255 @ 4000

Exterior Dimensions

- Height, Overall 70in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 8.3in
- Rear Door Opening Height N/Ain Rear Door Opening Width N/Ain
- Track Width, Front 67in
- Track Width, Rear 67in
- Wheelbase 112.8in
- Width, Max w/o mirrors 78.9in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.6gal

Interior Dimensions

- Front Head Room 41.4in
- Front Hip Room 57.3in
- Front Leg Room 42.9in
- Front Shoulder Room 61.5in
- Passenger Capacity 7
- Passenger Volume 151.7ft³



- Second Head Room 40.6in
- Second Hip Room 56.8in
- Second Leg Room 39.5in
- Second Shoulder Room 61in
- Third Head Room 37.8in Third Hip Room 40.7in
- Third Leg Room 32in
- Third Shoulder Room 50.8in

Mileage

- Cruising Range City 297.60mi
- Cruising Range Hwy 427.80mi
- **EPA Fuel Economy Est City 16MPG**
- EPA Fuel Economy Est Hwy 23MPG
- EPA MPG Equivalent City N/A
 EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.9ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P255/50HR20
- Rear Tire Order Code
- Rear Tire Size P255/50HR20
- **Spare Tire Order Code**
- **Spare Tire Size Compact**

Trailering

- Dead Weight Hitch Max Tongue Wt. 200lbs
- Dead Weight Hitch Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch Max Tongue Wt. 200lbs
- Wt Distributing Hitch Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive**
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 44J
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A



Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4629lbs
 Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
 Maximum Payload Capacity N/Albs
 Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin