

Vehicle Information

Date:	May 10, 2019
Vehicle:	2015 Nissan Pathfinder Utility 4D Platinum 4WD 3.5L V6
VIN:	5N1AR2MMXFC674761
Weight:	4,642



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$43,250	Options \$1,070	Destination \$900	Adjusted Value \$45,220		
NADA New Vehicle Values	<i> </i>	<i><i><i>ϕ</i></i>,<i><i>ϕ</i>,<i>ϕ</i>,<i>ϕ</i>,<i>ϕ</i>,<i>ϕ</i>,<i>ϕ</i>,<i>ϕ</i>,<i>ϕ</i>,</i></i>	<i>QQQQ</i>	<i> </i>		
High	N/A	N/A	N/A	N/A		
Optional Equipment						
			Invoice	MSRP		
[N10] ILLUMINATED KICK PLATES	\$266.00	\$350.00				
Code: IKP						
STANDARD PAINT	\$0.00	\$0.00				
Code: -PAINT						
[B92] BLACK SPLASH GUARDS (SET (\$138.00	\$160.00				
(PIO) Automatically added to dealer orders in the following states if not ordered with factory installed splash guards or factory installed splash guards are not offered as an orderable option: Alaska, Idaho, Montana, Oregon, Rhode Island, Washington, and Wisconsin. Code: SGD						
[B93] CROSS BARS	\$286.00	\$355.00				
(PIO) Code: BAR						
[B94] REAR BUMPER PROTECTOR	\$153.00	\$205.00				
(PIO) Code: BUM						
JAVA METALLIC	\$0.00	\$0.00				
Code: CAJ						
CHARCOAL, LEATHER SEATING SURI	\$0.00	\$0.00				
-inc: double stitch Code: G-0						

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Bluetooth Wireless Phone Connectivity
- Digital Signal Processor
- Integrated Roof Diversity Antenna
- Radio w/Seek-Scan, Clock, Radio Data System and DVD-Audio
 Radio: Bose Audio System w/AM/FM/CD & 13 Speakers inc: XM Satellite Radio, USB/iPod connector (replaces standard auxiliary audio input jack), speed sensitive volume, MP3, Nissan Navigation System, 8" color VGA display, voice recognition, XM NavTraffic and NavWeather capability, Zagat Survey restaurant guide, Bluetooth streaming audio and 120V power outlet (US/CAN only) • Regular Amplifier

EXTERIOR

- Black Grille w/Chrome Surround
- Black Side Windows Trim and Black Front Windshield Trim

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Moldings and Black Bodyside Cladding
- Chrome Door Handles
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Aero-Composite Halogen Headlamps
- Fully Galvanized Steel Panels
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R20
- Wheels: 20" Unique Metallic Paint Finish Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed Bench Leatherette 3rd Row Seat Front and 2 Fixed Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest w/Storage
- Front Cupholder
- Front Facing Heated Rear Seat w/Manual Fore/Aft
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated & Cooled Climate Controlled Seats inc: 7 passenger seating capacity, 8 way power driver's seat w/memory and power lumbar support, 4 way power AS seat, 2nd row 60/40 split w/manual slide/recline/fold flat and 3rd row 50/50 split w/manual recline/fold flat
- Heated Leather Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim inc: Simulated Wood Instrument Panel Insert, Simulated Wood/Metal-Look Door Panel Insert, Simulated Wood Console Insert and Chrome/Metal-Look Interior Accents
- Leather Door Trim Insert
- Leather Gear Shift Knob
- Leather Seating Surfaces -inc: double stitch
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Seats w/Leatherette Back Material
- Trip Computer
- Trunk/Hatch AutoLatch
- Valet Function

NADA New Cars/Trucks



- 150 Amp Alternator
- 19.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 5.577 Axle Ratio
- 82-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Class III Towing Equipment -inc: Harness and Hitch
- Electro-Hydraulic Power Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,986 lbs.
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Xtronic CVT (Continuously Variable)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Around View Monitor Back-Up Camera
- Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front Camera
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- Rear Parking Sensors
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 78.9in
- Cargo Area Length @ Floor to Seat 2 51.1in
- Cargo Area Length @ Floor to Seat 3 19.8in
- Cargo Area Width @ Beltline 45.9in
- Cargo Box (Area) Height 31.4in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 79.8ftÂ³
- Cargo Volume to Seat 2 47.8ftÂ³
- Cargo Volume to Seat 3 16ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

Engine

- Displacement 3.5 L/213
- ٠ Engine Order Code
- Engine Type Regular Unleaded V-6 •
- Fuel System Sequential MPI ٠
- SAE Net Horsepower @ RPM 260 @ 6400 . SAE Net Torque @ RPM 240 @ 4400 ٠
- **Exterior Dimensions**
 - Height, Overall 69.6in
 - Length, Overall N/Ain
 - Liftover Height N/Ain
 - **Min Ground Clearance 7in** •
 - Rear Door Opening Height N/Ain
 - Rear Door Opening Width N/Ain •
 - Track Width, Front 65.7in
 - Track Width, Rear 65.7in •
 - Wheelbase 114.2in
 - Width, Max w/o mirrors 77.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 41.1in
- Front Hip Room 56.8in
- Front Leg Room 42.3in
- Front Shoulder Room 60.7in
- Passenger Capacity 7
- Passenger Volume 157.8ftÂ³
- Second Head Room 38.5in .
- Second Hip Room 56.1in ٠
- Second Leg Room 41.7in ٠
- Second Shoulder Room 60.4in ٠
- . Third Head Room 36.5in •
- Third Hip Room 42in Third Leg Room 30.7in
- Third Shoulder Room 57.1in •

Mileage

- Cruising Range City 370.50mi
- Cruising Range Hwy 507.00mi ٠
- EPA Fuel Economy Est City 19MPG
- EPA Fuel Economy Est Hwy 26MPG .
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A ٠
- EPA MPG Equivalent Hwy N/A •
- Fuel Economy Est-Combined 21MPG •

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion ٠
- Turning Diameter Curb to Curb 38.7ft .
- Turning Diameter Wall to Wall N/Aft

Suspension

• Shock Absorber Diameter - Front N/Amm



- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain .
- Stabilizer Bar Diameter Rear N/Ain •
- Suspension Type Front (Cont.) Strut •
- Suspension Type Front Strut ٠
- Suspension Type Rear (Cont.) Multi-Link ٠
- Suspension Type Rear Multi-Link ٠

Tires

- Front Tire Order Code
- Front Tire Size P235/55SR20
- **Rear Tire Order Code** .
- Rear Tire Size P235/55SR20 ٠
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs ٠
- Maximum Trailering Capacity 5000lbs ٠
- Wt Distributing Hitch Max Tongue Wt. 500lbs ٠
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Final Drive Axle Ratio (:1) 5.58 .
- First Gear Ratio (:1) 2.37 0.44
- Reverse Ratio (:1) 1.77 ٠
- Trans Description Cont. Again ٠
- Trans Description Cont. CVT w/OD
- **Trans Order Code** •
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4486lbs
 Curb Weight Front N/Albs
- Curb Weight Rear N/Albs .
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 7.5in ٠
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 7.5in ٠
- Spare Wheel Material Steel ٠
- **Spare Wheel Size Compactin**