

Vehicle Information

Date:	May 22, 2019
Vehicle:	2016 Volvo XC60 Utility 4D T5 Premier AWD 2.5L I5 Turbo
VIN:	YV4612RK1G2839075
Weight:	4,251



New Cars/Trucks Values

Powered by Chrome Data Base MSRP NADA New Vehicle Values	Base \$41,350	Options \$2,510	Destination \$995	Adjusted Value \$44,855	
High	N/A	N/A	N/A	N/A	
Optional Equipment	Invoice	MSRP			
BLIND SPOT INFORMATION SYSTEM	\$870.00	\$925.00			
-inc: Front & Rear Park Assist, Blind Spot Information System (BLIS), cross traffic alert and lane change merge aid Code: MC27Y					
HEATED FRONT SEATS	\$470.00	\$500.00			
Code: 11-0					
KEYLESS DRIVE			\$494.00	\$525.00	
Code: 583					
MONOTONE PAINT			\$0.00	\$0.00	
Code: -PAINT					
BRIGHT SILVER METALLIC	\$526.00	\$560.00			
Code: 711-R					
OFF-BLACK, LEATHER SEATING SUR	\$0.00	\$0.00			
Code: G701					

Standard Equipment

ENTERTAINMENT

- 8 Speakers
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: High Performance AM/FM/CD inc: Sensus Connect w/integrated 7" color display, Bluetooth integrated interface including audio streaming, Sirius satellite radio w/6-month subscription, HD Radio, auxiliary audio input, USB and iPod function and audio buttons in steering wheel
- Regular Amplifier
- Window Grid Diversity Antenna

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
- Chrome Bodyside Insert and Body-Colored Bodyside Cladding
 Chrome Scille
- Chrome Grille
- Chrome Side Windows Trim and Black Front Windshield Trim
 Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- Express Open/Close Sliding And Tilting Laminated Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster .
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Liftgate Rear Cargo Access .
- Lip Spoiler •
- Perimeter/Approach Lights
- **Rain Detecting Variable Intermittent Wipers** ٠
- **Rear Fog Lamps** •
- ٠ **Roof Rack Rails Only**
- **Steel Spare Wheel**
- Tailgate/Rear Door Lock Included w/Power Door Locks .
- Tires: P235/60R18 AS .
- Wheels: 18" Pan Alloy .

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 40-20-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat .
- Air Filtration .
- Anti-Whiplash Fixed Front Head Restraints and Manual Adjustable Rear Head Restraints
- **Cargo Area Concealed Storage** ٠
- **Cargo Space Lights** ٠
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim ٠
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror •
- **Delayed Accessory Power**
- Digital/Analog Display .
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- **Driver Foot Rest**
- Driver Seat ٠
- **Dual Zone Front Automatic Air Conditioning** .
- . Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls inc: Trunk/Hatch/Tailgate and Remote Engine Start ٠
- Front And Rear Map Lights .
- Front Bucket Seats inc: power lumbar, power driver seat w/memory and power passenger seat .
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder •
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats .
- Full Cloth Headliner •
- Full Floor Console w/Covered Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Headliner/Pillar Ducts ٠
- . Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins .
- Interior Trim inc: Aluminum Instrument Panel Insert, Aluminum Door Panel Insert, Aluminum Console Insert and Aluminum Interior Accents ٠
- Leather Seating Surfaces •
- Leather/Aluminum Gear Shift Knob
- Leather/Aluminum Steering Wheel .
- Leatherette Door Trim Insert •
- Manual Tilt/Telescoping Steering Column •
- Memory Settings inc: Door Mirrors .
- **Outside Temp Gauge** •
- **Passenger Seat**
- **Perimeter Alarm**
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down ٠
- Power Door Locks w/Autolock Feature •
- Power Rear Windows and Fixed 3rd Row Windows •
- **Rear Cupholder**
- **Redundant Digital Speedometer** .
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button .
- **Remote Releases -Inc: Power Cargo Access and Power Fuel** .
- Seats w/Leatherette Back Material
- Sensus Navigation with Mapcare ٠
- Systems Monitor ٠
- Tracker System .
- **Trip Computer**
- Valet Function •

MECHANICAL

- 1200# Maximum Pavload
- 18.5 Gal. Fuel Tank
- 180 Amp Alternator
- 3.75 Axle Ratio



NADA New Cars/Trucks



- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Electric Parking Brake
- 70-Amp/Hr 600CCA Maintenance Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Engine: 2.5L 20V Inline 5-Cylinder Turbo
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
 Gas-Pressurized Shock Absorbers
- GVWR: 5,343 lbs
- Hydraulic Power-Assist Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Towing Equipment inc: Trailer Sway Control
- Transmission w/Oil Cooler
- Transmission: 6-Speed Geartronic Automatic -inc: Adaptive Shift

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- City Safety
- Curtain 1st And 2nd Row Airbags
- Dstc/RSC Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- On-Call Plus Emergency Sos
 Outbaued Emergency And Sha
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 70.4in
- Cargo Area Length @ Floor to Seat 2 38.3in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 45.9in
- Cargo Box (Area) Height 31.6in
- Cargo Box Width @ Wheelhousings 44.5in
- Cargo Volume to Seat 1 67.4ftÂ³
- Cargo Volume to Seat 2 30.8ftÂ³
- Cargo Volume to Seat 3 30.8ftÅ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 600
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- Displacement 2.5 L/154
- Engine Order Code
- Engine Type Intercooled Turbo Regular Unleaded I-5 •
- Fuel System MPI •
- SAE Net Horsepower @ RPM 250 @ 5400
- SAE Net Torque @ RPM 266 @ 1800 .

Exterior Dimensions

- Height, Overall 67.4in
- Length, Overall N/Ain •
- Liftover Height 29.4in .
- Min Ground Clearance 9.1in .
- ٠ Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain ٠ Track Width, Front 64.3in
- ٠ • Track Width, Rear 62.4in
- Wheelbase 109.2in •
- Width, Max w/o mirrors 74.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.5gal

Interior Dimensions

- Front Head Room 38in
- Front Hip Room 54.2in ٠
- Front Leg Room 41.2in .
- Front Shoulder Room 56.7in
- Passenger Capacity 5 •
- Passenger Volume 98.6ftÅ³ • • Second Head Room 38.1in
- Second Hip Room 53.8in •
- Second Leg Room 36.4in
- Second Shoulder Room 55.2in •

Mileage

- Cruising Range City 351.50mi
- Cruising Range Hwy 481.00mi
- EPA Fuel Economy Est City 19MPG •
- EPA Fuel Economy Est Hwy 26MPG
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent Hwy N/A ٠
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A •
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.4ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm ٠
- Shock Absorber Diameter Rear N/Amm •
- Stabilizer Bar Diameter Front N/Ain ٠
- Stabilizer Bar Diameter Rear N/Ain .
- Suspension Type Front (Cont.) Strut ٠
- Suspension Type Front Strut ٠
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/60HR18 ٠
- Rear Tire Order Code
- Rear Tire Size P235/60HR18



- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 350lbs
- Dead Weight Hitch Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs .
- Wt Distributing Hitch Max Tongue Wt. 350lbs ٠
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) 3.75
- First Gear Ratio (:1) 4.15
- Fourth Gear Ratio (:1) 1.16
- Reverse Ratio (:1) 3.39
- Second Gear Ratio (:1) 2.37 ٠
- Sixth Gear Ratio (:1) 0.69 ٠
- Third Gear Ratio (:1) 1.56
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD •
- Trans Order Code
- Trans Type 6 •
- Transfer Case Gear Ratio (:1), High N/A • Transfer Case Gear Ratio (:1), Low N/A
- Vehicle
 - EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4251lbs
- Curb Weight Front N/Albs ٠
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs ٠
- Maximum Payload Capacity N/Albs •
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in ٠
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in • •
- **Spare Wheel Material Steel**
- Spare Wheel Size Compactin