



Vehicle Information

Date: May 23, 2019
Vehicle: 2018 Infiniti QX80 Utility 4D AWD 5.6L V8
VIN: JN8AZ2NE1J9195151
Weight: 5,888



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$67,850	\$2,900	\$1,395	\$72,145

NADA New Vehicle Values

	High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
[F01] DRIVER ASSISTANCE PACKAGE -inc: Forward Emergency Braking (FEB) w/pedestrian detection, Predictive Forward Collision Warning (PFCW) and steering wheel switch for safety shield technologies, Blind Spot Warning (BSW), Backup Collision Intervention (BCI), Blind Spot Intervention (BSI), Intelligent Cruise Control (Full-Speed Range), Distance Control Assist (DCA), Lane Departure Warning (LDW), Lane Departure Prevention (LDP) Code: DRI	\$2697.00	\$2900.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
GRAPHITE SHADOW Code: KAD	\$0.00	\$0.00
GRAPHITE, LEATHER-APPOINTED SEATS W/STRATFORD BURL TRIM Code: G-1	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Bose Speakers
- Digital Signal Processor
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and Multi-Source Rear Controls
- Radio: AM/FM/HD Single In-Dash CD/DVD Player w/MP3 -inc: 8-inch WVGA color touch-screen display, INFINITI InTouch navigation w/voice recognition, lane guidance and 3D building graphics, INFINITI InTouch services includes 12-months of safety, security, and convenience services, Bose 13-speaker premium sound system including 2 subwoofers, streaming audio via Bluetooth wireless technology, Radio Data System (RDS), speed-sensitive volume control, SiriusXM satellite radio w/90-day complimentary trial access, SiriusXM Traffic w/4-year complimentary trial access to real-time traffic information, SiriusXM Travel Link w/4 year complimentary trial access to fuel prices, weather, movie times, stocks and sports and 2 USB connection ports for iPod interface and other compatible devices
- Window Grid Diversity Antenna

EXTERIOR

- Aluminum Spare Wheel
- Body-Colored Fender Flares
- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper w/1 Tow Hook
- Body-Colored Splash Guards
- Chrome Door Handles
- Chrome Grille
- Chrome Side Windows Trim and Chrome Front Windshield Trim



- Clearcoat Paint
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brake Lights
- Lip Spoiler
- Manual-Leveling Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto High-Beam Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers
- Roof Rack Rails Only
- Running Boards
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 275/60R20 H-Rated AS Performance
- Wheels: 20" x 8.0" Split 6-Spoke Aluminum-Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 6-Way Passenger Seat -inc: Fold Flat
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Bucket Folding Bucket Front Facing Manual Reclining Flip Forward Cushion/Seatback Rear Seat
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench 3rd Row Seat Front, Power Recline, Power Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Mini Overhead Console w/Storage, Rear (removable) Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 10-way power driver's seat w/dual occupant memory system, 8-way power passenger's seat and 2-way power driver and passenger lumbar support
- Heated Leather Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Aluminum/Genuine Wood Instrument Panel Insert, Aluminum/Genuine Wood Door Panel Insert, Genuine Wood/Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather-Appointed Seats w/Stratford Burl Trim
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings -inc: Door Mirrors and Steering Wheel
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Cargo Access
- Seats w/Leatherette Back Material
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning



MECHANICAL

- 1 Skid Plate
- 1464# Maximum Payload
- 150 Amp Alternator
- 2.94 Axle Ratio
- 26 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist
- 82-Amp/Hr 710CCA Maintenance-Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Class IV Towing Equipment -inc: Harness, Hitch and Trailer Sway Control
- Double Wishbone Front Suspension w/Coil Springs
- Double Wishbone Rear Suspension w/Coil Springs
- Electronic Transfer Case
- Engine: 5.6L V8 w/VVEL & DIG
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Front Shock Absorbers and Air Rear Shock Absorbers
- GVWR: 7,385 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Permanent Locking Hubs
- Rear Auto-Leveling Suspension
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission w/Oil Cooler
- Transmission: 7-Speed Automatic -inc: Adaptive Shift Control (ASC), manual shift mode w/Downshift Rev-Matching, snow and tow modes and hill start assist

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Around View Monitor w/Moving Object Detection Back-Up Camera
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front And Rear Parking Sensors
- Front Camera
- INFINITI Connection Emergency Sps
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 86.2in
- Cargo Area Length @ Floor to Seat 2 49.1in
- Cargo Area Length @ Floor to Seat 3 20.2in
- Cargo Area Width @ Beltline 50.2in
- Cargo Box (Area) Height 36.7in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 95.1ft³
- Cargo Volume to Seat 2 49.6ft³
- Cargo Volume to Seat 3 16.6ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain



Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 710
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 710
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.8

Engine

- Displacement 5.6 L/339
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Premium Unleaded V-8
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 400 @ 5800
- SAE Net Torque @ RPM 413 @ 4000

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 75.8in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Lifter Height 34.9in
- Min Ground Clearance 9.2in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.5in
- Track Width, Rear 67.9in
- Wheelbase 121.1in
- Width, Max w/o mirrors 79.9in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÅ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 59.2in
- Front Leg Room 39.6in
- Front Shoulder Room 63.8in
- Passenger Capacity 7



Licensed to J.D. Power

- Second Head Room 40in
- Second Hip Room 58.4in
- Second Leg Room 41in
- Second Shoulder Room 63.5in
- Third Head Room 36.8in
- Third Hip Room 48.8in
- Third Leg Room 28.8in
- Third Shoulder Room 60.5in

Mileage

- Cruising Range - City 338.00mi
- Cruising Range - Hwy 494.00mi
- EPA Fuel Economy Est - City 13MPG
- EPA Fuel Economy Est - Hwy 19MPG
- Fuel Economy Est-Combined 15MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 41.6ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 2.94
- Axle Ratio (:1) - Rear 2.94
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Double Wishbone

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/60HR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P275/60HR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 850lbs
- Dead Weight Hitch - Max Trailer Wt. 8500lbs
- Maximum Trailing Capacity 8500lbs
- Wt Distributing Hitch - Max Tongue Wt. 850lbs
- Wt Distributing Hitch - Max Trailer Wt. 8500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.89
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 4.04



Licensed to J.D. Power

- Second Gear Ratio (:1) 3.17
- Seventh Gear Ratio (:1) 0.78
- Sixth Gear Ratio (:1) 0.86
- Third Gear Ratio (:1) 2.03
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 7385.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Aluminum
- Spare Wheel Size Full-Sizein