

Vehicle Information

Date: May 20, 2019

Vehicle: 2015 Jeep Grand Cherokee Utility 4D Summit 4WD 3.6L V6

VIN: 1C4RJFJG0FC943306

Weight: 4,955



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$51,995	N/A	\$995	\$52,990
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment				
оринения данринения			Invoice	MSRP
3.45 REAR AXLE RATIO			\$0.00	\$0.00
(STD) Code: DLK				
QUICK ORDER PACKAGE 23R			\$0.00	\$0.00
-inc: Engine: 3.6L V6 24V VVT, Transmission: 8-Speed Automatic (845RE) Code: 23R				
ENGINE: 3.6L V6 24V VVT			\$0.00	\$0.00
(STD) Code: ERB			•	
GVWR: 6,500 LBS			\$0.00	\$0.00
(STD) Code: Z6K			40.00	40.00
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			Φ0.00	Φ0.00
BRILLIANT BLACK CRYSTAL PEARL	.COAT		\$0.00	\$0.00
Code: PXR			Φ0.00	# 0.00
BLACK, LEATHER TRIMMED BUCKI	ELSEAIS		\$0.00	\$0.00
Code: HLX9	TIO (045DE)		ФО ОО	# 0.00
TRANSMISSION: 8-SPEED AUTOMA	ATIC (845RE)		\$0.00	\$0.00
(STD) Code: DFL	N AIN II IN A			ድ ስ ስስ
WHEELS: 20" X 8.0" POLISHED ALU	IVIINUIVI		\$0.00	\$0.00
(STD) Code: WSC				

Standard Equipment

ENTERTAINMENT

- 19 Performance Speakers
- 2 LCD Monitors In The Front
- 825w Regular Amplifier
- GPS Antenna Input
- Graphic Equalizer
- Integrated Roof Antenna
- Radio w/MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Radio Data System, External Memory Control and Internal Memory
- Radio: Uconnect 8.4 NAV
- Siriusxm Traffic Real-Time Traffic Display

EXTERIOR



- Licensed to LD. Power
- Body-Colored Front Bumper w/Gray Rub Strip/Fascia Accent and Chrome Bumper Insert
- Body-Colored Grille w/Chrome Accents
- Body-Colored Rear Step Bumper w/Gray Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Rocker Panel Extensions and Body Colored Fender Flares
- Chrome Door Handles
- Chrome Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- · Front Fog Lamps
- Full-Size Spare Tire Mounted Inside Under Cargo
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Auto High-Beam Headlamps w/Washer and Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/50R20 BSW AS
- Wheels: 20" x 8.0" Polished Aluminum

INTERIOR

- 12-Way Power Driver Seat-inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12 Way Power Passenger Seat inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 6040 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Leather Rear Seat
- 8.4" Touchscreen Display
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim and Carpet Mat
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback and Ventilated Front Seats
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
 Full Floor Console w/Con
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Leather/Genuine Wood Steering Wheel
- HVAC -inc: Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Genuine Wood/Metal-Look Instrument Panel Insert, Genuine Wood/Chrome Door Panel Insert, Metal-Look Console Insert, Chrome/Metal-Look Interior Accents and Leather Upholstered Dashboard
- Leather Door Trim Insert
- Leather Trimmed Bucket Seats
- Leather/Metal-Look Gear Shift Knob
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Memory Settings inc: Driver Seat, Door Mirrors and Audio
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows



- Licensed to J.D. Po
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Fuel
- Roll-Up Cargo Cover
- Sentry Key Engine Immobilizer
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function
- Voice Recorder

MECHANICAL

- 1050# Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Corner Auto-Leveling Suspension
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 50 State Emissions
- 700CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Automatic w/Driver Control Height Adjustable Suspension
- Class IV Towing Equipment -inc: Harness, Hitch and Trailer Sway Control
- Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Electro-Hydraulic Power Assist Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT
- Front And Rear Anti-Roll Bars
- · Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Multi-Link Rear Suspension
- Normal Duty Suspension
- Permanent Locking Hubs
- Short And Long Arm Front Suspension
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (845RE)

SAFETY

- · Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Forward Collision Warning and Rear Collision Warning
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Uconnect guardian Emergency Sos

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
 Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions



- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 68.3ft³
- Cargo Volume to Seat 2 36.3ft³
- Cargo Volume to Seat 3 36.3ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 700
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3 (Est)

Engine

- Displacement 3.6 L/220
- Engine Order Code ERB
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 290 @ 6400
- SAE Net Torque @ RPM 260 @ 4800

Exterior Dimensions

- Height, Overall 69.3in
- Length, Overall N/Ain
- Liftover Height 31.8in
- Min Ground Clearance 6.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.9in
 Track Width, Rear 64.1in
- Ilack Willi, Real of
 Wheelbook 114 Gin
- Wheelbase 114.8in
- Width, Max w/o mirrors 76.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 105.4ftų
- Second Head Room 39.2in
- Second Hip Room 56.2in
- Second Leg Room 38.6in
- Second Shoulder Room 58in

Mileage

- Cruising Range City 418.20mi
- Cruising Range Hwy 590.40mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 24MPG
- EPA MPG Equivalent City N/A
 EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 19MPG



Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 37.1ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Short And Long Arm
- Suspension Type Front Short And Long Arm
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code TV9
- Front Tire Size P265/50TR20
- Rear Tire Order Code TV9
- Rear Tire Size P265/50TR20
- Spare Tire Order Code
- Spare Tire Size Full Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 620lbs
- Dead Weight Hitch Max Trailer Wt. 6200lbs
- Maximum Trailering Capacity 6200lbs
- Wt Distributing Hitch Max Tongue Wt. 620lbs
- Wt Distributing Hitch Max Trailer Wt. 6200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 3.45
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFL
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4955lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in







- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein