

Vehicle Information

Date: May 29, 2019

Vehicle: 2018 Jeep Grand Cherokee Utility 4D Trailhawk 4WD 3.6L

V6

VIN: 1C4RJFLG4JC475957

Weight: 5,004



New Cars/Trucks Values

Powered by Chrome Data	Base	Options 0.4	Destination	Adjusted Value
Base MSRP	\$43,595	\$1,290	\$1,495	\$46,380
NADA New Vehicle Values				
High	\$42,321	\$1,252	\$1,495	\$45,068
Optional Equipment			Invoice	MSRP
ENGINE BLOCK HEATER			\$85.00	\$95.00
Code: NHK				
POWER SUNROOF			\$1064.00	\$1195.00
(DISC) NO LONGER AVAILABLE for factor Factory Orderable, See Dealer for Current		18. *No Longer		
3.45 REAR AXLE RATIO			\$0.00	\$0.00
(STD) Code: DLK				
QUICK ORDER PACKAGE 2BJ			\$0.00	\$0.00
-inc: Engine: 3.6L V6 24V VVT UPG I w/E9 Code: 2BJ	SS, Transmission: 8-Speed A	Automatic (850RE)		
ENGINE: 3.6L V6 24V VVT UPG I W/ES	SS		\$0.00	\$0.00
(STD) Code: ERC				
GVWR: 6,500 LBS			\$0.00	\$0.00
(STD) Code: Z6K				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
TRUE BLUE PEARLCOAT			\$0.00	\$0.00
Build Out:06/07/2018 Code: PBU			Φ0.00	Φ0.00
RUBY RED/BLACK, TRAILHAWK LEAT	HER/SUEDE SEATS		\$0.00	\$0.00
Code: THXC	IO (050DE)		<u></u>	<u></u>
TRANSMISSION: 8-SPEED AUTOMAT	IC (850RE)		\$0.00	\$0.00
(STD) Code: DFT				

Standard Equipment

ENTERTAINMENT

- 10 Speakers
- 2 LCD Monitors In The Front
- 506w Regular Amplifier
- Graphic Equalizer
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and Uconnect External Memory



Control

- Radio: Uconnect 4C Nav w/8.4" Display
- Siriusxm Traffic Real-Time Traffic Display

EXTERIOR

- 230MM Rear Axle
- **Auto Dim Exterior Passenger Mirror**
- Black Grille w/Metal-Look Accents
- Black Side Windows Trim and Black Front Windshield Trim
- **Body-Colored Door Handles**
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent, Metal-Look Bumper Insert and 2 Tow Hooks
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent and Black Bumper Insert
- Chrome Bodyside Insert, Rocker Panel Extensions and Black Wheel Well Trim
- Clearcoat Paint w/Decal
- Colored Power w/Tilt Down Heated Side Mirrors w/Driver Auto Dimming, Power Folding and Turn Signal Indicator
- Deen Tinted Glass
- **Dual Bright Exhaust Tips**
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Full-Size Spare Tire Mounted Inside Under Cargo
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- **Laminated Glass**
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- **Speed Sensitive Variable Intermittent Wipers**
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/60R18 BSW AS All Terrain
- Wheels: 18" x 8.0" Off Road Aluminum

INTERIOR

- 12-Way Power Driver Seat-inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12-Way Power Passenger Seat inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 6040 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Simulated Suede/Leather Rear Seat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Space Lights
- **Carpet Floor Trim**
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- **Delayed Accessory Power**
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback and Ventilated Front Seats
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering inc: Vinyl/Rubber Front And Rear Floor Mats **Full Cloth Headliner**
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- **Garage Door Transmitter**
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel
- **HVAC** -inc: Console Ducts
- **Illuminated Front Cupholder**
- **Illuminated Locking Glove Box**
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look/Piano Black Instrument Panel Insert, Piano Black Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- **Leatherette Door Trim Insert**
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat, Door Mirrors and Audio
- Mobile Hotspot Internet Access



- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Fuel
- Sentry Key Engine Immobilizer
- Smart Device Integration
- Smart Device Remote Engine Start
- Systems Monitor
- Tracker System
- Trailhawk Leather/Suede Seats
- Trip Computer
- Valet Function
- Voice Recorder

MECHANICAL

- 1130lbs. Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4 Skid Plates
- 4-Corner Auto-Leveling Suspension
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 50 State Emissions
- 650CCA Maintenance-Free Battery w/Run Down Protection
- Automatic w/Driver Control Height Adjustable Suspension
- Class IV Towing Equipment inc: Hitch and Trailer Sway Control
- Electric Power-Assist Steering
- Electro-Mechanical Limited Slip Differential
- Engine Auto Stop Start Feature
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT UPG I w/ESS
- Four-Wheel Drive
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6.500 lbs
- Heavy Duty Engine Cooling
- Multi-Link Rear Suspension w/Air Springs
- Normal Duty Suspension Increased Travel
- Permanent Locking Hubs
- Quadra-Trac II 4WD System
- Short And Long Arm Front Suspension w/Air Springs
- Stainless Steel Exhaust
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (850RE)

SAFETY

- · Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense Rear Parking Sensors
- ParkView Back-Up Camera
- Rear Child Safety Locks
 Selec Terrain ABS And Driveline Traction Control
- Side Impact Beams
- SiriusXM Guardian Emergency Sos
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel



- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
 Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 68.3ftÂ³
- Cargo Volume to Seat 2 36.3ftÂ3
- Cargo Volume to Seat 3 36.3ftÂ3

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 650
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

Engine

- Displacement 3.6 L/220
- Engine Order Code ERC
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 295 @ 6400
- SAE Net Torque @ RPM 260 @ 4000

Exterior Dimensions

- · Height, Overall 69.3in
- Length, Overall N/Ain
- Liftover Height 31.8in
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 114.8in
- Width, Max w/o mirrors 76.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 105.4ftÅ³
- Second Head Room 39.2in Second Hip Room 56.2in
- Second Leg Room 38.6in Second Shoulder Room 58in



Mileage

- Cruising Range City 442.80mi
- Cruising Range Hwy 615.00mi
- EPA Fuel Economy Est City 18MPG
- EPA Fuel Economy Est Hwy 25MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 21MPG

Steering

- . Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 37.1ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Short And Long Arm
- Suspension Type Front Short And Long Arm
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code TKH
- Front Tire Size P265/60TR18
- Rear Tire Order Code TKH
- Rear Tire Size P265/60TR18
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 620lbs
- Dead Weight Hitch Max Trailer Wt. 6200lbs
- Maximum Trailering Capacity 6200lbs
- Wt Distributing Hitch Max Tongue Wt. 620lbs
- Wt Distributing Hitch Max Trailer Wt. 6200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 3.45
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
 Reverse Ratio (:1) 3.29
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
 Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFT
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information



- Base Curb Weight 5004lbsCurb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
 Maximum Payload Capacity N/Albs
 Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein