



Vehicle Information

Date: June 5, 2019
Vehicle: 2016 BMW X5 Series Utility 4D 40e AWD 2.0L I4 Turbo Electric/Hybrid
VIN: 5UXKT0C52G0S79242
Weight: 0



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$62,100	\$9,050	\$995	\$72,145

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
ALUMINUM RUNNING BOARDS Code: 328	\$365.00	\$400.00
COLD WEATHER PACKAGE -inc: Heated Rear Seats, Heated Steering Wheel, Retractable Headlight Washers Code: ZCW	\$500.00	\$550.00
DRIVER ASSISTANCE PACKAGE -inc: Head-Up Display, Rear-View Camera Code: ZDA	\$1275.00	\$1400.00
DRIVER ASSISTANCE PLUS -inc: Active Blind Spot Detection, Speed Limit Information, Surround View, Active Driving Assistant, lane departure warning, forward collision warning, pedestrian warning and city collision mitigation Code: ZDB	\$1545.00	\$1700.00
LIGHTING PACKAGE -inc: Adaptive Full LED Lights, Automatic High Beams Code: ZLP	\$1730.00	\$1900.00
PREMIUM PACKAGE -inc: 4-Zone Automatic Climate Control, Comfort Access Keyless Entry, Satellite Radio w/1 Year Subscription Code: ZPP	\$2320.00	\$2550.00
REAR-VIEW CAMERA Code: 3AG	\$365.00	\$400.00
SURROUND VIEW Code: 5DL	\$685.00	\$750.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
DARK GRAPHITE METALLIC Code: A90	\$500.00	\$550.00
TRAINING SERVICE FEE Code: -FEE	\$180.00	\$0.00
TERRA, DAKOTA LEATHER UPHOLSTERY Code: LCB8	\$0.00	\$0.00
TRANSMISSION: 8-SPEED AUTOMATIC W/STEPTRONIC (STD) Code: 205	\$0.00	\$0.00



WHEELS: 19" X 9" V-SPOKE LIGHT ALLOY (STYLE 450)

Invoice

\$0.00

MSRP

\$0.00

(STD) Code: 2H7

Standard Equipment

ENTERTAINMENT

- Enhanced USB & Bluetooth
- Hi-Fi Sound System
- Radio w/Seek-Scan, Clock, Steering Wheel Controls, Radio Data System and Weatherband
- Radio: Anti-Theft AM/FM Stereo w/CD/MP3
- Real-Time Traffic Display
- Satellite Radio Preparation
- Window Grid Diversity Antenna

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Bumper Insert
- Body-Colored Power Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
- Chrome Grille
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Headlamps w/Delay-Off
- Galvanized Steel/Aluminum/Composite Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate/Tailgate Rear Cargo Access
- Rocker Panel Extensions and Black Wheel Well Trim
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/50R19 Run-Flat AS
- Wheels: 19" x 9" V-Spoke Light Alloy (Style 450)

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Fold Forward Seatback Rear Seat
- 8-Way Driver Seat
- 8-Way Passenger Seat
- Air Filtration
- Analog Display
- Ashtray
- BMW Online Full Service Internet Access
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning w/Steering Wheel Controls
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Bucket Seats
- Front Center Armrest and Rear Center Armrest
- Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner



Licensed to J.D. Power

- Full Floor Console w/Covered Storage, Mini Overhead Console and 4 12V DC Power Outlets
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Tachometer, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer
- Heated Front Seats
- HVAC -inc: Underseat Ducts, Residual Heat Recirculation, Auxiliary Rear Heater and Console Ducts
- Illuminated Locking Glove Box
- Interior Lock Disable
- Interior Trim -inc: Chrome/Metal-Look Interior Accents
- Leather/Chrome Gear Shift Knob
- Leatherette Door Trim Insert
- Lumbar Support
- Memory Settings -inc: Driver Seat, Door Mirrors, Steering Wheel and Head Restraints
- Navigation System
- Outside Temp Gauge
- Perimeter Alarm
- Poplar Wood Trim
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Anti-Whiplash w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Power Door Locks w/Autolock Feature
- Power Front Seats
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Push Button Start Only
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Roll-Up Cargo Cover
- SensaTec Upholstery
- Smart Device Integration
- Sport Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- Systems Monitor
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

- 1170lbs. Maximum Payload
- 22.5 Gal. Fuel Tank
- 3.154 Axle Ratio
- Automatic w/Driver Control Ride Control Adaptive Suspension
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 2.0L DOHC I-4 16V
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,570 lbs
- Hybrid Electric Motor
- Lithium Ion Traction Battery w/7.7 Hrs Charge Time @ 110/120V and 3 Hrs Charge Time @ 220/240V
- Multi-Link Rear Suspension w/Air Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Rear Auto-Leveling Suspension
- Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- Transmission: 8-Speed Automatic w/STEPTRONIC

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- BMW Assist eCall Emergency Socs
- Curtain 1st And 2nd Row Airbags
- DSC-X Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications



Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.7in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 72.5ft³
- Cargo Volume to Seat 2 34.2ft³
- Cargo Volume to Seat 3 34.2ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (2nd) N/A
- Cold Cranking Amps @ 0Â° F (3rd) N/A
- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year N/A

Engine

- Displacement 2.0 L/122
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Intercooled Turbo Gas/Electric I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 313 @ 5000
- SAE Net Torque @ RPM 332

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 69.4in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain



Licensed to J.D. Power

6/5/2019

NADA New Cars/Trucks

- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.7in
- Track Width, Rear 65in
- Wheelbase 115.5in
- Width, Max w/o mirrors 76.3in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 22.5gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 40.5in
- Front Hip Room N/Ain
- Front Leg Room 40.4in
- Front Shoulder Room 61.5in
- Passenger Capacity 5
- Second Head Room 38.8in
- Second Hip Room N/Ain
- Second Leg Room 36.6in
- Second Shoulder Room 60in

Mileage

- Cruising Range - City N/Ami
- Cruising Range - Hwy N/Ami
- EPA Fuel Economy Est - City N/AMPG
- EPA Fuel Economy Est - Hwy N/AMPG
- Fuel Economy Est-Combined N/AMPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 41.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.15
- Axle Ratio (:1) - Rear 3.15
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P255/50HR19
- Rear Tire Capacity N/Albs



- Rear Tire Order Code
- Rear Tire Size P255/50HR19
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 595lbs
- Dead Weight Hitch - Max Trailer Wt. 5952lbs
- Maximum Trailering Capacity 5952lbs
- Wt Distributing Hitch - Max Tongue Wt. 595lbs
- Wt Distributing Hitch - Max Trailer Wt. 5952lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 205
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model None
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating 6620.00lbs
- Gross Axle Wt Rating - Front 2750lbs
- Gross Axle Wt Rating - Rear 3870lbs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 6570.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 9in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 9in
- Spare Wheel Material
- Spare Wheel Size in