



Vehicle Information

Date: June 5, 2019
Vehicle: 2017 Dodge Durango Utility 4D Citadel AWD 5.7L V8
VIN: 1C4SDJET1HC691376
Weight: 0



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$43,995	\$5,290	\$1,095	\$50,380

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
2ND ROW CONSOLE W/ARMREST & STORAGE -inc: USB Charging Port in Console, 12V Auxiliary Power Outlet In Console, 3rd Row Floor Mat & Full Console, Illuminated Rear Cupholders Code: CVR	\$267.00	\$300.00
2ND ROW FOLD/TUMBLE CAPTAIN CHAIRS -inc: 2nd Row Mini Console w/Cupholders, 2nd Row Seat Mounted Inboard Armrests, 3rd Row Floor Mat & Mini Console Code: CFU	\$886.00	\$995.00
3.09 REAR AXLE RATIO Code: DPM	\$0.00	\$0.00
ENGINE: 5.7L V8 HEMI MDS VVT -inc: 3.09 Rear Axle Ratio, Dual Rear Exhaust w/Bright Tips, 230MM Rear Axle, 700 Amp Maintenance Free Battery, Heavy Duty Engine Cooling, 2 Speed On Demand Transfer Case, GVWR: 7,100 lbs Code: EZH	\$3556.00	\$3995.00
GVWR: 7,100 LBS Code: Z6J	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
WHITE KNUCKLE CLEARCOAT Code: PW7	\$0.00	\$0.00
LT FROST BEIGE/BLACK, LUX LEATHER TRIMMED BUCKET SEATS Code: TLXL	\$0.00	\$0.00
TRANSMISSION: 8-SPEED AUTOMATIC (8HP70) Code: DFK	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 506w Regular Amplifier
- 9 Performance Speakers
- Automatic Equalizer
- Fixed Antenna
- Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System, DVD-Audio and External Memory Control
- Radio: Uconnect 3C Nav w/8.4" Display



Licensed to J.D. Power

- Siriusxm Traffic Real-Time Traffic Display
- Streaming Audio
- Uconnect w/Bluetooth Wireless Phone Connectivity

EXTERIOR

- Black Side Windows Trim
- Body-Colored Front Bumper w/Chrome Rub Strip/Fascia Accent
- Body-Colored Rear Step Bumper w/Chrome Rub Strip/Fascia Accent
- Chrome Bodyside Insert and Body-Colored Wheel Well Trim
- Chrome Door Handles
- Chrome Grille
- Chrome Power Heated Side Mirrors w/Driver Auto Dimming, Manual Folding and Turn Signal Indicator
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam High Intensity Low Beam Daytime Running Auto-Leveling Auto High-Beam Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/50R20 BSW AS LRR
- Wheels: 20" x 8.0" Fully Polished Aluminum

INTERIOR

- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12-Way Power Passenger Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60/40 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback and Ventilated Front Seats
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- Fixed 50/50 Split-Bench Vinyl 3rd Row Seat Front, Manual Fold Into Floor, 2 Power and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel
- HVAC -inc: Auxiliary Rear Heater, Headliner/Pillar Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert and Chrome Interior Accents
- Leather Door Trim Insert
- Lux Leather Trimmed Bucket Seats
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Fixed Rear Head Restraints
- Memory Settings -inc: Driver Seat, Door Mirrors, Steering Wheel and Audio
- Outside Temp Gauge



Licensed to J.D. Power

- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Cargo Access and Power Fuel
- Roll-Up Cargo Cover
- Sentry Key Engine Immobilizer
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- UConnect Access Tracker System
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 1360lbs. Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 50 State Emissions
- 650CCA Maintenance-Free Battery w/Run Down Protection
- Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Electric Power-Assist Steering
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT UPG I w/ESS
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Short And Long Arm Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (845RE)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense Rear Parking Sensors
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Uconnect Access Emergency Sps

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13in



Licensed to J.D. Power

- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 84.5ft³
- Cargo Volume to Seat 2 47.7ft³
- Cargo Volume to Seat 3 17.2ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 750
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 750
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.3

Engine

- Displacement 5.7 L/345
- Engine Oil Cooler Regular Duty
- Engine Order Code EZH
- Engine Type Regular Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 360 @ 5150
- SAE Net Torque @ RPM 390 @ 4250

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70.9in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height 32.2in
- Min Ground Clearance 8.1in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 119.8in
- Width, Max w/o mirrors 75.8in

Frame

- Frame RBM N/AN/A



Licensed to J.D. Power

- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 24.6gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.5in
- Passenger Capacity 6
- Second Head Room 39.8in
- Second Hip Room 56in
- Second Leg Room 38.6in
- Second Shoulder Room 58.3in
- Third Head Room 37.8in
- Third Hip Room 42.8in
- Third Leg Room 31.5in
- Third Shoulder Room 50.4in

Mileage

- Cruising Range - City 344.40mi
- Cruising Range - Hwy 541.20mi
- EPA Fuel Economy Est - City 14MPG
- EPA Fuel Economy Est - Hwy 22MPG
- Fuel Economy Est-Combined 17MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.09
- Axle Ratio (:1) - Rear 3.09
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Short And Long Arm
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code TKJ
- Front Tire Size P265/50TR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code TKJ
- Rear Tire Size P265/50TR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code



Licensed to J.D. Power

- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 740lbs
- Dead Weight Hitch - Max Trailer Wt. 7400lbs
- Maximum Trailering Capacity 7400lbs
- Wt Distributing Hitch - Max Tongue Wt. 740lbs
- Wt Distributing Hitch - Max Trailer Wt. 7400lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFK
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 7100.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin