

# **Vehicle Information**

Date: June 25, 2019

Vehicle: 2017 Toyota RAV4 Utility 4D LE AWD 2.5L I4

VIN: 2T3BFREV6HW682437

Weight: 3,570



# **New Cars/Trucks Values**

Powered by Chrome Data	Base	<b>Options</b>	<b>Destination</b>	<b>Adjusted Value</b>
Base MSRP	\$25,810	N/A	\$995	\$26,805
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
<b>Optional Equipment</b>		In	voice	MSRP
50 STATE EMISSIONS		\$0.00		\$0.00
Code: FE-0				•
STANDARD PAINT	\$0.00			\$0.00
Code: -PAINT				
SILVER SKY METALLIC	\$0.00		\$0.00	
Code: 1D6				
BLACK, FABRIC SEAT TRIM		\$	0.00	\$0.00
Code: FB20				

# **Standard Equipment**

# **ENTERTAINMENT**

- 1 LCD Monitor In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Entune AM/FM/CD/MP3/WMA Playback w/6 Speakers -inc: 6.1<sup>n</sup> touch-screen w/integrated back-up camera display, auxiliary audio jack, USB port w/iPod connectivity and control, vehicle information w/customizable settings, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology

#### **EXTERIOR**

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Grille w/Chrome Accents
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Interval Wipers
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Automatic Projector Beam Halogen Daytime Running Auto High-Beam Headlamps
- Fully Galvanized Steel Panels
- Laminated Glass
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks



• Tires: P225/65R17H AS Wide Vent

Wheels: 17" x 6.5J-inc: caps

#### INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- Air Filtration
- · Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fabric Seat Trim
- Fade-To-Off Interior Lighting
- Front Bucket Seats inc: 6-way adjustable driver and 4-way adjustable passenger seats, 60/40 split, reclining, fold-flat second-row seats w/height-adjustable headrests and center armrest
- Front Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Instrument Panel Bin, Driver And Passenger Door Bins
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Split-Bench Front Facing Rear Seat
- Trip Computer
- Urethane Gear Shift Knob

#### **MECHANICAL**

- 15.9 Gal. Fuel Tank
- 4.071 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 550CCA Maintenance-Free Battery w/Run Down Protection
- 900lbs. Maximum Payload
- Automatic Full-Time All-Wheel Drive
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.5L DOHC 4-Cylinder w/Dual VVT-i
- Front And Rear Anti-Roll Bars
  Gas-Pressurized Shock Absorbers
- Gas-Pressurized Si
  GVWR: 4,640 lbs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
  Touring Fouriers to Trailing Survey Control
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 6-Speed Automatic

#### **SAFETY**

• ABS And Driveline Traction Control



- · Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag and Passenger Cushion Front Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Lane Departure Alert (LDA) w/Steering Assist Lane Departure Warning
- Lane Departure Alert (LDA) w/Steering Assist Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- · Pre-Collision System (PCS)
- · Rear Child Safety Locks
- Side Impact Beams

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 10.8in
- Rear Brake Rotor Diam x Thickness 11.2in
- Rear Drum Diam x Width in

#### **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 73.4ftÂ<sup>3</sup>
- Cargo Volume to Seat 2 38.4ft<sup>A3</sup>
- Cargo Volume to Seat 3 38.4ftÂ<sup>3</sup>

### **Cooling System**

• Total Cooling System Capacity N/Aqts

#### **Electrical**

- Cold Cranking Amps @ O° F (Primary) 550
- Maximum Alternator Capacity (amps) N/A

## **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.1 (Est)

### Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 176 @ 6000
- SAE Net Torque @ RPM 172 @ 4100

#### **Exterior Dimensions**

- Height, Overall 67.1in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 6.1in
- Rear Door Opening Height N/Ain
  Rear Door Opening Width N/Ain
- Track Width, Front 61.8in
- Track Width, Front 61.8in
  Track Width, Rear 61.8in



- Wheelhase 104.7in
- Width, Max w/o mirrors 72.6in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.9gal

#### **Interior Dimensions**

- Front Head Room 39.8in
- Front Hip Room 54.3in
- Front Leg Room 42.6in
- Front Shoulder Room 57.3in
- Passenger Capacity 5
- Passenger Volume 101.9ft³
- Second Head Room 38.9in
- Second Hip Room 48.9in
- Second Leg Room 37.2in
- Second Shoulder Room 55.4in

#### Mileage

- Cruising Range City 349.80mi
- Cruising Range Hwy 461.10mi
- EPA Fuel Economy Est City 22 (Est)MPG
- EPA Fuel Economy Est Hwy 29 (Est)MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 25 (Est)MPG

### **Steering**

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 34.8ft
- Turning Diameter Wall to Wall N/Aft

#### Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
  Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Double Wishbone
- Suspension Type Rear Double Wishbone

### **Tires**

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

## **Trailering**

- Dead Weight Hitch Max Tongue Wt. 150lbs
- Dead Weight Hitch Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch Max Tongue Wt. 150lbs
- Wt Distributing Hitch Max Trailer Wt. 1500lbs

#### **Transmission**

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.07



- Licensed to J.D. Pov
- First Gear Ratio (:1) 3.30
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 4.15
- Second Gear Ratio (:1) 1.90
- Sixth Gear Ratio (:1) 0.61
- Third Gear Ratio (:1) 1.42
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

### **Vehicle**

• EPA Classification Small Sport Utility Vehicles 4WD

# **Weight Information**

- Base Curb Weight 3570lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

### Wheels

- Front Wheel Material Steel
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Steel
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin