Vehicle Information

| Date: | June 14, 2019 |
|----------|---|
| Vehicle: | 2016 Jeep Grand Cherokee Utility 4D Overland 4WD 3.6L |
| | V6 |
| VIN: | 1C4RJFCG9GC377015 |
| Weight: | 4,984 |



New Cars/Trucks Values

| Powered by Chrome Data Base MSRP | Base \$47,395 | Options \$1,995 | Destination \$995 | Adjusted Value \$50,385 | |
|---|-------------------------|--------------------|----------------------|----------------------------|--|
| NADA New Vehicle Values | | | | | |
| High | N/A | N/A | N/A | N/A | |
| Optional Equipment | | | Inveloe | MCDD | |
| | | | | MSRP | |
| ADVANCED TECHNOLOGY GROUP | \$1776.00 | \$1995.00 | | | |
| -inc: Adaptive Cruise Control w/Stop, Adva Detection, Full Speed FWD Collision War | | t & Cross Path | | | |
| BLIND SPOT & CROSS PATH DETEC | \$530.00 | \$595.00 | | | |
| Code: XAN | | | • • • • • • | T | |
| 3.45 REAR AXLE RATIO | \$0.00 | \$0.00 | | | |
| (STD) Code: DLK | | | | | |
| QUICK ORDER PACKAGE 23P | \$0.00 | \$0.00 | | | |
| -inc: Engine: 3.6L V6 24V VVT UPG I w/ESS, Transmission: 8-Speed Automatic (845RE) Code: 23P | | | | | |
| ENGINE: 3.6L V6 24V VVT UPG I W/ES | \$0.00 | \$0.00 | | | |
| (STD) Code: ERC | | | | | |
| GVWR: 6,500 LBS | \$0.00 | \$0.00 | | | |
| (STD) Code: Z6K | | | | | |
| STANDARD PAINT | \$0.00 | \$0.00 | | | |
| Code: -PAINT | • • • • • | • • • • • | | | |
| VELVET RED PEARLCOAT | \$0.00 | \$0.00 | | | |
| Code: PRV | \$0.00 | \$ 0.00 | | | |
| LIGHT FROST/BROWN, LEATHER TF | \$0.00 | \$0.00 | | | |
| | ድር በብ | \$0.00 | | | |
| TIRES: P265/50R20 BSW AS LRR (STD) Code: TKJ | \$0.00 | φ0.00 | | | |
| TRANSMISSION: 8-SPEED AUTOMAT | \$0.00 | \$0.00 | | | |
| (STD) Code: DFL | ψ0.00 | ψ0.00 | | | |
| WHEELS: 20" X 8.0" ALUMINUM | | | \$0.00 | \$0.00 | |
| | | | | | |

(STD) Code: WRD

Standard Equipment

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



• 10 Speakers

- 2 LCD Monitors In The Front
- 506w Regular Amplifier
- Graphic Equalizer
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System, External Memory Control and Internal Memory
- Radio: Uconnect 8.4 NAV inc: SiriusXM Satellite Radio, 1 year SiriusXM Radio Service, For more information, call 800-643-2112, NOT AVAILABLE in Alaska, Hawaii, Puerto Rico, St, Thomas/Virgin Islands, Barbados, Dominican Republic and Guam
- Siriusxm Traffic Real-Time Traffic Display
- Streaming Audio

EXTERIOR

- Body-Colored Front Bumper w/Gray Rub Strip/Fascia Accent, Chrome Bumper Insert and 2 Tow Hooks
- Body-Colored Grille w/Chrome Accents
- Body-Colored Rear Step Bumper w/Gray Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Rocker Panel Extensions and Body Colored Fender Flares
- Chrome Door Handles
- Chrome Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Full Size Spare Tire Mounted Inside Under Cargo
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Auto High Beam Headlamps w/Delay.Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/50R20 BSW AS LRR
- Wheels: 20" x 8.0" Aluminum

INTERIOR

- 12-Way Power Driver Seat inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12 Way Power Passenger Seat inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Leather Rear Seat
- 8.4" Touchscreen Display
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated Cushion, Driver And Passenger Heated Seatback and Ventilated Front Seats
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Fade To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Leather/Genuine Wood Steering Wheel
- HVAC -inc: Console Ducts

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Instrument Cluster w/Off-Road Disp. Pages
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Genuine Wood/Metal-Look Instrument Panel Insert, Genuine Wood/Chrome Door Panel Insert, Metal-Look Console Insert, Chrome/Metal-Look Interior Accents and Leather Upholstered Dashboard
- Leather Door Trim Insert
- Leather Trim Seats w/Edge Welting
- Leather/Metal-Look Gear Shift Knob
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Memory Settings -inc: Driver Seat, Door Mirrors and Audio
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Fuel
- Roll-Up Cargo Cover
- Sentry Key Engine Immobilizer
- Smart Device Integration
- Smart Device Remote Engine Start
- Systems Monitor
- Tracker System
- Trip Computer
- Uconnect Access Mobile Hotspot Internet Access
- Valet Function
- Voice Recorder

MECHANICAL

- 1150lbs. Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Corner Auto-Leveling Suspension
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 50 State Emissions
- 650CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Automatic w/Driver Control Height Adjustable Suspension
- Class IV Towing Equipment inc: Hitch and Trailer Sway Control
- Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Electric Power-Assist Steering
- Electronic Transfer Case
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT UPG I w/ESS
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Multi-Link Rear Suspension w/Air Springs
- Normal Duty Suspension
- Permanent Locking Hubs
- Short And Long Arm Front Suspension w/Air Springs
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (845RE)

SAFETY

- Airbag Occupancy Sensor
- Back Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning



6/14/2019

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
 Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes ٠ Drum - Rear (Yes or) •
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain ٠
- Cargo Area Length @ Floor to Seat 3 N/Ain .
- Cargo Area Width @ Beltline N/Ain ٠
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain ٠ •
- Cargo Volume to Seat 1 68.3ftÅ³ Cargo Volume to Seat 2 36.3ftÅ³ .
- Cargo Volume to Seat 3 36.3ftÅ³ •

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 650
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

Engine

- Displacement 3.6 L/220
- Engine Order Code ERC
- Engine Type Regular Unleaded V-6
- **Fuel System Sequential MPI** .
- SAE Net Horsepower @ RPM 295 @ 6400 •
- SAE Net Torque @ RPM 260 @ 4000

Exterior Dimensions

- Height, Overall 69.3in
- Length, Overall N/Ain
- Liftover Height 31.8in
- Min Ground Clearance 6.6in .
- Rear Door Opening Height N/Ain •
- Rear Door Opening Width N/Ain ٠
- Track Width, Front 63.9in Track Width, Rear 64.1in
- ٠ Wheelbase 114.8in
- Width, Max w/o mirrors 76.5in .

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

Interior Dimensions



- Front Head Room 39.9in
- Front Hip Room 57in .
- Front Leg Room 40.3in •
- Front Shoulder Room 58.7in •
- Passenger Capacity 5 ٠
- Passenger Volume 105.4ftÅ³ ٠
- Second Head Room 39.2in •
- Second Hip Room 56.2in •
- Second Leg Room 38.6in ٠
- Second Shoulder Room 58in .

Mileage

- Cruising Range City 442.80mi
- Cruising Range Hwy 615.00mi
- EPA Fuel Economy Est City 18MPG ٠
- EPA Fuel Economy Est Hwy 25MPG
- EPA MPG Equivalent City N/A ٠
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est Combined 21MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A •
- Steering Type Rack-Pinion .
- Turning Diameter Curb to Curb 37.1ft .
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain .
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Short And Long Arm .
- Suspension Type Front Short And Long Arm ٠ .
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TKJ
- Front Tire Size P265/50TR20
- **Rear Tire Order Code TKJ** .
- Rear Tire Size P265/50TR20 ٠
- Spare Tire Order Code ٠
- Spare Tire Size Full-Size •

Trailering

- Dead Weight Hitch Max Tongue Wt. 620lbs
- Dead Weight Hitch Max Trailer Wt. 6200lbs ٠
- Maximum Trailering Capacity 6200lbs .
- Wt Distributing Hitch Max Tongue Wt. 620lbs .
- Wt Distributing Hitch Max Trailer Wt. 6200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67 .
- Fifth Gear Ratio (:1) 1.28 ٠
- Final Drive Axle Ratio (:1) 3.45 •
- First Gear Ratio (:1) 4.71 ٠
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29 •
- Second Gear Ratio (:1) 3.14 •
- Seventh Gear Ratio (:1) 0.84 ٠
- Sixth Gear Ratio (:1) 1.00 .
- Third Gear Ratio (:1) 2.11
- **Trans Description Cont. Again**
- ٠
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFL



- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4984lbs
- Curb Weight Front N/Albs ٠
- Curb Weight Rear N/Albs ٠
- Curb Weight N/Albs
 Maximum Payload Capacity N/Albs • Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in • Spare Wheel Material Steel
- Spare Wheel Size Full Sizein