

Vehicle Information

Date: June 14, 2019

Vehicle: 2016 Toyota Tundra Crew Cab Limited 4WD 5.7L V8

VIN: 5TFHW5F10GX567096

Weight: 5,670



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$43,585	\$3,822	\$1,295	\$48,702
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
LIMITED PREMIUM PACKAGE			\$948.00	\$1065.00
-inc: Illuminated Entry System, illumination w/Rear Cross Traffic Alert, Front & Rear F (GBS), Power Windows w/Front Auto Up/	Parking Assist Sonar, Glass Br		ψ 94 0.00	\$1005.00
POWER TILT & SLIDE MOONROOF W/SLIDING SUNSHADE			\$757.00	\$850.00
Code: SR				
RADIO: ENTUNE PREMIUM W/JBL AL	JDIO & NAVIGATION		\$699.00	\$785.00
-inc: AM/FM/HD radio, CD player MP3/W system, AM/FM cache radio, 12 JBL spea resolution 7" touch-screen w/split screen of connectivity and control, Gracenotes albur weather overlay, Bluetooth hands-free photoecognition and music streaming, Siri Eye Entune App Suite includes Bing, iHeartRa and Facebook Places; real-time info includes SIRIUSXM Satellite Radio, all access radional	akers including subwoofer & and also ack, US on cover art, HD predictive trafficate capability, phone book access Free and integrated backup adio, MovieTickets.com, Open ading traffic, weather, fuel prices.	mplifier, high- SB 2.0 port, iPod ic and doppler sess, advanced voice camera display, Table, Pandora, Yelp s, sports and stocks,		
RUNNING BOARDS			\$307.00	\$345.00
-inc: rear step Code: KG-R				
FEDERAL EMISSIONS			\$0.00	\$0.00
FFV model required in these states: NV, AIA, MO, AR, LA, WI, IL, MS, IN, AL, FL, MI				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			_	
SPRAY IN BEDLINER			\$454.00	\$579.00
(PPO) Code: LB-0-R			# 00.00	# 00.00
STAINLESS STEEL EXHAUST TIP			\$60.00	\$99.00
(PPO) Code: E5-O-R			የ ደር	00 00¢
TUNDRA TAILGATE INSERT (T6)			\$59.00	\$99.00
(PPO) Code: T6-0				
MIDNIGHT BLACK METALLIC			\$0.00	\$0.00
Code: 218			Φ0.00	00.00
BLACK, LEATHER SEAT TRIM (LB)			\$0.00	\$0.00



Invoice MSRP

Code: LB20

Standard Equipment

ENTERTAINMENT

- 440w Regular Amplifier
- Fixed Antenna
- Radio w/Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Entune AM/FM/HD w/CD Player-inc: integrated navigation system, MP3/WMA playback capability, AM/FM cache radio, 9 speakers, high-resolution 7" touch-screen w/split screen display, auxiliary audio jack, USB 2.0 port, iPod connectivity and control, Gracenotes album cover art, HD predictive traffic and doppler weather overlay, Bluetooth hands-free phone capability, phone book access, advanced voice recognition and music streaming, Siri Eyes Free and integrated backup camera display, Entune App Suite includes Bing, iHeartRadio, MovieTickets.com, OpenTable, Pandora, Yelp and Facebook Places; real-time info including traffic, weather, fuel prices, sports and stocks, SIRIUSXM Satellite Radio, all access radio w/90-day free trial
- Streaming Audio

EXTERIOR

- Black Front Bumper w/Chrome Rub Strip/Fascia Accent and 2 Tow Hooks
- Black Rear Step Bumper w/Chrome Rub Strip/Fascia Accent
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Cargo Lamp w/High Mount Stop Light
- Chrome Door Handles
- Chrome Power Heated Side Mirrors w/Manual Folding
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Manual Tailgate/Rear Door Lock
- Manual-Leveling Fully Automatic Aero-Composite Halogen Daytime Running Headlamps
- Metal-Look Grille w/Chrome Surround
- Perimeter/Approach Lights
- Power Rear Window w/Defroster
- Regular Box Style
- Splash Guards
- Steel Spare WheelTailgate Rear Cargo Access
- Tires: P275/55R20 Bridgestone/Dunlop Performance
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 20" x 8J Split 5-Spoke Aluminum Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Compass
- Cruise Control w/Steering Wheel Controls
- Dashboard Storage, Driver / Passenger And Rear Door Bins
- Day-Night Auto-Dimming Rearview Mirror
- Delay Off Interior Lighting
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
 Entune Selective Service Internet Access
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
 Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Full Overhead Console w/Storage and 3 12V DC Power Outlets
- Full Floor Console w/Covered Storage, Full Overhead Console w/Storage and 3 12 v bb Flower Outlets
 Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats inc: 10-way power-adjustable driver's seat w/power lumbar support and 4-way manual adjustable front passenger seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim inc: Simulated Wood/Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents



- Leather Seat Trim (LB)
- **Leather Steering Wheel**
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Metal-Look Gear Shift Knob
- **Outside Temp Gauge**
- Passenger Seat -inc: Fold Flat
- **Perimeter Alarm**
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- **Power Rear Windows**
- Rear Cupholder
- Remote Keyless Entry w/4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- **Smart Device Integration**
- **Systems Monitor**
- Trip Computer

MECHANICAL

- 1 Skid Plate
- 1530lbs. Maximum Payload
- 170 Amp Alternator
- 38 Gal. Fuel Tank
- 4.30 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist
- 710CCA Maintenance-Free Battery
- **Auto Locking Hubs**
- Brake Actuated Limited Slip Differential
- Class IV Towing Equipment -inc: Hitch, Brake Controller and Trailer Sway Control
- Double Wishbone Front Suspension w/Coil Springs
- **Electronic Transfer Case**
- **Engine Oil Cooler**
- Engine: 5.7L V8 DOHC 32V FFV w/i-Force-inc: dual independent variable valve timing w/intelligence
- Front Anti-Roll Bar
- **Gas-Pressurized Shock Absorbers**
- GVWR: 7,200 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- **Trailer Wiring Harness**
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: Electronic 6-Speed Automatic w/OD -inc: intelligence (ECT-i), sequential shift mode, uphill/downhill shift logic and TOW/HAUL mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- **Dual Stage Driver And Passenger Seat-Mounted Side Airbags**
- Electronic Stability Control (ESC)
- **Low Tire Pressure Warning**
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.9in
- Rear Brake Rotor Diam x Thickness 13.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions



- Cargo Box (Area) Height 22.2in
- Cargo Box Length @ Floor 66.7in
- Cargo Box Width @ Floor 66.4in
- Cargo Box Width @ Top, Rear 66.4in
- Cargo Box Width @ Wheelhousings 50in
- Cargo Volume N/AftÂ³
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ OA° F (2nd) 710
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ OA° F (Primary) 710
- Maximum Alternator Capacity (amps) 170

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.7

Engine

- Displacement 5.7 L/346
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 381 @ 5600
- SAE Net Torque @ RPM 401 @ 3600

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 27in
- Cab to Body N/Ain
 Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 10.4in
- Ground Clearance, Rear 10.4in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 33.7in
- Height, Overall 76.2in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 228.9in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper 47.9in
- Wheelbase 145.7in
- Width, Max w/o mirrors 79.9in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 38gal
- Fuel Tank Location N/A

Interior Dimensions

• Front Head Room 39.7in



- Front Hip Room 62.6in
- Front Leg Room 42.5in
- Front Shoulder Room 65.7in
- Passenger Capacity 5
- Second Head Room 38.9in
- Second Hip Room 60.4in
- Second Leg Room 42.3in
- Second Shoulder Room 65.5in

Mileage

- Cruising Range City 494.00mi
- Cruising Range Hwy 646.00mi
- EPA Fuel Economy Est City 13MPG
- EPA Fuel Economy Est Hwy 17MPG
- Fuel Economy Est-Combined 15MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 44ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 4.30
- Axle Ratio (:1) Rear 4.30
- Axle Type Front Independent
- Axle Type Rear Rigid Axle
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Double Wishbone
- Suspension Type Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/55HR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P275/55HR20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 920lbs
- Dead Weight Hitch Max Trailer Wt. 9200lbs
- Maximum Trailering Capacity 9200lbs
- Wt Distributing Hitch Max Tongue Wt. 920lbs
- Wt Distributing Hitch Max Trailer Wt. 9200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.73
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.33
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.06



- Second Gear Ratio (:1) 1.96
- Sixth Gear Ratio (:1) 0.59
- Third Gear Ratio (:1) 1.35
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
 Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
 As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating 8150.00lbs
- Gross Axle Wt Rating Front 4000lbs
- Gross Axle Wt Rating Rear 4150lbs
- Gross Combined Wt Rating 16000lbs
- Gross Vehicle Weight Rating 7200.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 0.00lbs
- Option Weight Rear 0.00lbs
- Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs
- Reserve Axle Capacity Rear N/Albs Reserve Axle Capacity N/Albs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein