

## Vehicle Information

**Date:** June 13, 2019  
**Vehicle:** 2016 Nissan Frontier Crew Cab SV 4WD 4.0L V6  
**VIN:** 1N6AD0EVXGN779897  
**Weight:** 4,502



## New Cars/Trucks Values

<b>Powered by Chrome Data</b>	<b>Base</b>	<b>Options</b>	<b>Destination</b>	<b>Adjusted Value</b>
Base MSRP	\$28,460	\$2,180	\$940	<b>\$31,580</b>

### NADA New Vehicle Values

High	N/A	N/A	N/A	<b>N/A</b>
------	-----	-----	-----	------------

## Optional Equipment

	<b>Invoice</b>	<b>MSRP</b>
[K02] SV VALUE TRUCK PACKAGE -inc: Leather Shift Knob, Heated Front Seats, Dual Zone Automatic Air Conditioning, Rear View Monitor w/Rear Sonar System, Utili-Track System, 4 adjustable tie-down cleats, Sliding Bed Extender, Auto-Dimming Mirror w/Compass & Temperature, outside temperature display, Spray-In Bedliner, In-Cabin Microfilter, Floor Mats, Trailer Hitch, Leather Steering Wheel, Vehicle Security System (VSS), 2 Additional Speakers, Fog Lamps Code: VAL	\$1844.00	\$1990.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B92] SPLASH GUARDS (PIO) (PIO) (Regional) NOT AVAILABLE for dealer ordering. Automatically added to dealer orders in the following states: Alaska, Idaho, Montana, Oregon, Rhode Island, Washington and Wisconsin. Code: SGD	\$148.00	\$190.00
ARCTIC BLUE METALLIC Code: RBG	\$0.00	\$0.00
STEEL, CLOTH SEAT TRIM Code: W-0	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- Fixed Antenna
- Radio w/Clock, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD w/6 Speakers -inc: NissanConnect and NissanConnect Apps, 5" color display, USB connection port for iPod interface and other compatible devices, streaming audio via Bluetooth, Sirius XM satellite radio, hands-free text messaging assistant, Smartphone apps integration for iPhone and Android phones,

### EXTERIOR

- Aero-Composite Halogen Headlamps
- Black Door Handles
- Black Power Side Mirrors w/Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Colored Rub Strip/Fascia Accent and 1 Tow Hook
- Cargo Lamp w/High Mount Stop Light
- Chrome Grille
- Chrome Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass



Licensed to J.D. Power

- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Manual Tailgate/Rear Door Lock
- Regular Box Style
- Sliding Rear Window
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tires: P265/70R16 OWL
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 16" Alloy

## INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Analog Display
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: 4-way adjustable
- Front Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer and Trip Odometer
- HVAC -inc: Underseat Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
- Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome Interior Accents
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt Steering Column
- Passenger Seat
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Illuminated Entry and Panic Button
- Urethane Gear Shift Knob

## MECHANICAL

- 130 Amp Alternator
- 21.1 Gal. Fuel Tank
- 3.357 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs
- 550CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine: 4.0L DOHC V6
- Front Anti-Roll Bar
- Gas-Pressurized Shock Absorbers
- GVWR: 5,816 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Transmission: 5-Speed Automatic w/OD

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags



- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.3in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Box (Area) Height 18in
- Cargo Box Length @ Floor 59.5in
- Cargo Box Width @ Floor 61.4in
- Cargo Box Width @ Top, Rear 61.4in
- Cargo Box Width @ Wheelhousings 44.4in
- Cargo Volume 27.1ft<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft<sup>3</sup>
- Tailgate Width N/Ain

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 550
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) 130

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.4 (Est)

### Engine

- Displacement 4.0 L/241
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 261 @ 5600
- SAE Net Torque @ RPM 281 @ 4000

### Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 18.5in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 8.9in
- Ground Clearance, Rear 8.9in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70.1in
- Length, Overall N/Ain



Licensed to J.D. Power

- Length, Overall w/o rear bumper 205.5in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper 48.2in
- Wheelbase 125.9in
- Width, Max w/o mirrors 72.8in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain<sup>3</sup>

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 21.1gal
- Fuel Tank Location N/A

## Interior Dimensions

- Front Head Room 40in
- Front Hip Room 55.6in
- Front Leg Room 42.4in
- Front Shoulder Room 58.3in
- Passenger Capacity 5
- Second Head Room 38.7in
- Second Hip Room 58in
- Second Leg Room 33.6in
- Second Shoulder Room 58.3in

## Mileage

- Cruising Range - City 316.50mi
- Cruising Range - Hwy 443.10mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 17MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 43.3ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.36
- Axle Ratio (:1) - Rear 3.36
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

## Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/70TR16
- Rear Tire Capacity N/Albs



Licensed to J.D. Power

- Rear Tire Order Code
- Rear Tire Size P265/70TR16
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 610lbs
- Dead Weight Hitch - Max Trailer Wt. 6100lbs
- Maximum Trailering Capacity 6100lbs
- Wt Distributing Hitch - Max Tongue Wt. 610lbs
- Wt Distributing Hitch - Max Trailer Wt. 6100lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.84
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.84
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 2.76
- Second Gear Ratio (:1) 2.35
- Third Gear Ratio (:1) 1.53
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 5
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating 11133lbs
- Gross Vehicle Weight Rating 5816.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein