

Vehicle Information

Date: June 26, 2019

Vehicle: 2018 Nissan Titan Crew Cab Platinum Reserve 4WD 5.6L

V8

VIN: 1N6AA1E56JN549599

Weight: 5,933



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$56,800	\$1,255	\$1,395	\$59,450
NADA New Vehicle Values				
High	\$54,193	\$1,197	\$1,395	\$56,785
Optional Equipment				
optional Equipmont			Invoice	MSRP
[B10] PLATINUM UTILITY PACKAGE			\$664.00	\$750.00
-inc: TITAN Box, Rear Utility Bed Step, Tailgate Electronic Lock Code: PLA				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
[B92] SPLASH GUARDS			\$195.00	\$235.00
(PIO) REQUIRED in 7 states. Code: SG2				
[B95] LED FOG LIGHTS W/DARK CHROME BEZEL			\$222.00	\$270.00
(PIO) Code: FG5				
CAYENNE RED			\$0.00	\$0.00
Code: NAH				
BLACK/BROWN, PREMIUM LEATHER SEAT TRIM			\$0.00	\$0.00
-inc: Platinum Reserve branding on seat	back Code: P-0			
[KAC] SMOKY QUARTZ			\$0.00	\$0.00
Code: -KAC				

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Fixed Antenna
- Radio w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls and Radio Data System
- Radio: NissanConnect w/SiriusXM/Navi & Mobile Apps -inc: 7" color display, SiriusXM Traffic and Travel Link (weather, fuel prices, movie listings, sports scores and stock info), Nissan voice recognition for navigation and audio, USB connection port for iPod interface and other compatible devices, Bluetooth hands-free phone system, streaming audio via Bluetooth, hands-free text messaging assistant and Rockford Fosgate premium 12 speaker audio system, Siri Eyes Free
- Regular Amplifier

EXTERIOR

- Aluminum Spare Wheel
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Cargo Lamp w/High Mount Stop Light
- Chrome Door Handles
- Chrome Power w/Tilt Down Heated Side Mirrors w/Driver Auto Dimming, Convex Spotter, Power Folding and Turn Signal Indicator
- Clearcoat Paint
- Colored Front Bumper w/2 Tow Hooks



- Licensed to J.D. Pow
- · Colored Rear Step Bumper
- Colored Wheel Well Trim
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Galvanized Steel/Aluminum Panels
- Illuminated Running Boards
- Laminated Glass
- Manual Extendable Trailer Style Mirrors
- Manual Tailgate/Rear Door Lock
- Manual-Leveling Programmable Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Metal-Look Grille w/Chrome Surround
- Perimeter/Approach Lights
- Power Rear Window w/Defroster
- · Regular Box Style
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Spray-In Bed Liner
- Tailgate Rear Cargo Access
- Tires: P275/60R20 BSW
- Wheels: 20" x 8" Dark Chrome Clad

INTERIOR

- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 2 AC Power Outlets
- 4 Seatback Storage Pockets
- 6040 Folding Split-Bench Front Facing Heated Fold-Up Cushion Rear Seat
- Air Filtration
- Analog Display
- Compass
- Cruise Control w/Steering Wheel Controls
- Dashboard Storage, Driver / Passenger And Rear Door Bins and Locking 2nd Row Underseat Storage
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows and Remote Engine Start
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Rubber w/Carpet Inserts Front And Rear Floor Mats
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Inclinometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated & Cooled Front Captain's Chairs -inc: center console, 8-way power adjustable driver's seat and 2-way power lumbar support w/memory function and 4-way power adjustable
 passenger's seat
- Heated Leather/Genuine Wood Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings inc: Driver Seat, Door Mirrors and Steering Wheel
- Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 2 AC Power Outlets
- NissanConnect Services Powered By SiriusXM -inc: automatic collision notification, emergency call and stolen vehicle locator, Remote services including lock/unlock, engine start/stop, horn/lights, customizable alerts including boundary, curfew, speed and valet alerts, dealer service scheduling and maintenance alerts
- Outside Temp Gauge
- Passenger SeatPerimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Premium Leather Seat Trim inc: Platinum Reserve branding on seat back
- Proximity Key For Doors And Push Button Start
- · Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Leatherette Back Material
- Selective Service Internet Access
- Smart Device Remote Engine Start
- Trip Computer
- Valet Function



MECHANICAL

- 1610lbs. Maximum Payload
- 2 Skid Plates
- 2.937 Axle Ratio
- 200 Amp Alternator
- 26 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 80-Amp/Hr 710CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Class IV Towing Equipment -inc: Hitch, Brake Controller and Trailer Sway Control
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 5.6L V8
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 7,300 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 7-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Cross Traffic Alert (RCTA)
- · Around View Monitor Front Camera
- Around View Monitor w/Moving Object Detection Back-Up Camera
- Blind Spot Warning (BSW) Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front And Rear Parking Sensors
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
 Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 20.8in
- Cargo Box Length @ Floor 67in
- Cargo Box Width @ Floor 61.7in
 Cargo Box Width @ Top, Rear 61.7in
- Cargo Box Width @ Wheelhousings 50in
- Cargo Volume N/Aft³
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

Total Cooling System Capacity N/Aqts



Electrical

- Cold Cranking Amps @ O° F (2nd) 710
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) 710
- Maximum Alternator Capacity (amps) 200

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

Engine

- Displacement 5.6 L/339
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 390 @ 5800
- SAE Net Torque @ RPM 394 @ 4000

Exterior Dimensions

- Body Length 0.00ftCab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9.8in
- Ground Clearance, Rear 9.8in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 77.2in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 228.1in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 139.8in
- Width, Max w/o mirrors 80.7in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 60.8in
- Front Leg Room 41.8in
- Front Shoulder Room 63.3in
- Passenger Capacity 5
- Second Head Room 40.4in
- Second Hip Room 60.3in
- Second Leg Room 38.5in
- Second Shoulder Room 63.6in

Mileage

- Cruising Range City 390.00mi
- Cruising Range Hwy 546.00mi



- EPA Fuel Economy Est City 15MPG
- EPA Fuel Economy Est Hwy 21MPG
- Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
 Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 48ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs Axle Ratio (:1) Front 2.94
- Axle Ratio (:1) Rear 2.94
- Axle Type Front Independent
- Axle Type Rear Rigid Axle
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Double Wishbone
- Suspension Type Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/60SR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P275/60SR20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- · Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 923lbs
- Dead Weight Hitch Max Trailer Wt. 9230lbs
- Maximum Trailering Capacity 9230lbs
- Wt Distributing Hitch Max Tongue Wt. 923lbs
- Wt Distributing Hitch Max Trailer Wt. 9230lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive**
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.89 Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 4.04
- Second Gear Ratio (:1) 3.17
- Seventh Gear Ratio (:1) 0.77 Sixth Gear Ratio (:1) 0.86
- Third Gear Ratio (:1) 2.03
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No



Weight Information

- As Spec'd Curb Weight 5934.00lbs
- As Spec'd Payload 1366.00lbs
- Curb Weight Front 3339lbs Curb Weight Rear 2595lbs
- Curb Weight 5934.00lbs
- Gross Axle Weight Rating 7812.00lbs
- Gross Axle Wt Rating Front 3800lbs
 Gross Axle Wt Rating Rear 4012lbs
 Gross Combined Wt Rating 15300lbs

- Gross Vehicle Weight Rating 7300.00lbs
- Maximum Payload Capacity 1366.00lbs
- Option Weight Front 0.00lbs
- Option Weight Rear 0.00lbs
- Payload Weight Front Olbs

- Payload Weight Rear Olbs
 Reserve Axle Capacity Front 461.00lbs
 Reserve Axle Capacity Rear 1417.00lbs
- Reserve Axle Capacity 1878.00lbs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- **Rear Wheel Material Aluminum**
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Aluminum
- Spare Wheel Size Full-Sizein