



Vehicle Information

Date: June 20, 2019
Vehicle: 2018 Jeep Cherokee Utility 4D Limited 4WD 3.2L V6
VIN: 1C4PJMDX5JD533398
Weight: 4,046



New Cars/Trucks Values

| | | | | |
|-------------------------------|-------------|----------------|--------------------|-----------------------|
| Powered by Chrome Data | Base | Options | Destination | Adjusted Value |
| Base MSRP | \$31,295 | \$1,745 | \$1,445 | \$34,485 |

NADA New Vehicle Values

| | | | | |
|------|-----|-----|-----|------------|
| High | N/A | N/A | N/A | N/A |
|------|-----|-----|-----|------------|


Optional Equipment

| | Invoice | MSRP |
|---|----------------|-------------|
| 3.734 AXLE RATIO (STD) Code: DME | \$0.00 | \$0.00 |
| QUICK ORDER PACKAGE 26G -inc: Engine: 3.2L V6 24V VVT w/ESS, Transmission: 9-Speed 948TE Automatic *Upon selection of this pkg, the cost of powertrain components will be added* Code: 26G-R | \$0.00 | \$0.00 |
| ENGINE: 3.2L V6 24V VVT W/ESS -inc: 3 Additional Gallons Of Gas Code: EHK | \$1588.00 | \$1745.00 |
| STANDARD PAINT Code: -PAINT | \$0.00 | \$0.00 |
| DIAMOND BLACK CRYSTAL PEARLCOAT Code: PXJ | \$0.00 | \$0.00 |
| BLACK, LEATHER TRIMMED BUCKET SEATS Code: ALX9 | \$0.00 | \$0.00 |
| NORMAL DUTY SUSPENSION (STD) Code: SDA-R | \$0.00 | \$0.00 |
| TRANSMISSION: 9-SPEED 948TE AUTOMATIC (STD) Code: DFH | \$0.00 | \$0.00 |
| WHEELS: 18" X 7" PAINTED ALUMINUM (STD) Code: WPU | \$0.00 | \$0.00 |

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 6 Speakers
- GPS Antenna Input
- Integrated Roof Antenna
- Integrated Voice Command w/Bluetooth
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and Uconnect External Memory Control
- Radio: Uconnect 3C w/8.4" Display
- SiriusXM Satellite Radio
- Uconnect Access



EXTERIOR

- Active Grille Shutters
- Black Bodyside Cladding and Black Fender Flares
- Black Grille w/Chrome Surround
- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Chrome Side Windows Trim
- Compact Spare Tire Mounted Inside Under Cargo
- Composite/Galvanized Steel Panels
- Deep Tinted Glass
- Exterior Mirrors Courtesy Lamps
- Exterior Mirrors w/Supplemental Signals
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Headlamps w/Delay-Off
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R18 BSW Touring
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 18" x 7" Painted Aluminum

INTERIOR

- 1 Seatback Storage Pocket
- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Leather Rear Seat w/Manual Fore/Aft
- 6-Way Passenger Seat -inc: Manual Recline, Height Adjustment, Fore/Aft Movement and Fold Flat
- 8.4" Touchscreen Display
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Covered Dashboard Storage, Driver And Passenger Door Bins
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Electronic Range Select
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Seats w/Leatherette Back Material and Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Voltmeter, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather Trimmed Bucket Seats
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start



Licensed to J.D. Power

- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Fuel
- Sentry Key Engine Immobilizer
- Smart Device Remote Engine Start
- Systems Monitor
- Trip Computer
- Valet Function
- Vinyl Door Trim Insert

MECHANICAL

- 1000lbs. Maximum Payload
- 15.8 Gal. Fuel Tank
- 160 Amp Alternator
- 3.734 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 600 Amp Maintenance Free Battery
- Automatic Full-Time Four-Wheel Drive
- Auxiliary Transmission Oil Cooler
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 2.4L I4 MultiAir FlexFuel
- Federal Emissions
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,500 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Normal Duty Suspension
- Permanent Locking Hubs
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control
- Transmission: 9-Speed 948TE Automatic

SAFETY

- Airbag Occupancy Sensor
- and Rear Cross Path detection
- Blind-spot Monitoring Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense Rear Parking Sensors
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Selec-Terrain ABS And Driveline Traction Control
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain



Licensed to J.D. Power

- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 41.4in
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 36.1in
- Cargo Volume to Seat 1 58.9ft³
- Cargo Volume to Seat 2 24.6ft³
- Cargo Volume to Seat 3 24.6ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 600
- Maximum Alternator Capacity (amps) 160

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine

- Displacement 3.2 L/198
- Engine Order Code EHK
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 271 @ 6500
- SAE Net Torque @ RPM 239 @ 4400

Exterior Dimensions

- Height, Overall 66.2in
- Length, Overall N/Ain
- Liftover Height 30.9in
- Min Ground Clearance 8.2in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.2in
- Track Width, Rear 61.9in
- Wheelbase 106.3in
- Width, Max w/o mirrors 73.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.8gal

Interior Dimensions

- Front Head Room 39.4in
- Front Hip Room 53.8in
- Front Leg Room 41.1in
- Front Shoulder Room 57.6in
- Passenger Capacity 5
- Passenger Volume 104.4ft³
- Second Head Room 38.5in
- Second Hip Room 49.9in
- Second Leg Room 40.3in
- Second Shoulder Room 55.1in

Mileage

- Cruising Range - City 316.00mi
- Cruising Range - Hwy 426.60mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 27MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG



Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TWS
- Front Tire Size P225/60TR18
- Rear Tire Order Code TWS
- Rear Tire Size P225/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.58
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.73
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.81
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70
- Sixth Gear Ratio (:1) 0.81
- Third Gear Ratio (:1) 1.91
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFH
- Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4046lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum



Licensed to J.D. Power

- Front Wheel Size 18 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin