

Date:	June 25, 2019	
Vehicle:	2016 Kia Sorento Utility 4D LX AWD 2.4L I4	
VIN:	5XYPGDA34GG152412	6
Weight:	3,840	
		-



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$28,200	\$1,200	\$895	\$30,295
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment				1000
<u> </u>			Invoice	MSRP
LX CONVENIENCE PACKAGE			\$1109.00	\$1200.00
-inc: Heated Front Seats, Electrochromation Wheel & Gear Shift Knob, 10-Way Power Assist System, UVO eServices Code: CP	Driver's Seat w/Power Lumba			
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
REMINGTON RED			\$0.00	\$0.00
Code: TR3				
SATIN BLACK, YES ESSENTIALS CLO	\$0.00	\$0.00		
Code: WK-I				

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Internal Memory
- Radio: AM/FM/CD/MP3/SiriusXM inc: 6-speakers, Bluetooth control w/voice recognition, USB/auxiliary audio input jacks, 4.3 inch touch screen and rear view camera
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Door Handles
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Automatic Projector Beam Halogen Headlamps w/Delay Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Roof Rack Rails Only



- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7.0 Alloy

INTERIOR

- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- 4-Way Passenger Seat inc: Manual Recline and Fore/Aft Movement
- 6-Way Driver Seat inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
 Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- · Front Bucket Seats inc: covered driver and passenger seatback pocket
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert and Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Fuel
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- YES Essentials Cloth Seat Trim

MECHANICAL

- 110 Amp Alternator
- 18.8 Gal. Fuel Tank
- 3.51 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 54 Amp/Hr 600CCA Maintenance Free Battery w/Run Down Protection
- Automatic Full Time All-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L DOHC GDI I4
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,159 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/Sportmatic

SAFETY

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
 Rear Brake Rotor Diam x Thickness 12 1in
- Rear Brake Rotor Diam x Thickness 12
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
 Cargo Area Width @ Poltling N (Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 73.5ftÂ³
- Cargo Volume to Seat 2 38.8ftÅ³
- Cargo Volume to Seat 3 38.8ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 600
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.6 (Est)

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6000
- SAE Net Torque @ RPM 178 @ 4000

Exterior Dimensions

- Height, Overall 66.3in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 64.7in
- Wheelbase 109.4in
- Width, Max w/o mirrors 74.4in



Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 56.7in
- Front Leg Room 44.1in
- Front Shoulder Room 59.1in
- Passenger Capacity 5
- Passenger Volume 146.4ftÅ³
- Second Head Room 39.3in
 Second Hip Room 56.4in
- Second Hip Room 56.4in
 Second Leg Room 39.4in
- Second Leg Room 55.4m
 Second Shoulder Room 58in
- Third Head Room in
- Third Hip Room in
- Third Leg Room in
- Third Shoulder Room in

Mileage

- Cruising Range City 394.80mi
- Cruising Range Hwy 488.80mi
- EPA Fuel Economy Est City 21MPG
- EPA Fuel Economy Est Hwy 26MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
 Epa MPG Equivalent N/A
- EPA MPG Equivalent Hwy N/A
 Fuel Economy Est Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 37.3ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR17
- Rear Tire Order Code
- Rear Tire Size P235/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 200lbs
- Dead Weight Hitch Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch Max Tongue Wt. 200lbs
- Wt Distributing Hitch Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00



- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.64
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.59
- Second Gear Ratio (:1) 2.83
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
 Transfer Case C
- Transfer Case Gear Ratio (:1), High N/A
 Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3840lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
 Spare Wheel Size Compacting
- Spare Wheel Size Compactin