

Date:	July 9, 201
Vehicle:	2016 Mazda Mazda3 Sedan 4D i Touring 2.0L l
VIN:	JM1BM1V72G134851
Weight:	2,86



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$21,095	\$200	\$835	\$22,130
NADA New Vehicle Values				
High	N/A	N/A	N/A	N/A
Optional Equipment SNOWFLAKE WHITE PEARL MICA PAINT CHARGE			Invoice \$172.00	MSRP \$200.00
Code: JCP STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			T	•
SNOWFLAKE WHITE PEARL MICA			\$0.00	\$0.00
Code: 25D			•	•
BLACK, PREMIUM CLOTH SEAT TRIM			\$0.00	\$0.00
Code: BV0-I				

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Radio w/Seek-Scan, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: AM/FM/HD Audio System inc: digital clock, 6-speaker full-range door-mounted type sound system, Bluetooth handsfree phone and audio, auxiliary audio input jack and 2 USB audio input, MAZDA CONNECT Infotainment System, voice-command, E911 automatic emergency notification, 7" full-color touch-screen display, multi-function Commander control, Pandora, Aha and Stitcher internet radio integration, Radio Broadcast Data System program information and SMS text message audio delivery and reply
 Window Grid Antenna

EXTERIOR

- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Express Open Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps
- Fully Galvanized Steel Panels
- Light Tinted Glass
- Lip Spoiler
- Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tires: P205/60R16 AS SBR inc: T125/70D16 spare tire

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- Trunk Rear Cargo Access
- Wheels: 16" x 6.5J Alloy

INTERIOR

- 1 12V DC Power Outlet
- 1 Seatback Storage Pocket
- 4-Way Passenger Seat inc: Manual Fore/Aft Movement
- 6040 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Driver Seat-inc: Manual Height Adjustment and Fore/Aft Movement
- Air Filtration
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 1 12V DC Power Outlet
- Gauges inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC inc: Underseat Ducts
- Interior Trim inc: Piano Black Instrument Panel Insert, Piano Black Door Panel Insert and Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
 Outside Terms Severe
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Premium Cloth Seat Trim
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Reclining Front Bucket Seats inc: adjustable front and rear headrests and whiplash reducing active front headrests
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Smart Device Integration
- Trip Computer
- Valet Function

MECHANICAL

- 100 Amp Alternator
- 13.2 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 60 Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Electric Power Assist Speed Sensing Steering
- Engine: 2.0L SKYACTIV-G DOHC 16-Valve 4-Cylinder -inc: variable valve timing
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed SKYACTIV-DRIVE Automatic inc: manual mode, 3.591 Axle Ratio

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags



- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags •
- **Electronic Stability Control (ESC)** •
- Low Tire Pressure Warning
- Mazda Connect Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners .
- **Rear Child Safety Locks**
- Rear Collision Warning
- Side Impact Beams .

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc •
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11in
- Rear Brake Rotor Diam x Thickness 10.4in
- Rear Drum Diam x Width in

Cargo Area Dimensions

Trunk Volume 12.4ftÅ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 100

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 5.2

Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Regular Unleaded I-4
- **Fuel System Gasoline Direct Injection** .
- SAE Net Horsepower @ RPM 155 @ 6000 •
- SAE Net Torque @ RPM 150 @ 4000

Exterior Dimensions

- Height, Overall 57.3in
- Length, Overall 180.3in
- Liftover Height N/Ain
- Min Ground Clearance 6.1in .
- Track Width, Front 61.2in Track Width, Rear 61.4in .
- Wheelbase 106.3in •
- Width, Max w/o mirrors 70.7in ٠

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.2gal

Interior Dimensions

- Front Head Room 37.6in
- Front Hip Room 55.5in



NADA New Cars/Trucks

- Front Leg Room 42.2in
- Front Shoulder Room 57.2in
- Passenger Capacity 5
- Passenger Volume 96.3ftÅ³
- Second Head Room 37.5in
- Second Hip Room 53.5in
- Second Leg Room 35.8in
- Second Shoulder Room 54.4in

Mileage

- Battery Range N/Ami
- Cruising Range City 396.00mi
- Cruising Range Hwy 541.20mi
- EPA Fuel Economy Est City 30MPG
 Epa Fuel Formula 11400
- EPA Fuel Economy Est Hwy 41MPG
 EPA MPC Environment City N (A
- EPA MPG Equivalent City N/A
 EPA MPG Equivalent Combined
- EPA MPG Equivalent Combined N/A
 EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 34MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 34.8ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P205/60HR16
- Rear Tire Order Code
- Rear Tire Size P205/60HR16
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- Wt Distributing Hitch Max Tongue Wt. N/Albs
 W/Albs
 W/Albs
- Wt Distributing Hitch Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 3.59
- First Gear Ratio (:1) 3.55
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.89
- Second Gear Ratio (:1) 2.02
- Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6

Vehicle

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



• EPA Classification Compact Cars

Weight Information

• Base Curb Weight 2930lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin