



Vehicle Information

Date: July 11, 2019
Vehicle: 2018 Nissan Titan XD Crew Cab SL 4WD 5.0L V8 T-Diesel
VIN: 1N6BA1F40JN534834
Weight: 0



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$58,190	\$2,045	\$1,395	\$61,630

NADA New Vehicle Values				
High	\$55,677	\$1,957	\$1,395	\$59,029

Optional Equipment

	Invoice	MSRP
[K05] MIDNIGHT EDITION -inc: Midnight Edition exterior badge and black fender louver, Body Color Front Grille w/Dark Insert, Black Mirrors & Door Handles, Wheels: 20" x 7.5" Black Painted, Charcoal Interior Trim, Fog Lamps w/Black Fog Lamp Finishers, Black Exterior Badging, Black Step Rails, Body Color Front & Rear Bumpers, Dark Headlamps LATE AVAILIBLTY. Code: MID	\$1172.00	\$1250.00
[NONWL] WHEELS: 20" X 7.5" BLACK PAINTED Code: -NONWL0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[A96] REAR BUMPER STEP (PIO) Code: REA	\$249.00	\$290.00
[B93] SPLASH GUARDS (B93) (PIO) REQUIRED in 7 states. Code: SG3	\$195.00	\$235.00
[B94] LED FOG LIGHTS W/BRIGHT CHROME BEZEL (PIO) Code: FOG-O	\$222.00	\$270.00
GUN METALLIC Code: KAD-P	\$0.00	\$0.00
BLACK, LEATHER SEAT TRIM Code: G-I	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Fixed Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls and Radio Data System
- Radio: NissanConnect w/Navigation & Mobile Apps -inc: AM/FM/SiriusXM/CD, 7" color touch-screen display, voice guidance, SiriusXM Traffic, SiriusXM Travel Link (weather, fuel prices, movie listings, sports scores and stock info), Nissan voice recognition for navigation, NissanConnect Services powered by SiriusXM including automatic collision notification, emergency call and stolen vehicle locator, Remote services including lock/unlock, engine start/stop, horn/lights, customizable alerts including boundary, curfew, speed, and valet alerts, dealer service scheduling and maintenance alerts, USB connection port for iPod interface and other compatible devices, Bluetooth hands-free phone system, streaming audio via Bluetooth and hands-free text messaging assistant, Siri Eyes Free
- Regular Amplifier
- Rockford Fosgate Premium Audio w/12 Speakers -inc: amplifier, underseat subwoofer, center speaker and front/rear tweeters



EXTERIOR

- Aluminum Spare Wheel
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Body-Colored Rear Step Bumper
- Cargo Lamp w/High Mount Stop Light
- Chrome Door Handles
- Chrome Front Bumper w/2 Tow Hooks
- Chrome Power Heated Side Mirrors w/Driver Auto Dimming, Convex Spotter, Power Folding and Turn Signal Indicator
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Laminated Glass
- Manual Extendable Trailer Style Mirrors
- Manual Tailgate/Rear Door Lock
- Manual-Leveling Programmable Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Metal-Look Grille w/Chrome Surround
- Perimeter/Approach Lights
- Power Rear Window w/Defroster
- Regular Box Style
- Running Boards
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Spray-In Bed Liner
- Tailgate Rear Cargo Access
- Tires: LT265/60R20 BSW
- Wheels: 20" x 7.5" Painted Alloy

INTERIOR

- 1 Seathack Storage Pocket
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 2 AC Power Outlets
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Air Filtration
- Analog Display
- Compass
- Cruise Control w/Steering Wheel Controls
- Dashboard Storage, Driver / Passenger And Rear Door Bins and Locking 2nd Row Underseat Storage
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows and Remote Engine Start
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 2 AC Power Outlets
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Inclinator, Turbo/Supercharger Boost, Oil Temperature, Transmission Fluid Temp and Trip Odometer
- Heated Captain's Chairs -inc: 8-way power driver seat, power adjustable lumbar, memory function and 4-way power front passenger seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Seat Trim
- Leather Steering Wheel w/Auto Tilt-Away
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings -inc: Steering Wheel
- NissanConnect Selective Service Internet Access
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder



- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Leatherette Back Material
- Smart Device Remote Engine Start
- Tracker System
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 2 Skid Plates
- 200 Amp Alternator
- 2520lbs. Maximum Payload
- 26 Gal. Fuel Tank
- 3.916 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 63-Amp/Hr 550CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Block Heater
- Class IV Towing Equipment -inc: Hitch, Brake Controller and Trailer Sway Control
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 5.0L V8 Turbo Diesel
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 8,990 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 6-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Emergency Sps
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 14.2in
- Rear Brake Rotor Diam x Thickness 14.4in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 20.8in
- Cargo Box Length @ Floor 78.7in
- Cargo Box Width @ Floor 63.8in
- Cargo Box Width @ Top, Rear 63.8in
- Cargo Box Width @ Wheelhousings 50in
- Cargo Volume N/Aft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain



Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 550
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) 200

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year N/A

Engine

- Displacement 5.0 L/305
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Intercooled Turbo Diesel V-8
- Fuel System Diesel Direct Injection
- SAE Net Horsepower @ RPM 310 @ 3200
- SAE Net Torque @ RPM 555 @ 1600

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9in
- Ground Clearance, Rear 9in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 78.8in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 242.7in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 151.6in
- Width, Max w/o mirrors 79.5in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÅ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 60.8in
- Front Leg Room 41.8in
- Front Shoulder Room 63.3in
- Passenger Capacity 5
- Second Head Room 40.4in
- Second Hip Room 60.3in
- Second Leg Room 38.5in
- Second Shoulder Room 63.6in



Mileage

- Cruising Range - City N/Ami
- Cruising Range - Hwy N/Ami
- EPA Fuel Economy Est - City N/AMPG
- EPA Fuel Economy Est - Hwy N/AMPG
- Fuel Economy Est-Combined N/AMPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Re-Circulating Ball
- Turning Diameter - Curb to Curb 53.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.92
- Axle Ratio (:1) - Rear 3.92
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size LT265/60SR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size LT265/60SR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 1203lbs
- Dead Weight Hitch - Max Trailer Wt. 12030lbs
- Maximum Trailing Capacity 12030lbs
- Wt Distributing Hitch - Max Tongue Wt. 1203lbs
- Wt Distributing Hitch - Max Trailer Wt. 12030lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.77
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.74
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.54
- Second Gear Ratio (:1) 2.00
- Sixth Gear Ratio (:1) 0.63
- Third Gear Ratio (:1) 1.34
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A



Licensed to J.D. Power

- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight 7378.00lbs
- As Spec'd Payload 1612.00lbs
- Curb Weight - Front 4404lbs
- Curb Weight - Rear 2974lbs
- Curb Weight 7378.00lbs
- Gross Axle Weight Rating 9800.00lbs
- Gross Axle Wt Rating - Front 4900lbs
- Gross Axle Wt Rating - Rear 4900lbs
- Gross Combined Wt Rating 19450lbs
- Gross Vehicle Weight Rating 8990.00lbs
- Maximum Payload Capacity 1612.00lbs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 496.00lbs
- Reserve Axle Capacity - Rear 1926.00lbs
- Reserve Axle Capacity 2422.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 7.5in
- Spare Wheel Material Aluminum
- Spare Wheel Size Full-Sizein