



Vehicle Information

Date: July 18, 2019
Vehicle: 2016 Chevrolet Trax Utility 4D LT AWD 1.4L I4 Turbo
VIN: KL7CJPSB9GB755855
Weight: 3,208



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$24,145	N/A	\$895	\$25,040

NADA New Vehicle Values

High	N/A	N/A	N/A	N/A
------	-----	-----	-----	------------

Optional Equipment

	Invoice	MSRP
AXLE, 3.53 FINAL DRIVE RATIO Code: FXH	\$0.00	\$0.00
EMISSIONS, FEDERAL REQUIREMENTS Code: FE9	\$0.00	\$0.00
ENGINE, ECOTEC TURBO 1.4L VARIABLE VALVE TIMING DOHC 4-CYLINDER SEQUENTIAL MFI (138 hp [102.9 kW] @ 4900 rpm, 148 lb-ft of torque [199.8 N-m] @ 1850 rpm) (STD) Code: LUV	\$0.00	\$0.00
DEEP ESPRESSO METALLIC Retail orders only. Not available on LS.) (No longer available for the Model Year. Code: GYO	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
1LT PREFERRED EQUIPMENT GROUP Includes Standard Equipment Code: 1LT	\$0.00	\$0.00
CHEVROLET MYLINK RADIO, 7" DIAGONAL COLOR TOUCH-SCREEN, AM/FM STEREO with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; Pandora, TuneIn radio, Stitcher and Siri Eyes Free for compatible smartphones (STD) Code: UF7	\$0.00	\$0.00
JET BLACK/BROWNSTONE, DELUXE CLOTH SEAT TRIM Code: AFR	\$0.00	\$0.00
SEATS, FRONT BUCKET WITH DRIVER POWER LUMBAR (STD) Code: AR9	\$0.00	\$0.00
TRANSMISSION, 6-SPEED AUTOMATIC (STD) Code: MNK	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Audio system feature, 6-speaker system
- Audio system feature, USB port and auxiliary input jack
- Chevrolet MyLink radio, 7" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; Pandora,

TuneIn radio, Stitcher and Siri Eyes Free for compatible smartphones

- OnStar with 4G LTE and built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes 3GB or 3 months OnStar Data Trial (whichever comes first) (Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial.)
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

EXTERIOR

- Door handles, body-color
- Glass, deep-tinted, rear windows and liftgate
- Headlamps, halogen with automatic exterior lamp control
- Luggage rack, side rails, roof-mounted
- Mirrors, outside heated power-adjustable, body-color, manual-folding
- Moldings, side glass (Chrome.)
- Skid plate, front and rear fascia, silver-painted
- Tire, compact spare
- Tires, P205/70R16 all-season, blackwall
- Wheel, spare, 16" (40.6 cm) steel
- Wheels, 16" (40.6 cm) aluminum
- Windshield, acoustic laminated
- Windshield, solar absorbing
- Wiper, rear intermittent
- Wipers, front intermittent

INTERIOR

- Air conditioning, single-zone manual
- Air filter, particle
- Armrest, driver seat
- Assist handles, driver, front passenger and rear outboard includes coat hooks on rear handles
- Cargo security cover, rigid, removable
- Cargo storage, tray under rear floor
- Cargo tie downs, 4
- Compass display
- Cruise control, electronic, automatic
- Cup holders, 4 front in console and 2 rear in center armrest
- Defogger, rear-window, electric
- Door locks, power programmable
- Driver Information Center 3.5" monochrome display, digital readouts, Ice Blue back lighting
- Floor mats, color-keyed and carpeted front and rear
- Head restraints, 2-way adjustable (up/down), front
- Heater duct, rear, floor
- Instrumentation with analog tachometer, digital speedometer, odometer, trip odometer and fuel gauge
- Key, primary foldable, additional foldable
- Lighting, cargo area, dome
- Lighting, interior with front reading lights
- Map pocket, driver seatback
- Mirror, inside rearview manual day/night
- OnStar RemoteLink App
- Power outlet, 110-volt, located on rear of center console
- Power outlet, auxiliary, 12-volt
- Remote Keyless Entry with panic alarm
- Remote vehicle starter system
- Seat adjuster, driver 4-way manual
- Seat adjuster, front passenger 2-way manual
- Seat trim, Deluxe cloth
- Seat, rear 60/40 split-bench, folding
- Seatback, front passenger flat-folding
- Seats, front bucket with driver power lumbar
- Shift knob, satin silver and chrome
- Steering column, manual tilt and telescoping
- Steering wheel controls, mounted audio and phone interface controls
- Steering wheel, 3-spoke
- Storage drawer, front passenger underseat
- Storage includes covered bin on top of center stack, large glove box, upper glove box, open-bin cubbies on each side of center stack, center stack lower bin and pull-out bin on driver-side of instrument panel
- Theft-deterrent system, unauthorized entry
- Visors, driver and front passenger vanity mirrors, covered
- Windows, power with driver Express-Up/Down

MECHANICAL

- Alternator, 130 amps
- Axle, 3.53 final drive ratio



- Battery, 60AH
- Brakes, 4-wheel antilock, 4-wheel disc
- Chassis, all-wheel drive
- Engine, ECOTEC Turbo 1.4L Variable Valve Timing DOHC 4-cylinder sequential MFI (138 hp [102.9 kW] @ 4900 rpm, 148 lb-ft of torque [199.8 N-m] @ 1850 rpm)
- Mechanical jack with tools
- Steering, power, non-variable ratio, electric
- Suspension, Ride and Handling
- Transmission, 6-speed automatic

SAFETY

- Air bags, 10 total, frontal and knee for driver and front passenger, side-impact seat-mounted and roof rail for front and rear outboard seating positions includes Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Daytime Running Lamps, reduced intensity low beam
- Door locks, rear child security
- Knee protector, driver and front passenger, bolster
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
- OnStar Basic plan for 5 years including limited RemoteLink mobile app services, Advanced Diagnostics and Dealer Maintenance Notification (Basic Plan available for 5 years from the date of vehicle delivery, and is transferable. Does not include Emergency, Security or Navigation services.)
- OnStar Guidance plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.)
- Rear Vision Camera
- Safety belt pretensioners, driver and front passenger, dual
- Safety belts, 3-point rear outboard and center position lap belt
- StabiliTrak, stability control system includes Traction Control
- Tire Pressure Monitor System

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.8 x 1.0in
- Rear Brake Rotor Diam x Thickness 10.6 x 0.5in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 57.00in
- Cargo Area Length @ Floor to Seat 2 29.30in
- Cargo Area Length @ Floor to Seat 3 in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 31.80in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 48.4ft³
- Cargo Volume to Seat 2 18.7ft³
- Cargo Volume to Seat 3 ft³

Cooling System

- Total Cooling System Capacity 6.9qts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score 6
- Tons/yr of CO2 Emissions @ 15K mi/year 6.7

Engine

- Displacement 1.4L/83
- Engine Order Code LUV
- Engine Type Turbocharged Gas 4-Cyl



- Fuel System Electronic Fuel Injection
- SAE Net Horsepower @ RPM 138 @ 4900
- SAE Net Torque @ RPM 148 @ 1850

Exterior Dimensions

- Height, Overall 65.2in
- Length, Overall 167.20in
- Liftover Height N/Ain
- Min Ground Clearance 6.2in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 60.6in
- Track Width, Rear 60.6in
- Wheelbase 100.6in
- Width, Max w/o mirrors 69.90in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14gal

Interior Dimensions

- Front Head Room 39.60in
- Front Hip Room 51.70in
- Front Leg Room 40.80in
- Front Shoulder Room 54.10in
- Passenger Capacity 5
- Passenger Volume N/Aft³
- Second Head Room 38.80in
- Second Hip Room 50.70in
- Second Leg Room 35.70in
- Second Shoulder Room 52.80in

Mileage

- Cruising Range - City 336.00mi
- Cruising Range - Hwy 434.00mi
- EPA Fuel Economy Est - City 24MPG
- EPA Fuel Economy Est - Hwy 31MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 27MPG

Steering

- Lock to Lock Turns (Steering) 2.7
- Steering Ratio (:1), Overall 16.1
- Steering Type Pwr
- Turning Diameter - Curb to Curb 36.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.)
- Suspension Type - Front MacPherson Strut
- Suspension Type - Rear (Cont.)
- Suspension Type - Rear Torsion Beam

Tires

- Front Tire Order Code RAJ
- Front Tire Size P205/70R16
- Rear Tire Order Code RAJ
- Rear Tire Size P205/70R16
- Spare Tire Order Code N/A
- Spare Tire Size Compact



Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size in
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.53
- First Gear Ratio (:1) 4.58
- Fourth Gear Ratio (:1) 1.45
- Reverse Ratio (:1) 2.94
- Second Gear Ratio (:1) 2.96
- Sixth Gear Ratio (:1) 0.75
- Third Gear Ratio (:1) 1.91
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code MNK
- Trans Type 6
- Transfer Case Gear Ratio (:1), High
- Transfer Case Gear Ratio (:1), Low

Vehicle

- EPA Classification Special Purpose

Weight Information

- Base Curb Weight 3208lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 x 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 x 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size 16 x -TBD-in