

Vehicle Information

Da	e: August 20, 2019	
Ve	icle: 2017 Land Rover Discovery Sport Utility 4D HSE 4WD 2.0L	
	I4 Turbo	- 6
VI	SALCR2BG1HH637705	
W	ght: 3,854	1
		11



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$42,195	Options \$7,700	Destination \$995	Adjusted Value \$50,890		
NADA New Vehicle Values High	N/A	N/A	N/A	N/A		
Optional Equipment	Invoice	MSRP				
CLIMATE COMFORT PACKAGE -inc: heated windscreen, Climate Front & Hea Wheel Code: 072AC	\$1504.00	\$1600.00				
DRIVER ASSIST PLUS PACKAGE			\$1034.00	\$1100.00		
-inc: autonomous emergency braking, Traffic Sign Recognition, SD Card Navigation, Lane Departure Warning Code: 017AS						
DYNAMIC DESIGN PACKAGE	\$4700.00	\$5000.00				
-inc: narvik black side fender vent, hood scuttle plate and Discovery script and unique interor finishers (dark gray or red), Wheels: 20" Black Aeroviper Style 521, Tires: 20", Dynamic Floor Mats, Anthracite Rear & Front Skid Plate/Valance, Leather Gear Shift Knob w/Contrast Stitch, Aluminum Pedal Covers, Narvik Black Front Grille Bars & Surround, Narvik Black Mirror Caps, Narvik Black Fog Lamps Code: 074QI						
TIRES: 20"			\$0.00	\$0.00		
Code: -NONTR2			#0 00	\$ 0.00		
			\$0.00	\$0.00		
Code: -PAINT FUJI WHITE			\$0.00	\$0.00		
Code: 1AA QUICE Code						
CIRRUS W/EBONY PIPING, WINDSOR L STYLE Code: TWG	EATHER SEAT TRIM V	//UNIQUE SEW	\$0.00	\$0.00		
WHEELS: 20" BLACK AEROVIPER STYL -inc: Tires: 20" Code: -NONWL	E 521		\$0.00	\$0.00		

Standard Equipment

ENTERTAINMENT

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: 190W Audio System w/10 Speakers inc: 1 media USB, 1 aux port, Bluetooth telephone connectivity plus audio streaming, 5" color TFT screen in instrument cluster and 8" color touchscreen infotainment screen
- Window Grid Diversity Antenna

EXTERIOR

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power Values

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Side Windows Trim
- Body-Colored Door Handles
- Body Colored Front Bumper w/MetalLook Rub Strip/Fascia Accent and Black Bumper Insert
- Body Colored Power w/Tilt Down Heated Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Black Bumper Insert
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front And Rear Fog Lamps
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Headlamps w/Washer and DelayOff
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Metal-Look Grille
- Perimeter/Approach Lights
 Power Liftgate Rear Cargo Approach Lights
- Power Liftgate Rear Cargo Access
 Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18"
- Wheels: 18" 5 Split Spoke Sparkle Silver inc: Style 511

INTERIOR

- 10-Way Power Front Seats w/Memory -inc: center console w/sliding armrest
- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Flip Forward Cushion/Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Aluminum Gear Shift Knob
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Door Mirrors
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Grained Leather Seat Trim
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Illuminated Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Interior Trim inc: Aluminum Instrument Panel Insert, Aluminum Console Insert, Metal-Look Interior Accents and Leatherette Upholstered Dashboard
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Center Armrest w/Storage
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -Inc: Proximity Cargo Access
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function



MECHANICAL

- 18.5 Gal. Fuel Tank
- 3.75 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 80-Amp/Hr Maintenance-Free Battery
- Automatic Full-Time Four-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop Start Feature
- Engine: 2.0L I4 Turbocharged
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,520 lbs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Strut Rear Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 9-Speed Automatic w/Paddle Shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Front And Rear Parking Sensors
- InControl Protect Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Terrain Response Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 11.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 66.9ftÂ³
- Cargo Volume to Seat 2 32ftÂ³
- Cargo Volume to Seat 3 32ftÂ³
- Ext¹d Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- Cold Cranking Amps @ O° F (2nd) N/A
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ $0\hat{A}^\circ$ F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.0 L/122
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 240 @ 5800
- SAE Net Torque @ RPM 250 @ 1750

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
 Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 67.9in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 8.3in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.8in
- Track Width, Rear 64.2in
- Wheelbase 107.9in
- Width, Max w/o mirrors 74.6in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 18.5gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 40.2in
- Front Hip Room N/Ain
- Front Leg Room 42in
- Front Shoulder Room 57.4in
- Passenger Capacity 5
- Second Head Room 38.7in
- Second Hip Room N/Ain
- Second Leg Room 37.3in
- Second Shoulder Room 56.3in

Mileage

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- Cruising Range City 370.00mi
- Cruising Range Hwy 462.50mi .
- EPA Fuel Economy Est City 20MPG •
- EPA Fuel Economy Est Hwy 25MPG ٠
- Fuel Economy Est-Combined 22MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A .
- Steering Ratio (:1), Overall N/A .
- Steering Type Rack-Pinion .
- Turning Diameter Curb to Curb 38.1ft •
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs .
- Axle Ratio (:1) Front 3.75 . Axle Ratio (:1) - Rear 3.75 ٠
- Axle Type Front Independent •
- Axle Type Rear Independent ٠
- Shock Absorber Diameter Front N/Amm •
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs •
- Spring Capacity Rear N/Albs .
- Stabilizer Bar Diameter Front N/Ain •
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Strut
- Suspension Type Rear Strut .

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P245/45VR20
- Rear Tire Capacity N/Albs ٠
- Rear Tire Order Code
- ٠ Rear Tire Size P245/45VR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A .
- Spare Tire Capacity N/Albs •
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs •
- Wt Distributing Hitch Max Tongue Wt. N/Albs ٠
- Wt Distributing Hitch Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.58 .
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A •
- First Gear Ratio (:1) 4.70 •
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A •
- Reverse Ratio (:1) 3.80 ٠
- Second Gear Ratio (:1) 2.84 ٠
- Seventh Gear Ratio (:1) 0.70 ٠
- Sixth Gear Ratio (:1) 0.80 .
- Third Gear Ratio (:1) 1.90
- **Trans Description Cont. Again** •
- Trans Description Cont. Automatic w/OD ٠
- Trans Order Code .
- Trans Power Take Off N/A •
- Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A



- **Transfer Case Model None** •
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
 As Spec'd Payload N/Albs
- ٠ Curb Weight - Front N/Albs
- Curb Weight Rear N/Albs •
- Curb Weight N/Albs •
- .
- Gross Axle Weight Rating N/Albs Gross Axle Wt Rating Front N/Albs •
- ٠ Gross Axle Wt Rating - Rear N/Albs
- ٠
- Gross Combined Wt Rating N/Albs Gross Vehicle Weight Rating 5520.00lbs Maximum Payload Capacity N/Albs ٠
- .
- Option Weight Front 0.00lbs •
- Option Weight - Rear 0.00lbs
- Payload Weight Front Olbs ٠
- Payload Weight Rear Olbs ٠
- **Reserve Axle Capacity Front N/Albs** •
- **Reserve Axle Capacity Rear N/Albs** •
- ٠ **Reserve Axle Capacity N/Albs**
- Standard Weight Front Olbs ٠
- ٠ Standard Weight - Rear Olbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in •
- **Spare Wheel Material Steel** •
- Spare Wheel Size Compactin