

Date:	August 22, 2019
Vehicle:	2016 Honda CR-V Utility 4D EX AWD 2.4L I4
VIN:	2HKRM4H57GH640397
Weight:	3,552



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$27,395	Options N/A	Destination \$940	Adjusted Value \$28,335
NADA New Vehicle Values High	N/A	N/A	N/A	N/A
Optional Equipment		Inv	voice	MSRP
STANDARD PAINT Code: -PAINT		\$	0.00	\$0.00
MOUNTAIN AIR METALLIC Code: BM		\$0.00		\$0.00
BEIGE, CLOTH SEAT TRIM Code: BE		\$	0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Audio Theft Deterrent
- Bluetooth Handsfreelink Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: AM/FM/CD Audio System w/6 Speakers inc: 160-Watts, 7" display w/high-resolution WVGA (800x480) electrostatic touch-screen, customizable feature settings, Bluetooth streaming audio, Pandora Internet radio compatibility, USB/display audio interfaces, MP3/Windows Media Audio (WMA) playback capability, Radio Data System (RDS) and Speed-Sensitive Volume Control (SVC)

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Colored Rub Strip/Fascia Accent and Black Bumper Insert
- Body-Colored Power Side Mirrors w/Convex Spotter and Manual Folding
- Body Colored Rear Bumper w/Colored Rub Strip/Fascia Accent and Black Bumper Insert
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Programmable Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17 102T All-Season

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power





• Wheels: 17" Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 6040 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Seat Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: driver's seat w/10-way power adjustment and power lumbar support
- HVAC -inc: Underseat Ducts and Console Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Mechanical Fuel
- Roll-Up Cargo Cover
- Seats w/Premium Cloth Back Material
- Sliding Front Center Armrest and Rear Center Armrest
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 15.3 Gal. Fuel Tank
- 36-Amp/Hr 410CCA Maintenance-Free Battery
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 5.048 Axle Ratio
- Automatic Full-Time All-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.4L I4 16-Valve DOHC i-VTEC
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: Continuously Variable w/Sport Mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera

NADA New Cars/Trucks





- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Honda LaneWatch Right Side Camera
- Low Tire Pressure Warning
 Outback Low And St.
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
 Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 12in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70.9ftÅ³
- Cargo Volume to Seat 2 37.2ftÂ³
- Cargo Volume to Seat 3 37.2ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 410
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score
- Tons/yr of CO2 Emissions @ 15K mi/year 6.5

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 185 @ 6400
- SAE Net Torque @ RPM 181 @ 3900

Exterior Dimensions

- Height, Overall 65.1in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.2in
- Track Width, Rear 62.2in
- Wheelbase 103.1in
- Width, Max w/o mirrors 71.6in



Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.3gal

Interior Dimensions

- Front Head Room 38in
- Front Hip Room 54.5in
- Front Leg Room 41.3in
- Front Shoulder Room 58.6in ٠
- Passenger Capacity 5
- Passenger Volume 101.5ftÅ³ ٠
- Second Head Room 38.6in •
- Second Hip Room 53.1in ٠
- Second Leg Room 38.3in ٠ •
- Second Shoulder Room 56.4in

Mileage

- Cruising Range City 382.50mi
- Cruising Range Hwy 474.30mi ٠
- EPA Fuel Economy Est City 25MPG
- EPA Fuel Economy Est Hwy 31MPG ٠
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A •
- Fuel Economy Est Combined 27MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A .
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 36.9ft •
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain • Suspension Type - Front (Cont.) Strut
- •
- Suspension Type Front Strut ٠
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi Link

Tires

- Front Tire Order Code
- Front Tire Size P225/65TR17
- **Rear Tire Order Code** .
- Rear Tire Size P225/65TR17 •
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 150lbs
- Dead Weight Hitch Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs .
- Wt Distributing Hitch Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 5.05
- First Gear Ratio (:1) 2.65 0.41 •
- Reverse Ratio (:1) 2.65
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD



- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A ٠
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3552lbs
- Curb Weight Front N/Albs
 Curb Weight Rear N/Albs
 Curb Weight N/Albs

- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
 Spare Wheel Size Compactin