

Date:	September 13, 2019	THE REPORT OF THE PROPERTY OF THE PROPERTY OF
Vehicle:	2016 Toyota Tundra Crew Cab SR5 4WD	
	5.7L V8	
VIN:	5TFDW5F1XGX510760	
Typically Equipped MSRP:	\$39,315	
Weight:	5,570	A particular and a second second second second

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$38,020	\$4,870	\$1,295	\$44,185
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
-				
Optional Equipment			Invoice	MSRP
DECK RAIL SYSTEM			\$112.00	\$125.00
-inc: 4 adjustable tie-down cleats Cod	de: DS-0			
FRONT BUCKET SEATS			\$0.00	\$0.00
<ul> <li>-inc: 8-way power adjustable driver's adjustable front passenger seat Code</li> </ul>		-way manual		
RADIO: ENTUNE AM/FM/HD W/CI	D PLAYER		\$468.00	\$525.00
speakers, high-resolution 7" touch-sc port, iPod connectivity and control, G doppler weather overlay, Bluetooth ha advanced voice recognition and mus camera display, Entune App Suite in OpenTable, Pandora, Yelp and Face prices, sports and stocks, SIRIUSXM Code: EE-0	racenotes album cover art, HD prec ands-free phone capability, phone b ic streaming, Siri Eyes Free and in cludes Bing, iHeartRadio, MovieTic book Places; real-time info includin	dictive traffic and book access, tegrated backup skets.com, g traffic, weather, fuel		
SR5 SAFETY & CONVENIENCE P	PACKAGE		\$863.00	\$970.00
-inc: Blind Spot Monitor w/Rear Cros Parking Assist Sonar Code: SZ	s Traffic Alert, Color-Keyed Rear B	umper, Front & Rear		
SR5 UPGRADE PACKAGE			\$1084.00	\$1220.00
-inc: front center console w/3 cuphold w/floor mounted urethane shift lever a Urethane Tilt/Telescopic Steering W/ Tank Capacity, Front Bucket Seats, & support and 4-way manual adjustable Code: SP	nd knob, Compass, Anti-Theft Imm neel, Auto-Dimming Rearview Mirro 3-way power adjustable driver's sea	obilizer w/Alarm, ır, 38 Gallon Fuel ıt w/power lumbar		
TIRES: P275/65R18 MICHELIN LT	X ALL TERRAIN		\$0.00	\$0.00
-inc: BF Goodrich Code: -NONTR1				
TRD OFF ROAD PACKAGE			\$1807.00	\$2030.00
-inc: Tires: P275/65R18 Michelin LT) Spoke TRD Off-Road Alloy, black ac Fuel Tank Skid Plates, TRD Off-Road	cents, Trail-Tuned Bilstein Shock A			

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power

NADA		9/13/2019
Values	NADA New Cars/Trucks	
Licensed to J.D. Power	Invoice	MCDD
	Invoice	MSRP
WHEELS: 18" X 8J SPLIT 5-SPOKE TRD OFF-ROAD ALLOY	\$0.00	\$0.00
-inc: black accents Code: -NONWL		
FEDERAL EMISSIONS	\$0.00	\$0.00
FFV model required in these states: NV, AZ, UT, WY, CO, NM, ND, SD, NE, KS, TX, OK, MN, IA, MO, AR, LA, WI, IL, MS, IN, AL, FL, MI, OH, KY, TN, GA, SC and NC. Code: RE		
STANDARD PAINT	\$0.00	\$0.00
Code: -PAINT		
BLACK	\$0.00	\$0.00
Code: 202		
GRAPHITE, FABRIC SEAT TRIM W/TRD OFF-ROAD PACKAGE	\$0.00	\$0.00
Code: FB13		

## **Standard Equipment**

## **ENTERTAINMENT**

- Fixed Antenna
- Radio w/Clock
   Radio: Entune Audio Display AM/FM/HD w/CD Player inc: connected navigation Scout GPS Link app, MP3/WMA playback capability, 6 speakers, high-resolution 7" touch-screen display, auxiliary audio jack, USB 2.0 port, iPod connectivity and control, HD traffic and weather in major metro areas, Bluetooth hands-free phone capability, phone book access, adanced voice recognition and music streaming, Siri Eyes Free and integrated backup camera display, SIRIUSXM Satellite Radio, all access radio w/90-day free trial

## **EXTERIOR**

- Black Door Handles
- Black Front Bumper w/Chrome Rub Strip/Fascia Accent and 2 Tow Hooks
- Black Power Heated Side Mirrors w/Manual Folding
- Black Rear Step Bumper w/Chrome Rub Strip/Fascia Accent
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Cargo Lamp w/High Mount Stop Light
- Chrome Grille
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Manual Tailgate/Rear Door Lock
- Manual-Leveling Auto Off Aero-Composite Halogen Daytime Running Headlamps
- Power Rear Window w/Defroster
- Regular Box Style
- Splash Guards
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tires: P255/70R18 AS Michelin
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 18" x 8J Styled Steel

## INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 3-Passenger Front Bench Seat -inc: 40/20/40 split fold-down, 4-way manual adjustable front seats
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cruise Control w/Steering Wheel Controls
- Dashboard Storage, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Day-Night Rearview Mirror
- Delay Off Interior Lighting
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Driver Seat Engine Immobilizer
- Engine infinouniz
   Fabric Seat Trim
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest



- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges-inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts
- Illuminated Locking Glove Box
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt Steering Column
- Outside Temp Gauge
- Passenger Seat
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver 1-Touch Down
   Deven Deven Deven Autoback Feature
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob

## MECHANICAL

- 1 Skid Plate
- 1555lbs. Maximum Payload
- 170 Amp Alternator
- 26.4 Gal. Fuel Tank
- 4.30 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist
- 710CCA Maintenance-Free Battery
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Class IV Towing Equipment Inc: Hitch, Brake Controller and Trailer Sway Control
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 5.7L V8 DOHC 32V FFV w/i-Force -inc: dual independent variable valve timing w/intelligence
- Front Anti-Roll Bar
- Gas-Pressurized Shock Absorbers
- GVWR: 7,200 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: Electronic 6-Speed Automatic w/OD inc: intelligence (ECTi), sequential shift mode, uphill/downhill shift logic and TOW/HAUL mode

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.9in
- Rear Brake Rotor Diam x Thickness 13.6in



• Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Box (Area) Height 22.2in
- Cargo Box Length @ Floor 66.7in
- Cargo Box Width @ Floor 66.4in
- Cargo Box Width @ Top, Rear 66.4in .
- Cargo Box Width @ Wheelhousings 50in
- Cargo Volume N/AftÂ<sup>3</sup>
- Ext'd Cab Cargo Volume N/AftÂ<sup>3</sup> . • Tailgate Width N/Ain

## **Cooling System**

Total Cooling System Capacity N/Aqts

#### Electrical

- Cold Cranking Amps @ OŰ F (2nd) 710
- Cold Cranking Amps @ 0Ű F (3rd) N/A
   Cold Cranking Amps @ 0Ű F (9rimary) 710
- Maximum Alternator Capacity (amps) 170

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.7

#### Engine

- Displacement 5.7 L/346
- Engine Oil Cooler Regular Duty
- Engine Order Code .
- Engine Type Regular Unleaded V-8 ٠
- **Fuel System Sequential MPI** ٠
- SAE Net Horsepower @ RPM 381 @ 5600 ٠
- SAE Net Torque @ RPM 401 @ 3600 •

## **Exterior Dimensions**

- Body Length 0.00ft
- Cab to Axle 27in ٠
- Cab to Body N/Ain
- Cab to End of Frame N/Ain ٠
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain •
- Ground Clearance, Front 10.6in •
- Ground Clearance, Rear 10.6in
- Ground to Top of Frame N/Ain •
- Ground to Top of Load Floor 33.7in
- Height, Overall 76.2in ٠
- Length, Overall N/Ain ٠
- Length, Overall w/o rear bumper 228.9in ٠
- Length, Overall w/rear bumper N/Ain ٠
- Overhang, Front N/Ain ٠
- Overhang, Rear w/o bumper 47.9in ٠
- Wheelbase 145.7in .
- Width, Max w/o mirrors 79.9in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ<sup>3</sup>

## **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
  Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 38gal
- Fuel Tank Location N/A

## **NADA New Cars/Trucks**



#### **Interior Dimensions**

- Front Head Room 39.7in
- Front Hip Room 62.6in
- Front Leg Room 42.5in .
- Front Shoulder Room 65.7in ٠
- **Passenger Capacity 5** • Second Head Room 38.9in
- Second Hip Room 60.4in
- Second Leg Room 42.3in .
- Second Shoulder Room 65.5in

#### Mileage

- Cruising Range City 494.00mi
- Cruising Range Hwy 646.00mi •
- EPA Fuel Economy Est City 13MPG
- EPA Fuel Economy Est Hwy 17MPG
- Fuel Economy Est-Combined 15MPG

#### Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A .
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion ٠
- Turning Diameter Curb to Curb 44ft •
- Turning Diameter Wall to Wall N/Aft

#### Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs Axle Ratio (:1) Front 4.30 .
- .
- Axle Ratio (:1) Rear 4.30 •
- Axle Type Front Independent •
- Axle Type Rear Rigid Axle ٠
- Shock Absorber Diameter Front N/Amm .
- . Shock Absorber Diameter - Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs ٠
- Stabilizer Bar Diameter Front N/Ain ٠
- Stabilizer Bar Diameter Rear N/Ain ٠
- Suspension Type Front Double Wishbone
- Suspension Type Rear Leaf •

#### Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/65TR18 ٠
- **Rear Tire Capacity N/Albs** ٠
- Rear Tire Order Code
- Rear Tire Size P275/65TR18 .
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph Rear N/A ٠
- Revolutions/Mile @ 45 mph Spare N/A ٠
- Spare Tire Capacity N/Albs .
- Spare Tire Order Code
- Spare Tire Size Full-Size

#### Trailering

- Dead Weight Hitch Max Tongue Wt. 980lbs
- Dead Weight Hitch Max Trailer Wt. 9800lbs .
- Maximum Trailering Capacity 9800lbs •
- Wt Distributing Hitch Max Tongue Wt. 980lbs ٠
- Wt Distributing Hitch Max Trailer Wt. 9800lbs •

#### Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.73



- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.33 •
- Fourth Gear Ratio (:1) 1.00 •
- Reverse Ratio (:1) 3.06 •
- Second Gear Ratio (:1) 1.96 ٠
- Sixth Gear Ratio (:1) 0.59 .
- Third Gear Ratio (:1) 1.35 ٠
- **Trans Description Cont. Again** •
- Trans Description Cont. Automatic w/OD •
- Trans Order Code •
- Trans Power Take Off N/A
- Trans Type 6 •
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A .
- **Transfer Case Model Electronic** •
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight N/Albs
  As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs ٠
- Gross Axle Weight Rating 8150.00lbs ٠
- Gross Axle Wt Rating Front 4000lbs ٠
- Gross Axle Wt Rating Rear 4150lbs •
- Gross Combined Wt Rating 16000lbs • .
- Gross Vehicle Weight Rating 7200.00lbs •
- Maximum Payload Capacity N/Albs •
- Option Weight Front 0.00lbs • Option Weight Rear 0.00lbs
- Payload Weight Front Olbs ٠
- Payload Weight Rear Olbs ٠
- **Reserve Axle Capacity Front N/Albs** •
- Reserve Axle Capacity Rear N/Albs ٠
- **Reserve Axle Capacity N/Albs** •
- Standard Weight Front Olbs .
- Standard Weight Rear Olbs •
- Total Option Weight 0.00lbs

#### Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in •
- **Spare Wheel Material Steel** ٠
- Spare Wheel Size Full Sizein