## Vehicle Information

| | |
|---|---|
| Date: | September 10, 2019 |
| Vehicle: | 2018 Volkswagen Atlas Utility 4D SE AWD 3.6L V6 |
| VIN: | 1V2KR2CA0JC566284 |
| Weight: | 4,502 |

## New Cars/Trucks Values

| Powered by Chrome Data | Base | Options | Destination | Adjusted Value |
|---|---|---|---|---|
| Base MSRP | $37,040 | $550 | $995 | **$38,585** |
| **NADA New Vehicle Values** | | | | |
| Low | N/A | N/A | N/A | **N/A** |
| Average | N/A | N/A | N/A | **N/A** |
| High | N/A | N/A | N/A | **N/A** |

## Optional Equipment

| | Invoice | MSRP |
|---|---|---|
| TRAILER HITCH<br>-inc: Factory installed w/5,000 lb, towing capacity, Code: P12 | $473.00 | $550.00 |
| STANDARD PAINT<br>Code: -PAINT | $0.00 | $0.00 |
| DEEP BLACK PEARL<br>Code: 2T2T | $0.00 | $0.00 |
| TITAN BLACK, V-TEX LEATHERETTE SEATING SURFACES<br>Code: WR | $0.00 | $0.00 |

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Composition Media 8.0" Touchscreen w/CD -inc: AM/FM/HD radio w/dual USB inputs, aux-in jack and voice control, 8 speakers, Bluetooth connectivity (for compatible devices) and SiriusXM satellite radio (w/limited-time trial subscription)
- Streaming Audio
- Window Grid Diversity Antenna

### EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Cornering Lights
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2019 J.D.Power

- Front Fog Lamps
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler
- Programmable Aero-Composite Led Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off
- Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18" AS
- Wheels w/Silver Accents
- Wheels: 18" Prisma Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Covered Dashboard Storage, Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 10-way power adjustable driver seat w/2-way power lumbar support and 4-way passenger seat
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look/Piano Black Instrument Panel Insert, Metal-Look/Piano Black Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Chrome Gear Shift Knob
- Leather/Piano Black Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Seats w/Leatherette Back Material
- Smart Device Integration
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function
- V-Tex Leatherette Seating Surfaces
- VW Car-Net Selective Service Internet Access

## MECHANICAL

- 1213lbs. Maximum Payload
- 18.6 Gal. Fuel Tank

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2019 J.D.Power

- 3.60 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- Electro-Hydraulic Power Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 3.6L VR6 DOHC 24-Valve
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 5,997 lbs (2,720 kgs)
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust
- Standard Suspension
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Auto w/Tiptronic

### SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Cross Traffic Alert
- Back-Up Camera
- Blind Spot Monitor Blind Spot Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Power Rear Child Safety Locks
- Side Curtain Protection Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams
- VW Car-Net Emergency Sos

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 96.8ftÂ³
- Cargo Volume to Seat 2 55.5ftÂ³
- Cargo Volume to Seat 3 20.6ftÂ³
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Â° F (2nd) N/A
- Cold Cranking Amps @ 0Â° F (3rd) N/A
- Cold Cranking Amps @ 0Â° F (Primary) N/A

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2019 J.D.Power

- Maximum Alternator Capacity (amps) N/A

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

## Engine

- Displacement 3.6 L/220
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 276 @ 6200
- SAE Net Torque @ RPM 266 @ 2750

## Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.2in
- Track Width, Rear 67.8in
- Wheelbase 117.3in
- Width, Max w/o mirrors 78.3in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 18.6gal
- Fuel Tank Location N/A

## Interior Dimensions

- Front Head Room 41.3in
- Front Hip Room 58.2in
- Front Leg Room 41.5in
- Front Shoulder Room 61.5in
- Passenger Capacity 7
- Second Head Room 40.4in
- Second Hip Room 58in
- Second Leg Room 37.6in
- Second Shoulder Room 60.8in
- Third Head Room 38.3in
- Third Hip Room 45.1in
- Third Leg Room 33.7in
- Third Shoulder Room 54.9in

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2019 J.D.Power

## Mileage

- Cruising Range - City 316.20mi
- Cruising Range - Hwy 427.80mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.1ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.60
- Axle Ratio (:1) - Rear 3.60
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Strut
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P245/60HR18
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P245/60HR18
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailering

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.21
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 5.59
- Fourth Gear Ratio (:1) 1.43
- Reverse Ratio (:1) 3.99
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2019 J.D.Power

- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model None
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 5997.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2019 J.D.Power