

## **Vehicle Information**

Date: September 13, 2019

Vehicle: 2018 Volkswagen Atlas Utility 4D SEL

Premium AWD 3.6L V6

VIN: 1V2NR2CA2JC566333

Typically Equipped MSRP: \$50,360

Weight: 4,502



# **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$48,740	\$625	\$995	\$50,360
NADA New Vehicle Values				•
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
<b>Optional Equipment</b>			Invoice	MSRP
2ND-ROW DUAL CAPTAIN CHAIRS PACKAGE			\$538.00	\$625.00
-inc: Two bucket seats w/fold-down armre seat, 2nd Row Captain's Chairs Code: P		ow 3-passenger bench		
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
DEEP BLACK PEARL			\$0.00	\$0.00
Code: 2T2T				
TITAN BLACK, PERFORATED VIENNA LEATHER SEATING SURFACES			\$0.00	\$0.00
Code: BR-0				

# **Standard Equipment**

#### **ENTERTAINMENT**

- 2 LCD Monitors In The Front
- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Rear Controls and Radio Data System
- Radio: Discover Media 8.0" Touchscreen w/CD/Nav-inc: AM/FM/HD radio w/dual USB inputs, aux-in jack and voice control, Fender premium audio system w/12 speakers and subwoofer, Bluetooth connectivity (for compatible devices) and SiriusXM satellite radio (w/limited-time trial subscription)
- Real-Time Traffic Display
- Regular Amplifier
- Streaming Audio
- Window Grid Diversity Antenna

### **EXTERIOR**

- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint



#### Licensed to LD Power

- Compact Spare Tire Mounted Inside Under Cargo
- Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- · Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Programmable Aero-Composite Led Low/High Beam Daytime Running Auto-Leveling Auto High-Beam Headlamps w/Delay-Off
- Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 20" AS
- . Wheels w/Silver Accents
- Wheels: 20" Mejorada Alloy

#### INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 6040 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 8-Way Driver Seat
- Air Filtration
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- . Covered Dashboard Storage, Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, 2 Manual and Adjustable Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
   Full Cornet Floor
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Trip Odometer and Trip Computer
- Heated Leather/Piano Black Steering Wheel
- Heated/Ventilated Front Bucket Seats inc: 10-way power adjustable driver seat w/2-way power lumbar support, memory function and 8-way power passenger seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather/Chrome Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings inc: Driver Seat and Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perforated Vienna Leather Seating Surfaces
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -Inc: Proximity Cargo Access
- Seats w/Leatherette Back Material



- Smart Device Integration
- Systems Monitor
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- VW Car-Net Selective Service Internet Access

#### **MECHANICAL**

- 1213lbs. Maximum Payload
- 18.6 Gal. Fuel Tank
- 3.60 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- · Class III Towing Equipment inc: Hitch
- . Electro-Hydraulic Power Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 3.6L VR6 DOHC 24-Valve
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- · Gas-Pressurized Shock Absorbers
- GVWR: 5,997 lbs (2,720 kgs)
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust
- Standard Suspension
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Auto w/Tiptronic

#### **SAFETY**

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Area View Back-Up Camera
- Area View Front Camera
- Area View Left Side Camera
- Area View Right Side Camera
  Blind Spot Monitor Blind Spot Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front Assist w/Autonomous Emergency Braking and Rear Cross Traffic Alert
- Lane Assist Lane Departure Warning
- Lane Assist Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Park Pilot Automated Parking Sensors
- Power Rear Child Safety Locks
- Side Curtain Protection Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams
- VW Car-Net Emergency Sos

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
   Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

#### **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain



- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 96.8ft³
- Cargo Volume to Seat 2 55.5ft³
- Cargo Volume to Seat 3 20.6ftÂ<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

#### **Cooling System**

• Total Cooling System Capacity N/Aqts

#### **Electrical**

- Cold Cranking Amps @ OA° F (2nd) N/A
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

#### **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

#### **Engine**

- Displacement 3.6 L/220
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 276 @ 6200
- SAE Net Torque @ RPM 266 @ 2750

#### **Exterior Dimensions**

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.2in
- Track Width, Rear 67.8in
- Wheelbase 117.3in
- Width, Max w/o mirrors 78.3in

#### Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 18.6gal



• Fuel Tank Location N/A

#### **Interior Dimensions**

- Front Head Room 41.3in
- Front Hip Room 58.2in
- Front Leg Room 41.5in
- Front Shoulder Room 61.5in
- Passenger Capacity 6
- Second Head Room 40.4in
- Second Hip Room 58in
- Second Leg Room 37.6in
- Second Shoulder Room 60.8in
- Third Head Room 38.3in
- Third Hip Room 45.1in
- Third Leg Room 33.7in
- Third Shoulder Room 54.9in

#### Mileage

- Cruising Range City 316.20mi
- Cruising Range Hwy 427.80mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

#### Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.1ft
- Turning Diameter Wall to Wall N/Aft

#### Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 3.60
- Axle Ratio (:1) Rear 3.60
- Axle Type Front Independent
   Axle Type Pront Independent
- Axle Type Rear Independent
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Strut
- Suspension Type Rear Multi-Link

#### **Tires**

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P255/50HR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P255/50HR20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Compact

#### **Trailering**

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs
- Wt Distributing Hitch Max Trailer Wt. 5000lbs



#### **Transmission**

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.21
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 5.59
- Fourth Gear Ratio (:1) 1.43
- Reverse Ratio (:1) 3.99
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model None
- Transfer Case Power Take Off No

#### **Weight Information**

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Weight Rating N/Albs Gross Axle Wt Rating Front N/Albs Gross Axle Wt Rating Rear N/Albs Gross Combined Wt Rating N/Albs

- Gross Vehicle Weight Rating 5997.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 0.00lbs
- Option Weight Rear 0.00lbs
- Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs Reserve Axle Capacity Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

#### Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- **Rear Wheel Material Aluminum**
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin