

Vehicle Information

Date: September 24, 2019

Vehicle: 2016 Lexus CT Hatchback 5D CT200h 1.8L I4 Hybrid

VIN: JTHKD5BH1G2277136

Weight: 3,130



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$31,250	\$2,125	\$975	\$34,350
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
BACKUP CAMERA MOUNTED IN AUTO-DIMMING REARVIEW			\$507.00	\$550.00
-inc: Compass Code: BC				•
SEAT COMFORT PACKAGE			\$439.00	\$475.00
-inc: 4-way power front passenger seat and heated front seats Code: PE TILT & SLIDE MOONROOF			\$1012.00	\$1100.00
-inc: one-touch open/close Code: SR				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
EMINENT WHITE PEARL			\$0.00	\$0.00
Code: 085			• • • •	•
PARCHMENT, NULUXE SEAT MATERIAL			\$0.00	\$0.00
Code: EA00				

Standard Equipment

ENTERTAINMENT

- Automatic Equalizer
- Integrated Roof Diversity Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/CD Player w/MP3/WMA Capability inc: 6 speakers, integrated SiriusXM satellite radio receiver (complimentary 90-day trial subscription included), USB/iPod audio input plugs w/iPod connectivity, streaming audio via Bluetooth and Siri Eyes Free Mode (iPhone 4S, iPhone 5 and newer)

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Fixed Rear Window w/Fixed Interval Wiper and Defroster



- Front Fog Lamps
- Front License Plate Bracket
- **Galvanized Steel/Aluminum Panels**
- **LED Brakelights**
- Liftgate Rear Cargo Access
- **Light Tinted Glass**
- Lip Spoiler
- Metal Look Side Windows Trim and Black Front Windshield Trim
- Perimeter/Approach Lights
- Programmable Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P215/45R17 AS V-Rated
- Variable Intermittent Wipers
- Wheels: 17 x 7.0 Split 5-Spoke Aluminum

INTERIOR

- 1 12V DC Power Outlet
- 2 Seatback Storage Pockets
- 6040 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- **Analog Display**
- Cargo Area Concealed Storage
- Cargo Space Lights
- **Carpet Floor Trim**
- Cruise Control w/Steering Wheel Controls
- **Day-Night Rearview Mirror**
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- **Driver Foot Rest**
- **Driver Seat**
- **Dual Zone Front Automatic Air Conditioning**
- **Engine Immobilizer**
- Fade-To-Off Interior Lighting
- FOB Controls inc: Windows
- Front Bucket Seats inc: 10-way power driver's seat (fore-aft slide, fore-aft recline, front vertical height, rear vertical height and power lumbar support), 5 separate manually adjustable (up/down) headrests and 4-way manual front passenger's seat (fore-aft slide and fore-aft recline)
- Front Center Armrest
- Front Map Lights
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- **Full Cloth Headliner**
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 1 12V DC Power Outlet
- Gauges-inc: Speedometer, Odometer, Tachometer, Traction Battery Level, Power/Regen, Trip Odometer and Trip Computer
- **HVAC** inc: Underseat Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Instrument Panel Bin, Covered Dashboard Storage, Driver And Passenger Door Bins
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- **NuLuxe Seat Material**
- **Outside Temp Gauge**
- Passenger Seat
- **Perimeter Alarm**
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- **Power Rear Windows**
- Proximity Key For Doors And Push Button Start
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Cargo Access and Power Fuel
- Roll-Up Cargo Cover
- Seats w/Leatherette Back Material
- **Systems Monitor**
- Tracker System
- Trip Computer
- Valet Function

MECHANICAL

- 11.9 Gal. Fuel Tank
- 3.27 Axle Ratio
- Battery w/Run Down Protection
- Double Wishbone Rear Suspension w/Coil Springs
- **Electric Power-Assist Speed-Sensing Steering**
- Engine Auto Stop-Start Feature



- Engine: 1.8L 4-Cylinder DOHC 16V VVT-i
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Hybrid Electric Motor
- Nickel Metal Hydride Traction Battery
- Regenerative 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Continuously Variable (ECVT)

SAFETY

- ABS And Driveline Traction Control
- · Airbag Occupancy Sensor
- · Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- First Aid Kit
- Lexus Enform w/Safety Connect Emergency Sos
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) YesDisc Rear (Yes or) Yes
- Disc Real (fes of) f
 Drum Door (Ves or)
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 10in
- Rear Brake Rotor Diam x Thickness 11in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Volume with Rear Seat Down N/Aft³
- Cargo Volume with Rear Seat Up 14.3ft³
- Trunk Volume N/AftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 4.2

Engine

- Displacement 1.8 L/110
- Engine Order Code
- Engine Type Gas/Electric I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 134 @ 5200
- SAE Net Torque @ RPM 105 @ 4000

Exterior Dimensions



- Height, Overall 57.3in
- Length, Overall 171.2in
- Liftover Height 27.4in
- Min Ground Clearance 5.7in
- Track Width, Front 60in
- Track Width, Rear 59.8in
- Wheelbase 102.4in
- Width, Max w/o mirrors 69.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 11.9gal

Interior Dimensions

- Front Head Room 38.3in
- Front Hip Room 53in
- Front Leg Room 42.1in
- Front Shoulder Room 53.9in
- Passenger Capacity 5
- Passenger Volume 86.1ftÂ³
- Second Head Room 37in
- Second Hip Room 51.8in
- Second Leg Room 32.9in
- Second Shoulder Room 52.6in

Mileage

- Battery Range N/Ami
- Cruising Range City 511.70mi
- Cruising Range Hwy 476.00mi
- EPA Fuel Economy Est City 43MPG
- EPA Fuel Economy Est Hwy 40MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 42MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 34.2ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Double Wishbone
- Suspension Type Rear Double Wishbone

Tires

- Front Tire Order Code
- Front Tire Size P215/45VR17
- Rear Tire Order Code
- Rear Tire Size P215/45VR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- Wt Distributing Hitch Max Tongue Wt. N/Albs
- Wt Distributing Hitch Max Trailer Wt. N/Albs



Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Final Drive Axle Ratio (:1) 3.27
- First Gear Ratio (:1) N/A
- Reverse Ratio (:1) N/A
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1

Vehicle

• EPA Classification Compact Cars

Weight Information

• Base Curb Weight 3130lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin