



Vehicle Information

Date: September 18, 2019
Vehicle: 2019 Honda Pilot Utility 4D Elite AWD 3.5L V6
VIN: 5FNYP6H05KB027000
Weight: 4,319



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$48,020	\$360	\$1,095	\$49,475

NADA New Vehicle Values				
Low	\$41,046	\$308	\$1,095	\$42,449

Optional Equipment

	Invoice	MSRP
TRAILER HITCH (DIO) Code: -THITCH	\$0.00	\$360.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
WHITE DIAMOND PEARL Code: WA	\$0.00	\$0.00
BLACK, PERFORATED LEATHER-TRIMMED SEATS Code: BK-I	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front and 1 LCD Row Monitor In The Rear
- 2 Wireless Headphones
- Digital Signal Processor
- Entertainment System w/Blu-Ray
- Fixed Diversity Antenna
- Performance Speakers
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: AM/FM Premium Audio System -inc: 590-watts, 10 speakers including subwoofer, Bluetooth HandsFreeLink, Bluetooth streaming audio, MP3/auxiliary input jack, Radio Data System (RDS), Speed-Sensitive Volume Compensation (SVC), USB smartphone/USB audio interface w/2.5-amp port in front console, USB charging port w/2.5-amp port in center console and 2nd-row (2 ports), 8" display audio w/high-resolution electrostatic touch-screen and customizable feature settings, HondaLink, CabinControl remote compatibility, Apple CarPlay integration, Android Auto integration, SMS text message function, SiriusXM radio, HD Radio, Honda Satellite-Linked Navigation System w/voice recognition, Honda HD Digital Traffic 2nd-row HDMI interface and multi-zone audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Body-Colored Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Door Handles
- Chrome Grille
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Power Sunshade
- Fixed Glass 2nd Row Sunroof w/Power Sunshade



- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto High-Beam Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 245/50R20 102H AS
- Wheels: 20" Machine-Finished Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 8-Way Driver Seat
- Air Filtration
- Bucket Folding Captain Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing
- Door Mirrors
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench Leatherette 3rd Row Seat Front, Manual Fold Into Floor, Manual and Adjustable Head Restraint
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows, Sunroof/Convertible Roof and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Seat Mounted Armrest
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated & Ventilated Front Bucket Seats -inc: 10-way power driver's seat adjustment, power lumbar support, 2-position memory, 4-way power passenger's seat adjustment and head restraints at all seating positions
- Heated Leather/Piano Black Steering Wheel
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Illuminated Rear Cupholder
- Instrument Panel Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Piano Black Instrument Panel Insert, Piano Black Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather Door Trim Insert
- Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perforated Leather-Trimmed Seats
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -inc: Proximity Cargo Access and Mechanical Fuel
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL

- 1 Skid Plate



Licensed to J.D. Power

- 19.5 Gal. Fuel Tank
- 4.334 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 3.5L V6 24-Valve SOHC i-VTEC
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,842 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 9-Speed Automatic -inc: Shift-By-Wire (SBW) and paddle shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Information (BSI) System Blind Spot Sensor
- Collision Mitigation Braking System (CMBS) + FCW and Cross Traffic Monitor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Front And Rear Parking Sensors
- HondaLink Emergency Sps
- Lane Keeping Assist System (LKAS) Lane Departure Warning
- Lane Keeping Assist System (LKAS) Lane Keeping Assist
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- VSA Electronic Stability Control (ESC)

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 82.1ft³
- Cargo Volume to Seat 2 46ft³
- Cargo Volume to Seat 3 16ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2019 J.D.Power



- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/212
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 280 @ 6000
- SAE Net Torque @ RPM 262 @ 4700

Exterior Dimensions

- Height, Overall 70.6in
- Length, Overall N/Ain
- Lifter Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 66.3in
- Track Width, Rear 66.3in
- Wheelbase 111in
- Width, Max w/o mirrors 78.6in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 59.1in
- Front Leg Room 40.9in
- Front Shoulder Room 62in
- Passenger Capacity 7
- Passenger Volume 153.1ft³
- Second Head Room 40.9in
- Second Hip Room 57.3in
- Second Leg Room 38.4in
- Second Shoulder Room 62in
- Third Head Room 38.9in
- Third Hip Room 44.6in
- Third Leg Room 31.9in
- Third Shoulder Room 57.6in

Mileage

- Cruising Range - City 370.50mi
- Cruising Range - Hwy 507.00mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 39.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut



- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P245/50HR20
- Rear Tire Order Code
- Rear Tire Size P245/50HR20
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.58
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 4.33
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.38
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 3.83
- Second Gear Ratio (:1) 2.84
- Seventh Gear Ratio (:1) 0.70
- Sixth Gear Ratio (:1) 0.81
- Third Gear Ratio (:1) 1.91
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 9
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4319lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin