

Vehicle Information

Date: November 16, 2018
Vehicle: 2017 Nissan Titan XD Crew Cab SL 4WD 5.6L V8
VIN: 1N6AA1F41HN562874
Weight: 6,667



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$51,990	\$1,435	\$1,395	\$54,820
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
[W10] CHROME PACKAGE -inc: Wheels: 20" Chrome, Tires: LT265/60R20 BSW, Chrome Front Grille Inner and outer, Kick Plates, Chrome Exhaust Finisher Code: CHR	\$1061.00	\$1200.00
TIRES: LT265/60R20 BSW Code: -NONTR	\$0.00	\$0.00
WHEELS: 20" CHROME -inc: Tires: LT265/60R20 BSW Code: -NONWL2	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B12] RUNNING BOARDS (B12) (PIO) Code: -B12	\$0.00	\$0.00
[B93] SPLASH GUARDS (PIO) Code: SG3	\$195.00	\$235.00
MAGNETIC BLACK Code: G41	\$0.00	\$0.00
BEIGE, LEATHER SEAT TRIM Code: C-I	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Fixed Antenna
- Radio: NissanConnect w/SiriusXM/Navi & Mobile Apps -inc: voice guidance, 7" color touch-screen display, USB connection port for iPod interface and other compatible devices, Bluetooth hands-free phone system, SiriusXM Traffic, SiriusXM Travel Link (weather, fuel prices, movie listings and stock info), Nissan voice recognition for navigation and audio and NissanConnect Services powered by SiriusXM, Siri Eyes Free
- Regular Amplifier



- Rockford Fosgate Premium 12 Speaker Audio System
- SiriusXM AM/FM/Satellite w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System

EXTERIOR

- Aluminum Spare Wheel
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Body-Colored Rear Step Bumper
- Cargo Lamp w/High Mount Stop Light
- Chrome Door Handles
- Chrome Front Bumper w/2 Tow Hooks
- Chrome Power Heated Side Mirrors w/Driver Auto Dimming, Convex Spotter, Power Folding and Turn Signal Indicator
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Laminated Glass
- Manual Extendable Trailer Style Mirrors
- Manual Tailgate/Rear Door Lock
- Manual-Leveling Programmable Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Metal-Look Grille w/Chrome Surround
- Perimeter/Approach Lights
- Power Rear Window w/Defroster
- Regular Box Style
- Running Boards
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Spray-In Bed Liner
- Tailgate Rear Cargo Access
- Tires: LT265/60R20 AS BSW
- Wheels: 20" x 7.5" Painted Alloy

INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 2 AC Power Outlets
- 60/40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Air Filtration
- Analog Display
- Compass
- Cruise Control w/Steering Wheel Controls
- Dashboard Storage, Driver / Passenger And Rear Door Bins and Locking 2nd Row Underseat Storage
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows and Remote Engine Start
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 2 AC Power Outlets
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Inclinator, Oil Temperature, Transmission Fluid Temp and Trip Odometer
- Heated Captain's Chairs -inc: 8-way power driver seat, power adjustable lumbar, memory function and 4-way power front passenger seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Leather Seat Trim
- Leather Steering Wheel w/Auto Tilt-Away
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings -inc: Steering Wheel
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start



Licensed to J.D. Power

- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Leatherette Back Material
- Tracker System
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 2 Skid Plates
- 2.937 Axle Ratio
- 200 Amp Alternator
- 2060# Maximum Payload
- 26 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 80-Amp/Hr 710CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Class IV Towing Equipment -inc: Harness, Hitch, Brake Controller, Trailer Sway Control and Gooseneck Hitch
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 5.6L V8
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 8,990 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 7-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Emergency Sps
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 14.2in
- Rear Brake Rotor Diam x Thickness 14.4in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 20.8in
- Cargo Box Length @ Floor 78.7in
- Cargo Box Width @ Floor 63.8in
- Cargo Box Width @ Top, Rear 63.8in
- Cargo Box Width @ Wheelhousings 50in
- Cargo Volume N/Aft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain



Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 710
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 710
- Maximum Alternator Capacity (amps) 200

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year N/A

Engine

- Displacement 5.6 L/339
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 390 @ 5800
- SAE Net Torque @ RPM 394 @ 4000

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9.1in
- Ground Clearance, Rear 9.1in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 78.8in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 242.7in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 151.6in
- Width, Max w/o mirrors 79.5in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÅ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 60.8in
- Front Leg Room 41.8in
- Front Shoulder Room 63.3in
- Passenger Capacity 5
- Second Head Room 40.4in
- Second Hip Room 60.3in
- Second Leg Room 38.5in
- Second Shoulder Room 63.6in



Mileage

- Cruising Range - City N/Ami
- Cruising Range - Hwy N/Ami
- EPA Fuel Economy Est - City N/AMPG
- EPA Fuel Economy Est - Hwy N/AMPG
- Fuel Economy Est-Combined N/AMPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Re-Circulating Ball
- Turning Diameter - Curb to Curb 53.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 2.94
- Axle Ratio (:1) - Rear 2.94
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size LT265/60SR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size LT265/60SR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 982lbs
- Dead Weight Hitch - Max Trailer Wt. 9820lbs
- Maximum Trailing Capacity 9820lbs
- Wt Distributing Hitch - Max Tongue Wt. 982lbs
- Wt Distributing Hitch - Max Trailer Wt. 9820lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.89
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 4.04
- Second Gear Ratio (:1) 3.17
- Seventh Gear Ratio (:1) 0.77
- Sixth Gear Ratio (:1) 0.86
- Third Gear Ratio (:1) 2.03
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 7



Licensed to J.D. Power

- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight 6667.00lbs
- As Spec'd Payload 2063.00lbs
- Curb Weight - Front 3827lbs
- Curb Weight - Rear 2840lbs
- Curb Weight 6667.00lbs
- Gross Axle Weight Rating 9225.00lbs
- Gross Axle Wt Rating - Front 4325lbs
- Gross Axle Wt Rating - Rear 4900lbs
- Gross Combined Wt Rating 17700lbs
- Gross Vehicle Weight Rating 8730.00lbs
- Maximum Payload Capacity 2063.00lbs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 498.00lbs
- Reserve Axle Capacity - Rear 2060.00lbs
- Reserve Axle Capacity 2558.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 7.5in
- Spare Wheel Material Aluminum
- Spare Wheel Size Full-Sizein