

csievers@poquetauto.com

Vehicle Information

Date: November 8, 2018

Vehicle: 2016 Ford Escape Utility 4D SE EcoBoost 4WD 2.0L I4

Turbo

VIN: 1FMCU9G93GUB98906

Weight:



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$27,540	\$2,975	\$895	\$31,410
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
Optional Equipment			Invoice	MSRP
ALL-WEATHER FLOOR MATS (SET O	F 4)		\$70.00	\$75.00
Code: 50C				
CLASS II TRAILER TOW			\$405.00	\$435.00
-inc: trailer sway control Code: 536				
ENGINE BLOCK HEATER			\$0.00	\$0.00
(Regional) w/o 999-inc: electrical suppleme in AK, MN, ND, SD, MT, WI, and WY states supplemental heater not available via FCS ND, SD, MT, WI, and WY states. Other state	s. Other states available via F D. w/999, Standard and only	CSD. Electrical available in AK, MN,		
EQUIPMENT GROUP 201A SAVINGS			\$-1017.00	\$-1090.00
DISCOUNT Code: -RET201A			·	·
GVWR: 4,840 LBS			\$0.00	\$0.00
Code: -NONGV				
RADIO: MEDIA HUB W/SYNC 3			\$0.00	\$0.00
 -inc: 9 speakers, SYNC 3 Communications recognition, 8" LCD capacitive touchscree Assist and two smart charging USB ports 	n in center stack w/swipe cap			
SE COLD WEATHER PACKAGE			\$415.00	\$445.00
-inc: supplemental PTC heater, Heated Fro Mirrors, All-Weather Floor Mats (Set of 4) (De-Icer, Heated Side		
3.07 AXLE RATIO			\$0.00	\$0.00
Code: -NONAX0				
ENGINE: 2.0L ECOBOOST			\$1121.00	\$1195.00
-inc: GVWR: 4,840 lbs, 3.07 Axle Ratio Co	de: 999			
EQUIPMENT GROUP 201A			\$1301.00	\$1395.00



NADA New Cars/Trucks



Licetsed to J.D. Power		
	Invoice	MSRP
-inc: SE Convenience Package, Dual Zone Electronic Automatic Temperature Control, rear air duct, Black Roof-Rack Side Rails, Perimeter Alarm, Reverse Sensing System, Radio: Media Hub w/SYNC 3, 9 speakers, SYNC 3 Communications & Entertainment System, enhanced voice recognition, 8" LCD capacitive touchscreen in center stack w/swipe capability, AppLink, 911 Assist and two smart charging USB ports, Power Converter 110V Outlet SYNC & Sound Discount applied. *GROSS* Code: 201A-0		
STANDARD PAINT	\$0.00	\$0.00
Code: -PAINT		
WHITE PLATINUM METALLIC TRI-COAT	\$555.00	\$595.00
Code: UG		
CHARCOAL BLACK, CLOTH BUCKETS W/60/40 SPLIT REAR SEAT	\$0.00	\$0.00
-inc: 10-way power driver's seat w/power lumbar adjust and driver seat back map pocket Code: 7B		
TRANSMISSION: 6-SPEED AUTOMATIC W/SELECTSHIFT	\$0.00	\$0.00
(STD) Code: 446		
WHEELS: 17" ALLOY SPARKLE SILVER PAINTED ALLOY	\$0.00	\$0.00
(STD) Code: 64E		

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: AM/FM Single CD/MP3 -inc: 6 speakers, compass, speed compensated volume and SiriusXM satellite radio w/6 month prepaid subscription (48 contiguous states/service NOT AVAILABLE in Alaska or Hawaii)
- SYNC Communications & Entertainment System inc: enhanced voice recognition, 911 Assist, 4.2" LCD screen in center stack, VHR, SYNC Services, AppLink, Bluetooth, steering wheel
 controls and smart charging USB port

EXTERIOR

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power Side Mirrors w/Convex Spotter and Manual Folding
- Body Colored Rear Bumper w/Gray Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Gray Bodyside Cladding and Gray Wheel Well Trim
- Grille w/Chrome Bar
- Laminated Glass
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/55R17 A/S -inc: steel mini spare wheel w/mini space-saver spare tire
- Variable Intermittent Wipers
- Wheels: 17" Alloy Sparkle Silver Painted Alloy

INTERIOR

- 4 12V DC Power Outlets
- 4-Way Passenger Seat-inc: Manual Recline and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Buckets w/60/40 Split Rear Seat inc: 10-way power driver's seat w/power lumbar adjust and driver seat back map pocket
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls



- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Front Map Lights
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Console Ducts
- Illuminated Glove Box
- Interior Concealed Storage, Driver / Passenger And Rear Door Bins, 2nd Row Underseat Storage and Audio Media Storage
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome/Metal-Look Interior Accents
- Keypad
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Metal-Look Gear Shift Knob
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Seats w/Cloth Back Material
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- · Smart Device Integration
- SYNC Services Selective Service Internet Access
- Systems Monitor
- Trip Computer

MECHANICAL

- 15.1 Gal. Fuel Tank
- 3.51 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- Automatic Full-Time Four-Wheel Drive
- Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Electric Power-Assist Speed-Sensing Steering
- Engine: 1.6L EcoBoost inc: active grille shutters
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,760 lbs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Short And Long Arm Rear Suspension w/Coil Springs
- Strut Front Suspension w/Coil Springs
- Transmission w/SelectShift Sequential Shift Control and Oil Cooler
- Transmission: 6-Speed Automatic w/SelectShift

SAFETY

- 911 Assist Emergency Sos
- ABS And Driveline Traction Control
- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- Back-Up Camera
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Low Tire Pressure Warning
- Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Canopy System Curtain 1st And 2nd Row Airbags
- Side Impact Beams

Technical Specifications



Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
 Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness N/Ain
- Rear Brake Rotor Diam x Thickness N/Ain
- Rear Drum Diam x Width N/Ain

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
 Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 67.8ftÅ³
- Cargo Volume to Seat 2 34.3ftÂ3
- Cargo Volume to Seat 3 34.3ftÂ3

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7 (Est)

Engine

- Displacement 2.0 L/122
- Engine Order Code 999
- Engine Type Intercooled Turbo Regular Unleaded I4
- **Fuel System Gasoline Direct Injection**
- SAE Net Horsepower @ RPM 240 @ 5500
- SAE Net Torque @ RPM 270 @ 3000

Exterior Dimensions

- Height, Overall 66.3in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.9in
- Rear Door Opening Height N/Ain Rear Door Opening Width N/Ain
- Track Width, Front 61.5in
- Track Width, Rear 61.6in
- Wheelbase 105.9in
- Width, Max w/o mirrors 72.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.1gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 54.8in
- Front Leg Room 43.1in
- Front Shoulder Room 56in
- Passenger Capacity 5
- Passenger Volume 98.1ft³



- · Second Head Room 39in
- Second Hip Room 52.4in
- Second Leg Room 36.8in
- Second Shoulder Room 55.3in

Mileage

- Cruising Range City 317.10mi
- Cruising Range Hwy 422.80mi
- EPA Fuel Economy Est City 21MPG
- EPA Fuel Economy Est Hwy 28MPG
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.8ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Short And Long Arm
- Suspension Type Rear Short And Long Arm

Tires

- Front Tire Order Code
- Front Tire Size P235/55HR17
- Rear Tire Order Code
- Rear Tire Size P235/55HR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 350lbs
- Dead Weight Hitch Max Trailer Wt. 3500lbs
- **Maximum Trailering Capacity 3500lbs**
- Wt Distributing Hitch Max Tongue Wt. 350lbs
- Wt Distributing Hitch Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive**
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.07 First Gear Ratio (:1) 4.58
- Fourth Gear Ratio (:1) 1.44
- Reverse Ratio (:1) 2.94
- Second Gear Ratio (:1) 2.96
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.91 Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 446
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD



Weight Information

- Base Curb Weight 3732lbs
- Curb Weight Front N/Albs
 Curb Weight Rear N/Albs
 Curb Weight N/Albs

- Maximum Payload Capacity N/Albs
 Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin