# **Vehicle Information**

Date:	November 20, 2018	
Vehicle: 2017 Land Rover Ra	nge Rover Utility 4D HSE 4WD 3.0L V6	
	Supercharged	
VIN:	SALGS2FV0HA376980	
Weight:	0	and the second
_		

## **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$92,650	\$6,800	\$995	\$100,445
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
optional Equipmont			Invoice	MSRP
BLACK DESIGN PACKAGE			\$1974.00	\$2100.00
-inc: black exterior trim and "Range Rove	er" badges, Code: 074LN			
HEATED WOOD & LEATHER STEERING WHEEL			\$470.00	\$500.00
-inc: Wood will match interior wood trim	Code: 032DR			
TIRES: P275/40YR22			\$0.00	\$0.00
Code: -NONTR1				
WHEELS: 22" 7 SPLIT SPOKE - STYLE 707			\$3948.00	\$4200.00
-inc: Gloss black finish, Tires: P275/40Y	R22 Code: 029TP			
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
SANTORINI BLACK			\$0.00	\$0.00
Code: 1AG				
EBONY/EBONY/EBONY, FULL OXFORD PERFORATED LEATHER SEAT TRIM Code: TKB			\$0.00	\$0.00

# **Standard Equipment**

## **ENTERTAINMENT**

- Audio Theft Deterrent
- Automatic Equalizer
- Digital Signal Processor

 Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Radio Data System, Weatherband and DVD-Audio
 Radio: 380 Watt Meridian Audio w/10.2" Touchscreen inc: 13 speakers, Bluetooth phone connectivity w/audio streaming, InControl Pro services for warranty period (includes WiFi), InControl Touch Pro infotainment, satellite and HD radio and InControl apps

• Real-Time Traffic Display

• Window Grid And Roof Mount Diversity Antenna

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2018 J.D.Power

csievers@poquetauto.com





- Aluminum Panels
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/1 Tow Hook
- Body Colored Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper w/1 Tow Hook
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Door Auto-Latch
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Variable Intermittent Wiper and Defroster
- Front Windshield inc: Electrically Heated Glass and Sun Visor Strip
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Headlamps w/Washer and DelayOff
- Laminated Glass
- LED Brakelights
- Metal-Look Bodyside Insert and Body-Colored Bodyside Cladding
- Perimeter/Approach Lights
- Power Liftgate/Tailgate Rear Cargo Access
- Rear Fog Lamps
- Silver Grille
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/50WR20 AS BSW
- Wheels: 20" 5 Split Spoke Alloy Style 502

#### INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Heated Manual Reclining Tumble Forward Rear Seat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Front Passenger Armrests Front Center Armrest w/Storage and Rear Center Armrest w/PassThru w/Storage
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows, Sunroof/Convertible Roof, Remote Engine Start and Air Suspension
- Folding Cargo Cover
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Full Oxford Perforated Leather Seat Trim
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Oil Level, Trip Odometer and Trip Computer
- Heated Front Bucket Seats inc: 14-way driver and passenger seat, electric lumbar, driver's seat memory and front climate seats (cooled) w/adjustable bolsters
- Heated Leather/Metal Look Steering Wheel w/Auto Tilt Away
- HomeLink Garage Door Transmitter
- HVAC inc: Underseat Ducts, Residual Heat Recirculation, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- InControl Secure Tracker System
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Integrated Navigation System w/Voice Activation
- Interior Lock Disable
- Interior Trim inc: Genuine Wood Instrument Panel Insert, Genuine Wood Door Panel Insert, Genuine Wood/Metal-Look Console Insert, Aluminum/Metal-Look Interior Accents and Leather Upholstered Dashboard
- Leather Door Trim Insert
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Manual w/Tilt Rear Head Restraints
- Memory Settings -inc: Door Mirrors and Steering Wheel
- Metal-Look Gear Shift Knob
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Down
- Power Door Locks w/Autolock Feature



- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases Inc: Proximity Cargo Access and Keyfob Rear Window
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch AutoLatch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning w/Steering Wheel Controls
- Voice Recorder

## MECHANICAL

- 1 Skid Plate
- 150 Amp Alternator
- 22.5 Gal. Fuel Tank
- 4-Corner Auto-Leveling Suspension
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 90-Amp/Hr 800CCA Maintenance-Free Battery
- Automatic w/Driver Control Height Adjustable Automatic Ride Control Adaptive Suspension
- Double Wishbone Front Suspension w/Air Springs
- Dual Stainless Steel Exhaust
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 3.0L V6 Supercharged -inc: intelligent stop/start
- Front And Rear Anti-Roll Bars
- Full-Time Four-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,945 lbs
- Multi-Link Rear Suspension w/Air Springs
- Permanent Locking Hubs
- TBD Axle Ratio
- Towing Equipment -inc: Trailer Sway Control
- Transmission: 8-Speed Automatic-inc: steering wheel mounted paddle shift and 2-speed electronically controlled transfer case

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera w/Washer
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Forward Collision Mitigation
- Front And Rear Parking Sensors
- Lane Departure Warning
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Power Rear Child Safety Locks
- Side Impact Beams
- Terrain Response Electronic Stability Control (ESC) And Roll Stability Control (RSC)

# **Technical Specifications**

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 15in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2018 J.D.Power



- Cargo Area Length @ Floor to Seat 1 78.1in
- Cargo Area Length @ Floor to Seat 2 43.3in .
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 50.8in
- Cargo Box (Area) Height 32.4in
- Cargo Box Width @ Floor N/Ain .
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings 44.1in
- Cargo Volume N/AftÂ<sup>3</sup> •
- Cargo Volume to Seat 1 71.7ftÂ<sup>3</sup> •
- Cargo Volume to Seat 2 32.1ftÅ<sup>3</sup>
- Cargo Volume to Seat 3 32.1ftÅ<sup>3</sup>
- Ext'd Cab Cargo Volume N/AftÂ<sup>3</sup>
- Tailgate Width N/Ain

#### **Cooling System**

• Total Cooling System Capacity N/Aqts

#### Electrical

- Cold Cranking Amps @ O° F (2nd) 800
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ 0° F (Primary) 800
- Maximum Alternator Capacity (amps) 150

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.2

## Engine

- Displacement 3.0 L/183
- Engine Oil Cooler Regular Duty
- **Engine Order Code** ٠
- Engine Type Intercooled Supercharger Premium Unleaded V-6 ٠
- **Fuel System Gasoline Direct Injection** ٠
- SAE Net Horsepower @ RPM 380 @ 6500
- SAE Net Torque @ RPM 332 @ 3500 .

## **Exterior Dimensions**

- Body Length 0.00ft
- Cab to Axle N/Ain ٠
- Cab to Body N/Ain
- Cab to End of Frame N/Ain ٠
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain •
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain •
- Ground to Top of Load Floor N/Ain •
- Height, Overall 72.3in
- Length, Overall N/Ain .
- Length, Overall w/rear bumper N/Ain .
- Liftover Height N/Ain ٠
- Min Ground Clearance 8.7in •
- Overhang, Front N/Ain •
- Overhang, Rear w/o bumper N/Ain .
- Rear Door Opening Height N/Ain .
- Rear Door Opening Width N/Ain •
- Track Width, Front 66.5in •
- Track Width, Rear 66.3in ٠
- . Wheelbase 115in
- Width, Max w/o mirrors 78.1in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ<sup>3</sup>



#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 22.5gal
- Fuel Tank Location N/A

### **Interior Dimensions**

- Front Head Room 39.3in
- Front Hip Room N/Ain
- Front Leg Room 42.5in
- Front Shoulder Room 60.7in ٠
- **Passenger Capacity 5** •
- Second Head Room 39.2in ٠
- Second Hip Room N/Ain ٠
- Second Leg Room 40.2in ٠
- Second Shoulder Room 59.4in

#### Mileage

- Cruising Range City 382.50mi
  Cruising Range Hwy 517.50mi
- EPA Fuel Economy Est City 17MPG .
- EPA Fuel Economy Est - Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A ٠
- Steering Ratio (:1), Overall N/A ٠
- Steering Type Rack-Pinion ٠
- Turning Diameter Curb to Curb 40.4ft .
- ٠ Turning Diameter - Wall to Wall N/Aft

#### Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs ٠
- Axle Ratio (:1) Front N/A .
- . Axle Ratio (:1) - Rear N/A
- Axle Type Front Independent •
- Axle Type Rear Independent •
- Shock Absorber Diameter Front N/Amm •
- Shock Absorber Diameter Rear N/Amm •
- Spring Capacity - Front N/Albs
- Spring Capacity Rear N/Albs ٠
- Stabilizer Bar Diameter Front N/Ain .
- Stabilizer Bar Diameter Rear N/Ain ٠
- Suspension Type Front Double Wishbone
- Suspension Type - Rear Multi Link

#### Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/40YR22 •
- **Rear Tire Capacity N/Albs** ٠
- Rear Tire Order Code ٠
- Rear Tire Size P275/40YR22
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph Rear N/A ٠
- Revolutions/Mile @ 45 mph Spare N/A .
- Spare Tire Capacity N/Albs .
- Spare Tire Order Code •
- Spare Tire Size Compact

#### Trailering

- Dead Weight Hitch Max Tongue Wt. 772lbs
- ٠ Dead Weight Hitch - Max Trailer Wt. 7716lbs
- Maximum Trailering Capacity 7716lbs
- Wt Distributing Hitch - Max Tongue Wt. 772lbs



## Transmission

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive** •
- Eighth Gear Ratio (:1) 0.67 ٠
- Fifth Gear Ratio (:1) 1.29 •
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.70 •
- Fourth Gear Ratio (:1) 1.67 •
- Reverse Ratio (:1) 3.32 .
- Second Gear Ratio (:1) 3.13 •
- ٠ Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00 ٠
- Third Gear Ratio (:1) 2.10 ٠
- Trans Description Cont. Again .
- Trans Description Cont. Automatic w/OD •
- Trans Order Code
- Trans Power Take Off N/A ٠
- Trans Type 8 .
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A •
- **Transfer Case Model Electronic** ٠
- Transfer Case Power Take Off No .

## Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs ٠
- Curb Weight Rear N/Albs .
- ٠ Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs ٠
- Gross Axle Wt Rating Front N/Albs Gross Axle Wt Rating Rear N/Albs •
- •
- Gross Combined Wt Rating 14661lbs .
- Gross Vehicle Weight Rating 6945.00lbs
- Maximum Payload Capacity N/Albs •
- Option Weight Front 0.00lbs Option Weight Rear 0.00lbs ٠
- •
- **Payload Weight Front Olbs**
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs Reserve Axle Capacity Rear N/Albs ٠
- ٠
- **Reserve Axle Capacity N/Albs**
- Standard Weight Front Olbs •
- Standard Weight Rear Olbs •
- **Total Option Weight 0.00lbs** .

#### Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 9.5in
- Rear Wheel Material Aluminum
- **Rear Wheel Size 9.5in** •
- **Spare Wheel Material Steel** •
- Spare Wheel Size Compactin •