csievers@poquetauto.com

# **Vehicle Information**

Date:	November 16, 2018	
Vehicle:2017 Hyundai S	anta Fe Utility 4D SE Ultimate AWD 3.3L V6	115
VIN:	KM8SRDHF2HU213076	
Weight:	4,198	
	5	

# **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$40,450	\$470	\$950	\$41,870
NADA New Vehicle Values				
Low	\$32,541	\$378	\$950	\$33,869
Average	\$34,465	\$400	\$950	\$35,815
High	\$36,617	\$425	\$950	\$37,992
Optional Equipment			Inveloe	MCDD
			Invoice	MSRP
OPTION GROUP 01			\$0.00	\$0.00
Code: 01-0			<b>.</b>	• • • • •
STANDARD PAINT	\$0.00		\$0.00	
Code: -PAINT				
CARGO TRAY		\$80.00 \$100.00		
(PIO) Code: CT				
MUDGUARDS			\$96.00	\$120.00
(PIO) Code: MG				
ROOF RACK CROSS BARS			\$226.00	\$250.00
(PIO) Code: RC				
NIGHT SKY PEARL			\$0.00	\$0.00
Code: W9U				
GRAY, LEATHER SEATING SURFACES			\$0.00	\$0.00
Code: VFG-I			•	

# **Standard Equipment**

# ENTERTAINMENT

- 590w Regular Amplifier
- Bluetooth Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Voice Activation
- Radio: AM/FM/SiriusXM/CD/HD/MP3 w/Navigation inc: Infinity premium audio w/12 speakers, SiriusXM radio free activation and 3-month trial subscription, QuantumLogic Surround,
- Clari-Fi music restoration technology, Blue Link telematics, iPod/USB/auxiliary jacks, 8" touchscreen navigation display w/Android Auto and rearview camera
- Streaming Audio
- Turn-By-Turn Navigation Directions



- Black Bodyside Cladding and Black Wheel Well Trim
- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator .
- **Chrome Door Handles**
- **Chrome Grille** ٠
- Chrome Side Windows Trim
- **Clearcoat Paint** .
- Compact Spare Tire Stored Underbody w/Crankdown .
- **Deep Tinted Glass**
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster .
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off ٠
- Fully Galvanized Steel Panels
- ٠ Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only .
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks .
- Tires: P235/55R19
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 19" x 7.5J Aluminum Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- 40-20-40 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft .
- **Air Filtration**
- **Cargo Area Concealed Storage** •
- Cargo Space Lights ٠
- Carpet Floor Trim
- . Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- **Delayed Accessory Power** .
- **Digital/Analog Display**
- . Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- **Driver Foot Rest**
- **Driver Seat**
- **Dual Zone Front Automatic Air Conditioning** ٠
- Fade-To-Off Interior Lighting .
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest .
- Front Cupholder
- Front Map Lights •
- **Full Carpet Floor Covering**
- Full Cloth Headliner .
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 4 12V DC Power Outlets and 1 AC Power Outlet .
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer .
- Heated & Ventilated Multi-Adjustable Bucket Seats inc: power driver's and front passenger's seat and adjustable driver's lumbar support w/driver's seat integrated memory system,
- Heated Leather Steering Wheel •
- HomeLink Garage Door Transmitter ٠
- HVAC inc: Underseat Ducts and Headliner/Pillar Ducts .
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins .
- Interior Trim inc: Simulated Wood Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents •
- Leather Seating Surfaces .
- Leather/Piano Black Gear Shift Knob .
- Leatherette Door Trim Insert
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints ٠
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors .
- Outside Temp Gauge
- Passenger Seat .
- Perimeter Alarm .
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down .
- Power Door Locks w/Autolock Feature •
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds • Proximity Key For Doors And Push Button Start
- ٠
- . Rear Cupholder
- **Rear HVAC w/Separate Controls** .



- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- **Remote Releases -Inc: Proximity Cargo Access and Power Fuel** .
- Systems Monitor
- Tracker System
- **Trip Computer**
- Trunk/Hatch AutoLatch .
- Valet Function •

### MECHANICAL

- 150 Amp Alternator
- 18 8 Gal Fuel Tank .
- 3.041 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 54-Amp/Hr Maintenance-Free Battery w/Run Down Protection ٠
- Automatic Full Time All-Wheel Drive .
- Electric Power-Assist Speed-Sensing Steering .
- **Electronic Transfer Case** •
- Engine: 3.3L GDI DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars ٠
- **Gas-Pressurized Shock Absorbers** .
- GVWR: 5,622 lbs .
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs ٠
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher ٠
- Strut Front Suspension w/Coil Springs ٠
- Transmission w/Driver Selectable Mode and Oil Cooler
- Transmission: 6-Speed Automatic w/SHIFTRONIC -inc: OD lock-up torque converter and manual shift mode

# SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Blind Spot Sensor
- Blue Link Emergency Sos ٠
- Curtain 1st And 2nd Row Airbags ٠
- **Driver Knee Airbag** .
- **Dual Stage Driver And Passenger Front Airbags**
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags •
- **Electronic Stability Control (ESC)** .
- Front Camera .
- ٠ Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners ٠
- **Rear Child Safety Locks** ٠
- Rear Collision Warning ٠
- **Rear Parking Sensors** •
- **Restricted Driving Mode** •
- **Right Side Camera** .
- . Side Impact Beams
- . **Tire Specific Low Tire Pressure Warning**

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
  Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes ٠
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in ٠
- Rear Brake Rotor Diam x Thickness 11.9in .
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 N/Ain
  Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain ٠
- Cargo Box Width @ Wheelhousings N/Ain .
- Cargo Volume to Seat 1 80ftÂ<sup>3</sup>
- Cargo Volume to Seat 2 40.9ftÂ<sup>3</sup>



• Cargo Volume to Seat 3 13.5ftÅ<sup>3</sup>

## **Cooling System**

• Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

#### Engine

- Displacement 3.3 L/204
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 290 @ 6400
   SAE Net Torres & DDM 050 @ 5000
- SAE Net Torque @ RPM 252 @ 5200

#### **Exterior Dimensions**

- Height, Overall 66.5in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
   Trock Width Front 64 1in
- Track Width, Front 64.1in
- Track Width, Rear 64.5in
- Wheelbase 110.2in
- Width, Max w/o mirrors 74.2in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

### **Interior Dimensions**

- Front Head Room 39.9in
- Front Hip Room 56.7in
- Front Leg Room 41.3in
- Front Shoulder Room 59.4in
- Passenger Capacity 7
- Passenger Volume 146.6ftÂ<sup>3</sup>
- Second Head Room 39.4in
- Second Hip Room 55.4in
- Second Leg Room 40.4in
- Second Shoulder Room 58.3in
- Third Head Room 35.7in
- Third Hip Room 44.1in
- Third Leg Room 30.9in
- Third Shoulder Room 53.9in

## Mileage

- Cruising Range City 319.60mi
- Cruising Range Hwy 451.20mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 24MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 19MPG

# Steering

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2018 J.D.Power



- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 36.9ft
- Turning Diameter Wall to Wall N/Aft

#### Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
  Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Cont.
   Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

#### Tires

• Front Tire Order Code

- Front Tire Size P235/55TR19
- Rear Tire Order Code
- Rear Tire Size P235/55TR19
- Spare Tire Order Code
- Spare Tire Size Compact

#### Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs
- Wt Distributing Hitch Max Trailer Wt. 5000lbs

#### Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.04
- First Gear Ratio (:1) 4.65
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.39
- Second Gear Ratio (:1) 2.83
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
  Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Gear Ratio (:1), Low N/A

#### Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

#### Weight Information

- Base Curb Weight 4198lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

# Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin



NADA New Cars/Trucks