



Licensed to J.D. Power

## Vehicle Information

**Date:** January 9, 2019  
**Vehicle:** 2016 Ford Flex Utility 4D SEL 3.5L V6  
**VIN:** 2FMGK5C80GBA07073  
**Weight:** 4,439



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$32,410	\$4,610	\$895	<b>\$37,915</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
2ND ROW 40/40 RECLINING SEATS -inc: 6 passenger seating Code: 21D	\$660.00	\$695.00
2ND ROW FLOOR CONSOLE Code: 51C	\$144.00	\$150.00
TRAILER TOWING PACKAGE (CLASS III) -inc: 4-pin/7-pin wiring, class III trailer hitch receiver and trailer sway control, Engine Oil Cooler Code: 53G	\$542.00	\$570.00
VOICE-ACTIVATED TOUCH-SCREEN NAVIGATION SYSTEM -inc: SiriusXM Traffic and Travel Link, in-dash screen, SD card for map and POI storage, SiriusXM Traffic and Travel Link includes a 5-year prepaid subscription in the 48 contiguous United States and D.C, SYNC services are not available in Alaska and Hawaii, SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM Customer Agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc Code: 52N	\$755.00	\$795.00
ENGINE: 3.5L TI-VCT V6 (STD) Code: 998	\$0.00	\$0.00
EQUIPMENT GROUP 202A -inc: Adjustable Pedals w/Memory, Premium 7-Speaker Audio System, Memory Driver's Seat & Exterior Mirrors, Exterior Mirrors w/Security Approach Lamps, BLIS Blind Spot Monitoring System, cross-traffic alert, Power Converter 110V Outlet, Power Liftgate Code: 202A	\$2280.00	\$2400.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
INGOT SILVER METALLIC Code: UX	\$0.00	\$0.00



	Invoice	MSRP
CHARCOAL BLACK, LEATHER-TRIMMED HEATED BUCKET SEATS -inc: driver and front passenger 4-way head restraints, 10-way power driver's seat w/power recline and lumbar and 6-way power front passenger seat w/manual recline and lumbar Code: LW	\$0.00	\$0.00
TRANSMISSION: 6-SPEED SELECTSHIFT AUTOMATIC -inc: shifter button activation (STD) Code: 44J	\$0.00	\$0.00
WHEELS: 18" PAINTED ALUMINUM (STD) Code: 64R	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: AM/FM Single CD/MP3 Capable -inc: auxiliary audio input jack, USB port, 6-speaker system and SiriusXM radio
- Streaming Audio
- SYNC 3 -inc: enhanced voice recognition communications and entertainment system, 8" LCD touch-screen in center stack w/swiping and pinch-to-zoom capabilities, AppLink, 911 Assist and 2 smart-charging USB ports
- Wireless Phone Connectivity

### EXTERIOR

- Black Power Heated Side Mirrors w/Convex Spotter and Manual Folding
- Body-Colored Front Bumper
- Body-Colored Rear Step Bumper
- Chrome Door Handles
- Chrome Grille
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Speed Sensitive Variable Intermittent Wipers
- Stainless Steel Side Windows Trim, Black Front Windshield Trim and Chrome Rear Window Trim
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18 AS BSW
- Wheels: 18" Painted Aluminum

### INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Heated Front Bucket Seats -inc: driver and front passenger 4-way head restraints, 10-way power driver's seat w/power recline and lumbar and 6-way power front passenger seat w/manual recline and lumbar
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest
- Front Cupholder



Licensed to J.D. Power

- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome Interior Accents
- Keypad
- Leather/Chrome Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Locking Glove Box
- Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Mobile Hotspot Internet Access
- Outside Temp Gauge
- Passenger Seat -inc: Fold Flat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access
- Seats w/Cloth Back Material
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- Systems Monitor
- Trip Computer
- Valet Function

## MECHANICAL

- 175 Amp Alternator
- 18.6 Gal. Fuel Tank
- 3.39 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- 72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- Electric Power-Assist Steering
- Engine: 3.5L Ti-VCT V6
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 5,970 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed SelectShift Automatic -inc: shifter button activation

## SAFETY

- ABS And Driveline Traction Control
- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- Back-Up Camera
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Low Tire Pressure Warning
- Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: Not Rated



Overall Frontal Barrier Crash Rating: Not Rated

Overall Side Crash Rating: Not Rated

Overall Rollover Rating: \* \* \* \*

Dynamic Test Result: No Tip

Risk of Rollover: 16.4%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

## RECALL

US NHTSA CAMPAIGN ID:  
16V925000

Mfg's Report Date:  
DEC 21, 2016

Component:  
ENGINE AND ENGINE COOLING:ENGINE:GASOLINE:TURBO-CHARGER

Potential Number Of Units Affected:  
1163

Summary:

Ford Motor Company (Ford) is recalling certain model year 2016 Ford Taurus, 2016-2017 Ford Flex, Lincoln MKT, 2017 Ford Explorer and Ford Explorer Police Interceptor Utility vehicles equipped with 3.5L GTDI engines. Improperly brazed turbocharger oil supply tubes may leak oil on engine components.

Consequence:

An oil leak, in the presence of an ignition source, increases the risk of a fire.

Remedy:

Ford will notify owners, and dealers will inspect, and if necessary, replace the turbocharger oil supply tubes, free of charge. The recall began on January 31, 2017. Owners may contact Ford customer service at 1-866-436-7332. Ford's number for this recall is 16S46.

Dates of Manufacture:  
OCT 17, 2016 to NOV 09, 2016

Manufacturer Recall Number:  
16S46

## WARRANTY

Basic:  
3 Years/36,000 Miles

Drivetrain:  
5 Years/60,000 Miles

Corrosion:  
5 Years/Unlimited Miles

Roadside Assistance:  
5 Years/60,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in



Licensed to J.D. Power

## Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 83.2ft<sup>3</sup>
- Cargo Volume to Seat 2 43.2ft<sup>3</sup>
- Cargo Volume to Seat 3 20ft<sup>3</sup>

## Cooling System

- Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 650
- Maximum Alternator Capacity (amps) 175

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

## Engine

- Displacement 3.5 L/213
- Engine Order Code 998
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 287 @ 6500
- SAE Net Torque @ RPM 254 @ 4000

## Exterior Dimensions

- Height, Overall 68in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 5.9in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.4in
- Track Width, Rear 65.4in
- Wheelbase 117.9in
- Width, Max w/o mirrors 75.9in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.6gal

## Interior Dimensions

- Front Head Room 41.8in
- Front Hip Room 55.5in
- Front Leg Room 40.8in
- Front Shoulder Room 58.4in
- Passenger Capacity 6
- Passenger Volume 155.8ft<sup>3</sup>
- Second Head Room 40.5in
- Second Hip Room 55in
- Second Leg Room 44.3in
- Second Shoulder Room 58.1in
- Third Head Room 38.7in
- Third Hip Room 41.1in
- Third Leg Room 33.3in
- Third Shoulder Room 50.8in

## Mileage

- Cruising Range - City 297.60mi



Licensed to J.D. Power

- Cruising Range - Hwy 427.80mi
- EPA Fuel Economy Est - City 16MPG
- EPA Fuel Economy Est - Hwy 23MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 19MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 40.7ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P235/60TR18
- Rear Tire Order Code
- Rear Tire Size P235/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 450lbs
- Dead Weight Hitch - Max Trailer Wt. 4500lbs
- Maximum Trailering Capacity 4500lbs
- Wt Distributing Hitch - Max Tongue Wt. 450lbs
- Wt Distributing Hitch - Max Trailer Wt. 4500lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.39
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 44J
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Standard Sport Utility Vehicles 2WD

## Weight Information

- Base Curb Weight 4439lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs



Licensed to J.D. Power

- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin