

## Vehicle Information

**Date:** December 7, 2018  
**Vehicle:** 2018 Nissan Armada Utility 4D Platinum AWD 5.6L V8  
**VIN:** JN8AY2NE9J9734389  
**Weight:** 5,963



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$62,090	\$3,825	\$1,395	<b>\$67,310</b>
<b>NADA New Vehicle Values</b>				
Low	\$54,565	\$3,361	\$1,395	<b>\$59,321</b>
Average	\$56,969	\$3,510	\$1,395	<b>\$61,874</b>
High	\$59,720	\$3,679	\$1,395	<b>\$64,794</b>

## Optional Equipment

	Invoice	MSRP
[K02] PLATINUM RESERVE PACKAGE -inc: dark chrome exterior trim, front grille, door handles and outside mirrors, interior trim w/unique stitching, embossed Platinum Reserve emblem on console lid, dark headliner, dark grey skid plate and dark grey tow hitch cover, Wheels: 20" Dark Chrome Code: PL2	\$2655.00	\$3000.00
[X01] CAPTAIN SEAT PACKAGE -inc: Seating revised from 8 to 7 passengers, Second Row Center Console w/ Padded Armrest, Second Row Captain's Chairs Code: SEA	\$398.00	\$450.00
WHEELS: 20" DARK CHROME Code: -NONWL	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[B92] ROOF RAIL CROSS BARS (PIO) Code: ROF	\$302.00	\$375.00
SUPER BLACK Code: KH3	\$0.00	\$0.00
BLACK/BROWN, LEATHER-APPOINTED SEAT TRIM Code: G-2	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 2 LCD Row Monitors In The Rear
- 2 Wireless Headphones
- A/V Remote
- Entertainment System w/DVD And Digital Media
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Voice Activation and Radio Data System
- Radio: Bose AM/FM/SXM/CD/MP3/HD Radio -inc: 13 Bose speakers, NissanConnect w/navigation and services, Nissan navigation system w/enhanced voice recognition, 8" color display w/multi-touch control and SiriusXM Traffic and Travel Link w/3 years complimentary trial access, NissanConnect services powered by SiriusXM



- Real-Time Traffic Display
- Window Grid Diversity Antenna

## EXTERIOR

- Aluminum Spare Wheel
- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Rear Step Bumper w/1 Tow Hook
- Chrome Door Handles
- Chrome Grille
- Chrome Power Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Colored Fender Flares
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Lip Spoiler
- Manual-Leveling Fully Automatic Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Running Boards
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Wiper Park
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P275/60R20 AS BSW
- Wheels: 20" Machine-Faced Chrome w/Tinted CC

## INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Flip Forward Cushion/Seatback Rear Seat
- 6-Way Passenger Seat
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench 3rd Row Seat Front, Power Recline, Power Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated & Cooled Front Bucket Seats w/Driver Memory -inc: 10-way power adjustable drivers seat including 2-way power lumbar and 8-way power adjustable passenger seat including 2-way lumbar
- Heated Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and Audio Media Storage
- Integrated Navigation System w/Voice Activation
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Simulated Wood/Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Door Trim Insert
- Leather Gear Shift Knob
- Leather-Appointed Seat Trim
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings -inc: Driver Seat, Door Mirrors and Steering Wheel
- NissanConnect Selective Service Internet Access
- NissanConnect Services Tracker System



Licensed to J.D. Power

- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Smart Device Integration
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

## MECHANICAL

- 1 Skid Plate
- 150 Amp Alternator
- 1537# Maximum Payload
- 2.937 Axle Ratio
- 26 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 70-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Class IV Towing Equipment -inc: Harness and Hitch
- Double Wishbone Front Suspension w/Coil Springs
- Double Wishbone Rear Suspension w/Air Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 5.6L DOHC 32V Endurance V8
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 7,500 lbs
- Permanent Locking Hubs
- Rear Auto-Leveling Suspension
- Single Stainless Steel Exhaust
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 7-Speed Automatic w/Manual Mode & OD -inc: synchronized rev control

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision Mitigation
- Front And Rear Parking Sensors
- Front Camera
- Intelligent Around View Monitor (i-Avm) Back-Up Camera
- Lane Departure Warning
- Lane Keeping Assist
- Left Side Camera
- NissanConnect Services Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )



- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

## Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 86.2in
- Cargo Area Length @ Floor to Seat 2 49.1in
- Cargo Area Length @ Floor to Seat 3 20.3in
- Cargo Area Width @ Beltline 63.4in
- Cargo Box (Area) Height 36.7in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings 48.8in
- Cargo Volume N/Aft<sup>3</sup>
- Cargo Volume to Seat 1 95.4ft<sup>3</sup>
- Cargo Volume to Seat 2 49.9ft<sup>3</sup>
- Cargo Volume to Seat 3 16.5ft<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft<sup>3</sup>
- Tailgate Width N/Ain

## Cooling System

- Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 650
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 650
- Maximum Alternator Capacity (amps) 150

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.8

## Engine

- Displacement 5.6 L/339
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 390 @ 5800
- SAE Net Torque @ RPM 394 @ 4000

## Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 75.8in
- Length, Overall N/Ain
- Length, Overall w/rear bumper N/Ain
- Lifter Height 35in
- Min Ground Clearance 9.2in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.5in
- Track Width, Rear 67.9in
- Wheelbase 121.1in
- Width, Max w/o mirrors 79.9in

## Frame



Licensed to J.D. Power

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain<sup>3</sup>

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location N/A

## Interior Dimensions

- Front Head Room 39.8in
- Front Hip Room 59.2in
- Front Leg Room 41.9in
- Front Shoulder Room 63.8in
- Passenger Capacity 7
- Second Head Room 40in
- Second Hip Room 58.4in
- Second Leg Room 39in
- Second Shoulder Room 63.4in
- Third Head Room 36.4in
- Third Hip Room 48.8in
- Third Leg Room 28.3in
- Third Shoulder Room 60.5in

## Mileage

- Cruising Range - City 338.00mi
- Cruising Range - Hwy 468.00mi
- EPA Fuel Economy Est - City 13MPG
- EPA Fuel Economy Est - Hwy 18MPG
- Fuel Economy Est-Combined 15MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 41.3ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 2.94
- Axle Ratio (:1) - Rear 2.94
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Double Wishbone

## Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/60HR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P275/60HR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs



- Spare Tire Order Code
- Spare Tire Size Full-Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 850lbs
- Dead Weight Hitch - Max Trailer Wt. 8500lbs
- Maximum Trailering Capacity 8500lbs
- Wt Distributing Hitch - Max Tongue Wt. 850lbs
- Wt Distributing Hitch - Max Trailer Wt. 8500lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.89
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 3.54
- Second Gear Ratio (:1) 3.17
- Seventh Gear Ratio (:1) 0.78
- Sixth Gear Ratio (:1) 0.86
- Third Gear Ratio (:1) 2.03
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating 14700lbs
- Gross Vehicle Weight Rating 7500.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Aluminum
- Spare Wheel Size Full-Sizein