

Vehicle Information

Date: December 28, 2018
Vehicle: 2016 Volvo XC60 Utility 4D T6 R-Design Drive-E AWD 2.0L I4 Turbo
VIN: YV449MRP8G2868869
Weight: 0



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$47,200	\$2,985	\$995	\$51,180
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
BLIND SPOT INFORMATION SYSTEM (BLIS) PACKAGE -inc: Front & Rear Park Assist, Blind Spot Information System (BLIS), cross traffic alert and lane change merge aid Code: MC29P	\$870.00	\$925.00
HEATED FRONT SEATS Code: 11-0	\$470.00	\$500.00
PROXIMITY PACKAGE -inc: Rear Park Assist Camera, Power Tailgate Code: MC29N	\$940.00	\$1000.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
SAVILE GRAY METALLIC Code: 492-R	\$526.00	\$560.00
OFF-BLACK, R-DESIGN SPORT LEATHER SEATING SURFACES Code: GT60	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 8 Speakers
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: High Performance AM/FM/CD -inc: Sensus Connect w/integrated 7" color display, Bluetooth integrated interface including audio streaming, Sirius satellite radio w/6-month subscription, HD Radio, auxiliary audio input, USB and iPod function and audio buttons in steering wheel
- Regular Amplifier
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Accents
- Body-Colored Bodyside Cladding and Rocker Panel Extensions



Licensed to J.D. Power

- Body-Colored Door Handles
- Body-Colored Front Bumper w/Meta-Look Rub Strip/Fascia Accent
- Body-Colored Rear Step Bumper w/Meta-Look Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Laminated Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Automatic Projector Beam High Intensity Low Beam Daytime Running Auto-Leveling Directionally Adaptive Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Meta-Look Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Perimeter/Approach Lights
- Rain Detecting Variable Intermittent Wipers
- Rear Fog Lamps
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/45R20 AS
- Wheels: 20" Ixion II Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 40-20-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Anti-Whiplash Fixed Front Head Restraints and Manual Adjustable Rear Head Restraints
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Front Embossed R-Design Sport Seats -inc: power lumbar, power driver seat w/memory and power passenger seat
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Aluminum Instrument Panel Insert, Aluminum Door Panel Insert, Aluminum Console Insert and Aluminum Interior Accents
- Leather/Aluminum Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- R-Design Sport Leather Seating Surfaces
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Cargo Access and Power Fuel
- Seats w/Leatherette Back Material
- Sensus Navigation with Mapcare
- Sport Leather/Aluminum Steering Wheel
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function



MECHANICAL

- 18.5 Gal. Fuel Tank
- 3.75 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Electric Parking Brake
- Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Electric Power-Assist Steering
- Engine Auto Stop-Start Feature
- Engine: 2.0L 16V I4 Supercharged Turbo Drive-E (PIO)
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Sport Tuned Suspension
- Strut Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Oil Cooler
- Transmission: 8-Speed Geartronic Automatic -inc: Start/Stop and Adaptive Shift

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- City Safety
- Curtain 1st And 2nd Row Airbags
- Dstc/RSC Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- On-Call Plus Emergency Sps
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: ***** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 17.6%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:
15V55000

Mfg's Report Date:
SEP 01, 2015



Component:
ELECTRICAL SYSTEM:FUSES AND CIRCUIT BREAKERS

Potential Number Of Units Affected:
7855

Summary:
Volvo Cars of North America, LLC. (Volvo) is recalling certain model year 2016 Volvo S60, V60, V60CC, XC60, XC70, and S80 vehicles manufactured April 8, 2015 to August 19, 2015. In certain driving conditions when using the automatic engine stop/start function, the starter motor fuse may blow, preventing the car from restarting when necessary.

Consequence:
If the vehicle is unexpectedly unable to be started in the middle of traffic, such as when stopped at an intersection, there is an increased risk of a crash.

Remedy:
Volvo will notify owners, and dealers will replace the existing starter motor fuse with a higher amperage fuse, free of charge. The recall began on October 26, 2015. Owners may contact Volvo customer service at 1-800-458-1552 or by visiting <http://volvo.custhelp.com>. Volvo's number for this recall is R39574.

Dates of Manufacture:
APR 07, 2015 to AUG 18, 2015

Manufacturer Recall Number:
R39574
US NHTSA CAMPAIGN ID:
16V798000

Mfg's Report Date:
NOV 01, 2016

Component:
SEAT BELTS:FRONT:BUCKLE ASSEMBLY

Potential Number Of Units Affected:
74027

Summary:
Volvo Car USA LLC (Volvo) is recalling certain model year 2016-2017 XC90, S90, XC60, V60 Cross Country, V60, S60 Cross Country, S60, and S60 Inscription vehicles manufactured February 16, 2015, to August 22, 2016. On the affected vehicles, the front passenger seat belt buckle attaching stud may loosen, allowing the buckle to separate from the seat belt bracket. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 210, "Seat Belt Assembly Anchorages" and number 209, "Seat Belt Assemblies."

Consequence:
If the seat belt buckle separates from the bracket, the front seat passenger may not be adequately restrained in the event of a crash, increasing their risk of injury in the event of a crash.

Remedy:
Volvo will notify owners, and dealers will inspect the front passenger seat belt buckle stud, replacing the seat belt buckle as needed, free of charge. The recall began January 2017. Owners may contact Volvo customer service at 1-800-458-1552. Volvo's number for this recall is R89708.

Dates of Manufacture:
FEB 15, 2015 to AUG 21, 2016

Manufacturer Recall Number:
R89708

WARRANTY

Basic:
4 Years/50,000 Miles

Drivetrain:
4 Years/50,000 Miles

Corrosion:
12 Years/Unlimited Miles

Roadside Assistance:
4 Years/Unlimited Miles

Maintenance:
3 Years/36,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel



Licensed to J.D. Power

- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 70.4in
- Cargo Area Length @ Floor to Seat 2 38.3in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 45.9in
- Cargo Box (Area) Height 31.6in
- Cargo Box Width @ Wheelhousings 44.5in
- Cargo Volume to Seat 1 67.4ft³
- Cargo Volume to Seat 2 30.8ft³
- Cargo Volume to Seat 3 30.8ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.0 L/120
- Engine Order Code
- Engine Type Turbo/Supercharger Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 302 @ 5700
- SAE Net Torque @ RPM 295 @ 2100

Exterior Dimensions

- Height, Overall 67.4in
- Length, Overall N/Ain
- Lifter Height 29.4in
- Min Ground Clearance 9.1in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.3in
- Track Width, Rear 62.4in
- Wheelbase 109.2in
- Width, Max w/o mirrors 74.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.5gal

Interior Dimensions

- Front Head Room 38in
- Front Hip Room 54.2in
- Front Leg Room 41.2in
- Front Shoulder Room 56.7in
- Passenger Capacity 5
- Passenger Volume 98.6ft³
- Second Head Room 38.1in
- Second Hip Room 53.8in
- Second Leg Room 36.4in
- Second Shoulder Room 55.2in



Mileage

- Cruising Range - City 351.50mi
- Cruising Range - Hwy 499.50mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 27MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P255/45VR20
- Rear Tire Order Code
- Rear Tire Size P255/45VR20
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 3.75
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information



Licensed to J.D. Power

- Base Curb Weight N/A lbs
- Curb Weight - Front N/A lbs
- Curb Weight - Rear N/A lbs
- Curb Weight N/A lbs
- Maximum Payload Capacity N/A lbs
- Total Option Weight 0.00 lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8 in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8 in
- Spare Wheel Material Steel
- Spare Wheel Size Compact in