



Vehicle Information

Date: December 12, 2018
Vehicle: 2015 Jeep Grand Cherokee Utility 4D Limited 4WD 3.6L V6
VIN: 1C4RJFBG2FC899324
Weight: 4,875



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$39,065	\$2,340	\$995	\$42,400
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
POWER SUNROOF Code: GWA	\$975.00	\$1095.00
RADIO: UCONNECT 8.4 NAV -inc: SiriusXM Travel Link, HD Radio, 1-Yr SIRIUSXM Travel Link Service, 1-Yr SiriusXM Traffic Service, GPS Navigation, Uconnect Access, For Details Visit DriveUconnect.com, 8.4" Touchscreen Display, Roadside Assistance & 9-1-1 Call, Integrated Voice Command w/Bluetooth, SIRIUSXM Traffic Code: RA4	\$1108.00	\$1245.00
3.45 REAR AXLE RATIO (STD) Code: DLK	\$0.00	\$0.00
QUICK ORDER PACKAGE 23H -inc: Engine: 3.6L V6 24V VVT, Transmission: 8-Speed Automatic (845RE), High Pressure Tires Tracking Code: 23H	\$0.00	\$0.00
ENGINE: 3.6L V6 24V VVT (STD) Code: ERB	\$0.00	\$0.00
GVWR: 6,500 LBS (STD) Code: Z6K	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
MAXIMUM STEEL METALLIC CLEARCOAT Code: PAR	\$0.00	\$0.00
BLACK, PREMIUM LEATHER TRIMMED BUCKET SEATS Code: ULX9	\$0.00	\$0.00
TIRES: P265/60R18 BSW AS ON/OFF ROAD LR (STD) Code: TXY	\$0.00	\$0.00
TRANSMISSION: 8-SPEED AUTOMATIC (845RE)	\$0.00	\$0.00



	Invoice	MSRP
(STD) Code: DFL		
WHEELS: 18" X 8.0" ALUMINUM POLISHED	\$0.00	\$0.00
(STD) Code: WBL		

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 6 Speakers
- GPS Antenna Input
- Graphic Equalizer
- Integrated Roof Antenna
- Radio w/MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Radio Data System and External Memory Control
- Radio: Uconnect 5.0
- SIRIUSXM Satellite Radio -inc: For more information, call 800-643-2112, Not available w/AK, HI, Puerto Rico, St, Thomas/Virgin Islands, Barbados, Dominican Republic and Guam

EXTERIOR

- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Body-Colored Grille w/Chrome Accents
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Door Handles
- Chrome Power w/Tilt Down Heated Side Mirrors w/Driver Auto Dimming, Manual Folding and Turn Signal Indicator
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rocker Panel Extensions and Black Wheel Well Trim
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/60R18 BSW AS On/Off Road LR
- Wheels: 18" x 8.0" Aluminum Polished

INTERIOR

- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 12-Way Power Passenger Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Leather Rear Seat
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Features -inc: Cargo Tray/Organizer
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats



Licensed to J.D. Power

- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Leather/Metal-look Steering Wheel
- HVAC -inc: Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Simulated Wood/Metal-look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-look Console Insert and Chrome/Metal-look Interior Accents
- Leather/Metal-look Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat, Door Mirrors and Audio
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Premium Leather Trimmed Bucket Seats
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear View Auto Dim Mirror w/Microphone
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Fuel
- Sentry Key Engine Immobilizer
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function

MECHANICAL

- 1270# Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 50 State Emissions
- 700CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Electro-Hydraulic Power Assist Steering
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Multi-Link Rear Suspension
- Normal Duty Suspension
- Permanent Locking Hubs
- Short And Long Arm Front Suspension
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (845RE)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2018 J.D. Power



Licensed to J.D. Power

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 68.3ft³
- Cargo Volume to Seat 2 36.3ft³
- Cargo Volume to Seat 3 36.3ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 700
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 9.3 (Est)

Engine

- Displacement 3.6 L/220
- Engine Order Code ERB
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 290 @ 6400
- SAE Net Torque @ RPM 260 @ 4800

Exterior Dimensions

- Height, Overall 69.3in
- Length, Overall N/Ain
- Liftover Height 32.4in
- Min Ground Clearance 8.6in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 114.8in
- Width, Max w/o mirrors 76.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.7in
- Passenger Capacity 5
- Passenger Volume 105.4ft³
- Second Head Room 39.2in
- Second Hip Room 56.2in
- Second Leg Room 38.6in



- Second Shoulder Room 58in

Mileage

- Cruising Range - City 418.20mi
- Cruising Range - Hwy 590.40mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 24MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Short And Long Arm
- Suspension Type - Front Short And Long Arm
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TXY
- Front Tire Size P265/60TR18
- Rear Tire Order Code TXY
- Rear Tire Size P265/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer


- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 3.45
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFL
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Standard Sport Utility Vehicles 4WD



Weight Information

- Base Curb Weight 4875lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin