



## Vehicle Information

**Date:** December 28, 2018  
**Vehicle:** 2015 Mercedes-Benz GLA Class Utility 4D GLA250 AWD  
 2.0L I4 Turbo  
**VIN:** WDCTG4GB2FJ179369  
**Weight:** 3,428



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$33,300	\$6,300	\$925	<b>\$40,525</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
BECKER MAP PILOT PRE-WIRING -inc: For Becker MAP PILOT Not currently available to vehicles ordered through MBUSA's Overseas Military Program. Code: 508	\$186.00	\$200.00
BLIND SPOT ASSIST Code: 234	\$512.00	\$550.00
HARMAN/KARDON PREMIUM SOUND SYSTEM Code: 810	\$791.00	\$850.00
HEATED FRONT SEATS Code: 873	\$539.00	\$580.00
PANORAMA SUNROOF Code: 413	\$1376.00	\$1480.00
PREMIUM PACKAGE -inc: Dual Zone Climate Control, Garage Door Opener, Compass, Heated Front Seats, iPod/MP3 Media Interface, SIRIUSXM Satellite Radio, Auto-Dimming Mirrors, harman/kardon Premium Sound System Code: P01	\$2139.00	\$2300.00
REARVIEW CAMERA Code: 218	\$419.00	\$450.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
BECKER MAP PILOT (PIO) Code: 001	\$558.00	\$600.00
MOUNTAIN GRAY METALLIC Code: 787	\$670.00	\$720.00
BLACK, MB-TEX UPHOLSTERY Code: 111-0	\$0.00	\$0.00



WHEELS: 18" TWIN 5-SPOKE ALLOY

Invoice

MSRP

\$0.00

\$0.00

(STD) Code: R31

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- 8 Speakers
- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls and Radio Data System
- Radio: AM/FM/CD/MP3 Audio System -inc: weather band, USB port, Bluetooth audio streaming and HD radio
- Turn-By-Turn Navigation Directions
- Window Grid Antenna
- Wireless Phone Connectivity

### EXTERIOR

- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Fixed Rear Window w/Defroster
- Front And Rear Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Grille w/Chrome Bar
- LED Brake Lights
- Light Tinted Glass
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Roof Rack Rails Only
- Tires: 225/45R18 AS
- Wheels: 18" Twin 5-Spoke Alloy

### INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 4-Way Power Driver Seat -inc: Power 4-Way Lumbar Support
- 4-Way Power Passenger Seat -inc: Power 4-Way Lumbar Support
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Bucket Front Seats w/Power 4-Way Driver Lumbar
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Door Mirrors
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Pass-Thru
- Front Cupholder
- Front Power Seats -inc: 3-position memory
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert and Metal-Look Interior Accents



Licensed to J.D. Power

- Leather/Meta-Look Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Mb-Tex Leatherette Door Trim Insert
- MB-Tex Upholstery
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Rigid Cargo Cover
- Selective Service Internet Access
- Smart Device Integration
- Systems Monitor
- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Urethane Gear Shift Knob

## MECHANICAL

- 115 Amp Alternator
- 14.8 Gal. Fuel Tank
- 4.13 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 62-Amp/Hr Maintenance-Free Battery
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine: 2.0L I4 Turbo w/Direct Injection
- Front And Rear Anti-Roll Bars
- Full-Time 4MATIC All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Polished Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission: 7-Speed DCT Dual-Clutch Automatic -inc: touch shift, Eco and Sport shift program

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- BabySmart Childseat Sensor and Rear Child Safety Locks
- Collision Prevention Assist Plus
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Vehicle Information

### RECALL

US NHTSA CAMPAIGN ID:  
14V762000

Mfg's Report Date:  
NOV 30, 2014

Component:  
ENGINE AND ENGINE COOLING:ENGINE:DIESEL

Potential Number Of Units Affected:

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2018 J.D.Power



4871

**Summary:**

Mercedes-Benz USA, LLC (Mercedes) is recalling certain model year 2014-2015 E250 BlueTec, E250 BlueTec 4Matic, GLK250 4Matic BlueTec, and 2015 ML250 4Matic BlueTec vehicles manufactured February 28, 2014, to November 10, 2014. In the affected vehicles, oil may leak from around the chain tensioner gasket area.

**Consequence:**

Leaking oil may drip onto a hot engine surface, increasing the risk of a fire. Additionally, the leaking oil may be a road hazard for other vehicles, increasing the risk of a crash.

**Remedy:**

Mercedes will notify owners, and dealers will replace the chain tensioner gasket, free of charge. The recall began on December 19, 2014. Owners may contact Mercedes customer service at 1-800-367-6372. Mercedes' number for this recall is 2014120002.

**Dates of Manufacture:**

FEB 27, 2014 to NOV 09, 2014

**Manufacturer Recall Number:**

2014120002  
US NHTSA CAMPAIGN ID:  
15V351000

**Mfg's Report Date:**

JUN 07, 2015

**Component:**

ENGINE AND ENGINE COOLING:ENGINE:DIESEL

**Potential Number Of Units Affected:**

814

**Summary:**

Mercedes-Benz USA, LLC (Mercedes) is recalling certain model year 2015 E250 BlueTec vehicles manufactured November 3, 2014, to December 15, 2014, E250 BlueTec 4Matic vehicles manufactured November 4, 2014, December 17, 2014, GLK250 vehicles manufactured November 13, 2014, to January 30, 2015, and 2015 ML250 BlueTec vehicles manufactured December 12, 2014, to February 9, 2015. In the affected vehicles, oil may leak from around the chain tensioner gasket area.

**Consequence:**

Leaking oil may drip onto a hot engine surface, increasing the risk of a fire. Additionally, the leaking oil may be a road hazard for other vehicles, increasing the risk of a crash.

**Remedy:**

Mercedes will notify owners, and dealers will replace the chain tensioner gasket, free of charge. The recall began on June 23, 2015. Owners may contact Mercedes customer service at 1-800-367-6372. Mercedes' number for this recall is 2015050005. Note: This is an expansion of NHTSA recall 14V-762.

**Dates of Manufacture:**

NOV 12, 2014 to JAN 29, 2015

**Manufacturer Recall Number:**

2015050005  
US NHTSA CAMPAIGN ID:  
15V662000

**Mfg's Report Date:**

OCT 15, 2015

**Component:**

ENGINE AND ENGINE COOLING:ENGINE

**Potential Number Of Units Affected:**

857

**Summary:**

Mercedes-Benz USA, LLC (Mercedes-Benz) is recalling certain model year 2015 CLA250, CLA250 4Matic, GLA250, GLA250 4Matic, and 2016 SLK300 roadster vehicles manufactured July 17, 2015, to August 31, 2015. The affected vehicles have intake or exhaust camshafts whose welds may fail and possibly cause engine damage.

**Consequence:**

Engine damage may result in a stall, increasing the risk of a crash.

**Remedy:**

Mercedes-Benz will notify owners, and dealers will replace the affected camshafts, free of charge. Interim notices were mailed to owners on December 9, 2015. The recall began on December 23, 2015. Owners may contact Mercedes-Benz customer service at 1-800-367-6372. Mercedes-Benz's number for this recall is 2015100006.

**Dates of Manufacture:**

JUL 16, 2015 to AUG 30, 2015

**Manufacturer Recall Number:**

2015100006  
US NHTSA CAMPAIGN ID:  
17V627000

**Mfg's Report Date:**

OCT 05, 2017



Component:  
AIR BAGS:FRONTAL

Potential Number Of Units Affected:  
495290

**Summary:**

Mercedes-Benz USA, LLC. (MBUSA) is recalling these vehicles: 2014-2018 CLA250, CLA250 4Matic, CLA45 AMG 4Matic, 2015-2018 GLA250, GLA250 4Matic, GLA45 AMG 4Matic, C300 4Matic, C63S AMG, 2012-2014 C250, C350, C300 4Matic, E550 4Matic, 2013-2014 C63 AMG, 2012-2015 C250 Coupe, C350 Coupe, C63 AMG Coupe, 2013-2015 C350 4Matic Coupe, GLK250 4Matic BlueTec, GLK350, GLK350 4Matic, 2016-2017 C350e, C43 AMG, 2015 C400 4Matic, 2016-2018 C63 AMG, GLC300, GLC300 4Matic, 2017-2018 C300 Coupe, C300 4Matic Coupe, C43 AMG, C63 AMG Coupe, C63S AMG Coupe, C300 Cabriolet, C300 4Matic Cabriolet, C43 AMG Cabriolet, C63 AMG Cabriolet, C63S AMG Cabriolet, GLC300 4Matic Coupe, GLC43 AMG, GLC43 AMG Coupe, 2014 E350 Coupe, E350 4Matic Coupe, E350 Cabriolet, E400 Hybrid, 2015-2017 E400 Coupe, E400 4Matic Coupe, E400 Cabriolet, 2014-2017 E550 Coupe, E550 Cabriolet, B250e, 2014-2016 E250 BlueTec, E63 AMG 4Matic Wagon, 2012-2013 E350 BlueTec, 2012-2016 E350, E350 4Matic, 2015-2016 E400, E400 4Matic, 2012 E63 AMG, 2014-2015 E250 4Matic BlueTec, 2013-2016 E350 Wagon, 2017 GLC300d 4Matic, and 2018 GLC350e 4Matic. The driver's air bag may unexpectedly deploy due to insufficient grounding of the steering components if an electrostatic discharge occurs and the air bag clockspring is broken.

**Consequence:**

If the driver air bag inadvertently deploys, it can increase the risk of injury and a crash.

**Remedy:**

MBUSA will notify owners, and dealers will add sufficient grounding to the steering components, free of charge. The recall began in December 6, 2017. Owners may contact MBUSA customer service at 1-877-496-3691.

Manufacturer Recall Number:  
2017110011

## WARRANTY

Basic:  
4 Years/50,000 Miles

Drivetrain:  
4 Years/50,000 Miles

Corrosion:  
4 Years/50,000 Miles

Roadside Assistance:  
4 Years/50,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.6in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 61.2in
- Cargo Area Length @ Floor to Seat 2 31.8in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 27.9in
- Cargo Box Width @ Wheelhousings 41.3in
- Cargo Volume to Seat 1 43.6ft<sup>3</sup>
- Cargo Volume to Seat 2 17.2ft<sup>3</sup>
- Cargo Volume to Seat 3 17.2ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A



- Maximum Alternator Capacity (amps) 115

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.7

## Engine

- Displacement 2.0 L/121
- Engine Order Code
- Engine Type Intercooled Turbo Premium Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 208 @ 5500
- SAE Net Torque @ RPM 258 @ 1250

## Exterior Dimensions

- Height, Overall 60in
- Length, Overall N/Ain
- Lifterover Height 23.9in
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 60.9in
- Track Width, Rear 60.8in
- Wheelbase 106.3in
- Width, Max w/o mirrors 71in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.8gal

## Interior Dimensions

- Front Head Room 40in
- Front Hip Room N/Ain
- Front Leg Room 41.9in
- Front Shoulder Room 54.8in
- Passenger Capacity 5
- Passenger Volume N/Aft<sup>3</sup>
- Second Head Room 38.4in
- Second Hip Room N/Ain
- Second Leg Room 33.9in
- Second Shoulder Room 53.1in

## Mileage

- Cruising Range - City 355.20mi
- Cruising Range - Hwy 473.60mi
- EPA Fuel Economy Est - City 24MPG
- EPA Fuel Economy Est - Hwy 32MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 27MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 36ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut



- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P225/45WR18
- Rear Tire Order Code
- Rear Tire Size P225/45WR18
- Spare Tire Order Code
- Spare Tire Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.78
- Final Drive Axle Ratio (:1) 4.13
- First Gear Ratio (:1) 3.86
- Fourth Gear Ratio (:1) 1.05
- Reverse Ratio (:1) 3.38
- Second Gear Ratio (:1) 2.43
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.05
- Third Gear Ratio (:1) 2.67
- Trans Description Cont. Again
- Trans Description Cont. Auto-Shift Manual w/OD
- Trans Order Code
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Station Wagon

## Weight Information

- Base Curb Weight 3384lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 8in
- Spare Wheel Material
- Spare Wheel Size in