

csievers@poquetauto.com

Vehicle Information

Date: January 4, 2019

Vehicle: 2018 Nissan Rogue Utility 4D SL AWD 2.5L I4

VIN: JN8AT2MV0JW325036

Weight: 3,659



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$32,530	\$2,770	\$1,045	\$36,345
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
- полителения			Invoice	MSRP
[K03] PLATINUM PACKAGE			\$699.00	\$790.00
 -inc: Intelligent Cruise Control (ICC), ProPil Electronic Parking Brake Replaces foot re 225/55R19 All-Season Code: PLA 				
[P01] PREMIUM PACKAGE			\$1611.00	\$1820.00
-inc: LED Headlights, Power Panoramic Moonroof Code: PRM				
TIRES: 225/55R19 ALL-SEASON			\$0.00	\$0.00
Code: -NONTR				
WHEELS: 19" ALLOY			\$0.00	\$0.00
Code: -NONWL0				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
[B92] BLACK SPLASH GUARDS (SET OF 4)			\$138.00	\$160.00
(PIO) Automatically added to dealer orders installed splash guards or factory installed option: Alaska, Idaho, Montana, Oregon, R for 7-state mandate. Code: SGD	splash guards are not offered	as an orderable		
GUN METALLIC			\$0.00	\$0.00
Code: KAD				
CHARCOAL, LEATHER APPOINTED SEAT TRIM			\$0.00	\$0.00
Code: G-0				

Standard Equipment

ENTERTAINMENT

• 2 LCD Monitors In The Front



- . Bluetooth Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Radio Data System and External Memory Control
- Radio: AM/FM/CD/AUX NissanConnect w/Navigation inc: Bose Audio w/9 speakers, Nissan door to door navigation w/3D building graphics and satellite imagery featuring POI search
 and online premium traffic information, HD radio, SiriusXM Traffic, SiriusXM travel link (weather, fuel prices, movie listings, stock info, sports and parking), NissanConnect services
 powered by SiriusXM, 7" color display w/multi-touch control, Apple CarPlay, Android Auto, SiriusXM Satellite Radio w/advanced audio features, USB connection port for iPod and other
 compatible devices, Bluetooth hands-free phone system, streaming audio via Bluetooth, hands-free text messaging assistant and over-the-air (OTA) updating for headunit firmware via a
 Wi-Fi WPA2 connection

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Front Bumper w/Chrome Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Door Handles
- Chrome Side Windows Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Daytime Running Auto High Beam Headlamps w/Delay-Off
- Galvanized Steel/Aluminum/Composite Panels
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 225/60R18
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 18" Allov

INTERIOR

- 3 12V DC Power Outlets
- 40-20-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 6-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing w/Traffic Stop-Go
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- Heated Leather/Metal-Look Steering Wheel
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Interior Trim -inc: Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Appointed Seat Trim
- Leather/Metal-Look Gear Shift Knob
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors
- NissanConnect Selective Service Internet Access
- NissanConnect Services Tracker System
- Outside Temp Gauge



- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Quick Comfort Heated Front Bucket Seats inc: 8 way power driver seat w/2 way lumbar support and memory, 4 way adjustable front passenger seat and front seatback storage
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Proximity Cargo Access and Power Fuel
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- · Vinyl Door Trim Insert

MECHANICAL

- 110 Amp Alternator
- 14.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 6.386 Axle Ratio
- 900# Maximum Payload
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L DOHC 16-Valve I4 -inc: ECO mode
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,720 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Sequential Shift Control
- Transmission: Xtronic CVT Automatic inc: sport mode switch

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Around View Monitor Front Camera
- Blind Spot Warning (BSW) Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision Mitigation and Rear Cross Traffic Alert (RCTA)
- Intelligent Around View Monitor (i-Avm) Back-Up Camera
 Intelligent Around View Monitor (i-Avm) Back-Up Camera
- Intelligent Lane Intervention (i-Li) Lane Departure Warning
- Intelligent Lane Intervention (i-Li) Lane Keeping Assist
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: ****

Overall Frontal Barrier Crash Rating: ***

Overall Side Crash Rating: ****

Side Barrier Rating: ****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: **** Rear Seat Rating: ****



Overall Rollover Rating: ****
Dynamic Test Result: No Tip
Risk of Rollover: 16.40%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

REBATE

One of the following incentives may apply to this vehicle. Regional incentives may vary.

Cash Incentive: \$1000 or financing

Financing Incentive: 0.0% plus \$1500 bonus cash

Expiration Date: 01/02/2019

Resource: nissanusa.com 12/10/2018

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion

5 Years/Unlimited Miles

Roadside Assistance: 3 Years/36,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.5in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 68.9in
- Cargo Area Length @ Floor to Seat 2 42.6in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 51.2in
- Cargo Box (Area) Height 37.9in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 70ft³
- Cargo Volume to Seat 2 39.3ft³
- Cargo Volume to Seat 3 39.3ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 110



Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.6

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 170 @ 6000
- SAE Net Torque @ RPM 175 @ 4400

Exterior Dimensions

- Height, Overall 68.5in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 8.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 62.8in
- Track Width, Rear 62.8in
- Wheelbase 106.5in
- Width, Max w/o mirrors 72.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 14.5gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 54in
- Front Leg Room 43in
- Front Shoulder Room 56.6in
- Passenger Capacity 5
- Passenger Volume 100.4ftÅ³
- Second Head Room 36.6in
- Second Hip Room 52.1in
- Second Leg Room 37.9in
 Second Shoulder Room 55.9in

Mileage

- Cruising Range City 362.50mi
- Cruising Range Hwy 464.00mi
- EPA Fuel Economy Est City 25MPG
- EPA Fuel Economy Est Hwy 32MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 27MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb N/Aft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
 Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link



Tires

- Front Tire Order Code
- Front Tire Size P225/55VR19
- Rear Tire Order Code
- Rear Tire Size P225/55VR19
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 110lbs
- Dead Weight Hitch Max Trailer Wt. 1102lbs
- Maximum Trailering Capacity 1102lbs
- Wt Distributing Hitch Max Tongue Wt. 110lbs
- Wt Distributing Hitch Max Trailer Wt. 1102lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Final Drive Axle Ratio (:1) 6.39
- First Gear Ratio (:1) N/A
- Reverse Ratio (:1) 5.60
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD
- Trans Order Code
- Trans Type 1
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3660lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin