

csievers@poquetauto.com

# **Vehicle Information**

Date: January 4, 2019

Vehicle: 2017 Mercedes-Benz GLE Class Utility 4D GLE350 AWD

3.5L

VIN: 4JGDA5HB1HA984858

Weight: 4,751



## **New Cars/Trucks Values**

Powered by Chrome Data	Base	<b>Options</b>	<b>Destination</b>	<b>Adjusted Value</b>
Base MSRP	\$54,500	\$5,300	\$995	\$60,795
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
DI ACICLIFADI INIED			Invoice	
BLACK HEADLINER  Code: 51U			\$0.00	\$0.00
HARMAN/KARDON LOGIC 7 SURRO	DUND SOUND SYSTEM		\$791.00	\$850.00
Code: 810	OUND GOOIND GTGTEIN		Ψ7.51.00	ψοσο.σο
INTERIOR SPORT PACKAGE			\$326.00	\$350.00
-inc: Sport Steering Wheel, AMG Floorr	nats, AMG Line Interior, Front Sp	oort Seats Code: 318	·	·
PREMIUM 1 PACKAGE			\$2837.00	\$3050.00
-inc: Radio: COMAND Navigation, 8" co Single DVD Player, KEYLESS GO, And SiriusXM Satellite Radio, 6 month trial, Years, Region Coding Code: P01	Iroid Auto, Blind Spot Assist, Ap	ple CarPlay,		
RADIO: COMAND NAVIGATION			\$0.00	\$0.00
-inc: 8" color display and map updates 0	Code: 531-A			
REAR SEAT ENTERTAINMENT PRE	E-WIRING		\$158.00	\$170.00
Code: 866				
ENGINE: 3.5L DOHC 24-VALVE V6			\$0.00	\$0.00
(STD) Code: -STDEN-1 STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			φυ.υυ	φυ.υυ
SELENITE GREY METALLIC			\$670.00	\$720.00
Code: 992			ψο, σ.σσ	ψ. 20.00
ANTHRACITE POPLAR WOOD TRIN	Л		\$149.00	\$160.00
Code: 729				
BLACK, MB-TEX LEATHERETTE SE	EAT TRIM		\$0.00	\$0.00
Code: 121-0				



### **NADA New Cars/Trucks**

Licensed to J.D. Power	Invoice	MSRP
FRONT SPORT SEATS	\$0.00	\$0.00
Code: 244 WHEELS: 19" 5-SPOKE	\$0.00	\$0.00

## **Standard Equipment**

(STD) Code: R39

### **ENTERTAINMENT**

- 8 Speakers
- Audio Theft Deterrent
- Bluetooth Wireless Phone Connectivity
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System, Weatherband, DVD-Audio and External Memory Control
- Radio: Audio 20 AM/FM w/Single CD
- Streaming Audio
- Window Grid Diversity Antenna

### **EXTERIOR**

- Aluminum Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Driver Auto Dimming, Power Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper
- Chrome Door Handles
- Chrome Grille
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rear Fog Lamps
- Roof Rack Rails Only
- Speed Sensitive Rain Detecting Fixed Interval Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 255/50R19 AS
- Wheels: 19" 5-Spoke

### **INTERIOR**

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4g-Lte Mobile Hotspot Internet Access
- 4-Way Lumbar Support
- 60-40 Folding Split-Bench Front Facing Manual Reclining Flip Forward Cushion/Seatback Rear Seat
- 8-Way Driver Seat
- 8-Way Passenger Seat
- Air Filtration
- · Analog Display
- Ashtray
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- eCall Emergency System
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights



- Front Center Armrest and Rear Center Armrest
- Front Cigar Lighter(s)
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- **Full Cloth Headliner**
- Full Floor Console w/Covered Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- **Heated Front Bucket Seats**
- **Homelink Garage Door Transmitter**
- ${\rm HVAC}$  -inc:  ${\rm Underseat}$  Ducts, Residual Heat Recirculation and Console Ducts
- **Illuminated Locking Glove Box**
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Chrome/Aluminum Interior Accents
- Leather Steering Wheel w/Auto Tilt-Away
- Leatherette Door Trim Insert
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Manual w/Tilt Rear Head Restraints
- **MB-Tex Leatherette Seat Trim**
- Memory Settings inc: Door Mirrors and Steering Wheel
- **Outside Temp Gauge**
- **Perimeter Alarm**
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Front Seats w/Driver Memory
- **Power Fuel Flap Locking Type**
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Push Button Start Only
- Rear Cupholder
- **Redundant Digital Speedometer**
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -Inc: Power Cargo Access
- Roll-Up Cargo Cover
- Tracker System
- Trip Computer
- Trunk/Hatch Auto Latch
- **Urethane Gear Shift Knob**
- Valet Function

### **MECHANICAL**

- 1532# Maximum Payload
- 180 Amp Alternator
- 2 Skid Plates
- 24.6 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- 70-Amp/Hr 600CCA Maintenance-Free Battery w/Run Down Protection
- Automatic w/Driver Control Ride Control Suspension
- Axle Ratio: 3.90
- Double Wishbone Front Suspension w/Coil Springs
- **Electric Power-Assist Steering**
- **Engine Auto Stop-Start Feature**
- **Engine Oil Cooler**
- Engine: 3.5L DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars
- Full-Time 4MATIC All-Wheel Drive
- **Gas-Pressurized Shock Absorbers**
- **GVWR: TBD**
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 7G-TRONIC 7-Speed Automatic

### **SAFETY**

- ABS And Driveline Traction Control
- **Active Brake Assist**
- Airbag Occupancy Sensor
- Back-Un Camera
- Crosswind Assist Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Curtain 1st And 2nd Row Airbags
- **Driver Knee Airbag**
- **Dual Stage Driver And Passenger Front Airbags**
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- First Aid Kit
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- . Rear Child Safety Locks



- Side Imnact Beams
- Tire Specific Low Tire Pressure Warning

## **Vehicle Information**

### **CRASH TEST RATING**

**US NHTSA CRASH TEST RESULTS:** 

**Overall Rating: Not Rated** 

**Overall Frontal Barrier Crash Rating: Not Rated** 

Overall Side Crash Rating: Not Rated

Overall Rollover Rating: \* \* \* \* \*
Dynamic Test Result: No Tip
Risk of Rollover: 17.9%

**Note Regarding Driver Rating:** 

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

### RECALL

US NHTSA CAMPAIGN ID: 16V903000

Mfg's Report Date: DEC 14, 2016

Component: AIR BAGS:FRONTAL

Potential Number Of Units Affected: 47799

### Summary:

Mercedes-Benz USA, LLC (MBUSA) is recalling certain model year 2016-2017 GL350 4Matic, GLE350 4Matic, GLE350 4Matic, GLE350 4Matic, GLE43 AMG Coupe, GLE450 4Matic, 2016 GLE300d 4Matic, GLE350, GLE350d 4Matic, GLE400 4Matic, GLE550e 4Matic, GLE63 AMG, GLE63 AMG 4Matic, GLE63S AMG 4Matic Coupe, and 2017 GLS63 AMG vehicles manufactured April 23, 2014, to May 10, 2016. The front passenger seat Occupant Classification System (OCS) calibration may be incorrect, and as a result, the system can incorrectly classify the occupant as a child seat, deactivating the front passenger air bag.

### Consequence

If the front passenger air bag does not deploy as necessary in the event of a crash, the front passenger has an increased risk of injury.

### Remedy

MBUSA will notify owners, and dealers will update the OCS software, free of charge. Owners may contact MBUSA customer service at 1-800-367-6372.

Dates of Manufacture: APR 22, 2014 to MAY 09, 2016

Manufacturer Recall Number: 2016120004 US NHTSA CAMPAIGN ID: 17V077000

Mfg's Report Date: FEB 07. 2017

Component: UNKNOWN OR OTHER

Potential Number Of Units Affected: 5882

### Summary:

Mercedes-Benz USA, LLC (MBUSA) is recalling certain 2017 GLE 400 4Matic, GLE 350 4Matic, GLE 350, GLE 550E 4Matic, GLE 63 AMG, GLE 63S AMG, GLE 43 AMG 4Matic Coupe, GLS 450 4Matic, GLS 550 4Matic, and GLS 63 AMG 4Matic vehicles. In certain types of crash events, the center console may unlatch, allowing the objects within to fly around the cabin. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 201, "Occupant Protection in Interior Impact."

### Consequence:



In the event of a crash, if objects are not secured within the center console, they may strike the vehicle occupants, increasing their risk of injury.

#### Remedy

MBUSÁ will notify owners, and dealers will modify the center console so that it remains latched in a crash, free of charge. The recall is expected to begin in early March 2017. Owners may contact MBUSA customer service at 1-800-367-6372.

Dates of Manufacture: JUL 19, 2016 to OCT 15, 2016 US NHTSA CAMPAIGN ID: 17V506000

Mfg's Report Date: AUG 13, 2017

Component:

**ENGINE AND ENGINE COOLING: ENGINE** 

Potential Number Of Units Affected: 12322

### Summary:

Mercedes Benz USA, LLC (MBUSA) is recalling certain 2016-2017 AMG GLE43 Coupe, and 2017 AMG GLE43 vehicles. The engine control unit and transmission control unit software may have compatibility conflicts and cause the engine to shut-down while the driver brakes to a stop, or accelerates following an ECO start.

### Consequence:

If the engine shuts down, there is increased the risk of a crash.

### Remedy:

MBUSA will notify owners, and dealers will reprogram the engine and transmission control unit software, free of charge. The recall begin September 18, 2017. Owners may contact MBUSA customer service at 1.877.496-3691.

Dates of Manufacture:

JUL 08, 2014 to MAY 11, 2017

Manufacturer Recall Number: 2017090005 US NHTSA CAMPAIGN ID: 17V816000

Mfg's Report Date: DEC 17, 2017

Component:

LATCHES/LOCKS/LINKAGES:DOORS:LATCH

Potential Number Of Units Affected:

8700

### Summary:

Mercedes-Benz USA, LLC (MBUSA) is recalling certain 2017 GLE400 4Matic, GLE350 4Matic, GLE550, GLE550 4Matic, GLE43 AMG 4Matic, GLE63 AMG 4Matic, GLS450, GLE63S 4Matic, GLS63 4Matic, GLS63 4Matic, S550e, S600, S63 AMG 4Matic, S550 AMG, S550, Mercedes-Maybach S600, Mercedes-Maybach S550 4Matic, GLE43 AMG 4Matic Coupe, GLE63S 4Matic Coupe, 2017-2018 GLS550 4Matic, S550 4Matic, S550

### Consequence

If the door appears to be locked, the door may be unintentionally opened, increasing the risk of injury.

### Remedy

MBUSÁ will notify owners, and dealers will inspect the left rear door lock, replacing it as necessary, free of charge. The recall is expected to begin in January 2018. Owners may contact MBUSA customer service at 1-877-496-3691.

Dates of Manufacture: JAN 02, 2017 to AUG 07, 2017

Manufacturer Recall Number: 2018010009 US NHTSA CAMPAIGN ID: 17V655000

Mfg's Report Date: OCT 16, 2017

Component:

VISIBILITY:WINDSHIELD

Potential Number Of Units Affected:

3620

### Summary:

Mercedes-Benz USA, LLC (MBUSA) is recalling certain 2016 GLE300d 4Matic, GLE400 4Matic, GLE350 4Matic, GLE63 AMG, GLE63 AMG Coupe, GLE63S AMG and GLE63S AMG Coupe, and



2017 GLS450 4Matic, GLE550 4Matic, and GLE63 AMG 4Matic vehicles. These vehicles may have excess bulkhead insulation extending into the lower windshield area, possibly affecting the windshield bonding and the full protective function of the passenger's frontal air bag in the event of a crash.

#### Consequence

If the passenger's frontal air bag does not function as designed in the event of a crash, the front seat passenger has an increased risk of injury.

#### Remedy:

MBUSA will notify owners, and dealers will remove any excess bulkhead insulation and rework the windshield bonding, as necessary, free of charge. Interim owner letters will be mailed in December 2017. Owners will receive a second notice when the remedy is available in late January 2018. MBUSA's number for this recall is 2018020002. Owners may contact MBUSA customer service at 1.877-496-3691.

Dates of Manufacture: MAY 03, 2016 to JUL 26, 2016

Manufacturer Recall Number: 2018020002 US NHTSA CAMPAIGN ID: 16V759000

Mfg's Report Date: OCT 19, 2016

Component:

EXTERIOR LIGHTING: HEADLIGHTS

Potential Number Of Units Affected: 2215

### Summary:

Mercedes Benz USA, LLC (MBUSA) is recalling certain model year 2016-2017 GLE 300d 4MATIC, GLE 350, GLE 350 4MATIC, and GLE 400 4MATIC vehicles manufactured October 14, 2015, to November 23, 2015. The low beam headlights on the affected vehicles may not be properly adjusted. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 108, "Lamps, Reflective Devices, and Assoc. Equipment."

### Consequence:

If the low-beam headlights are out of adjustment, the driver's visibility may be reduced, increasing the risk of a crash.

### Remedy

MBUSA will notify owners, and dealers will inspect and correct the headlight adjustment, as necessary, free of charge. The recall is expected to begin in November 2016. Owners may contact MBUSA customer service at 1-800-367-6372.

Dates of Manufacture: OCT 13, 2015 to NOV 22, 2015

Manufacturer Recall Number:

### WARRANTY

Basic

4 Years/50,000 Miles

Drivetrain:

4 Years/50,000 Miles

Corrosion:

4 Years/50,000 Miles

Roadside Assistance: 4 Years/50,000 Miles

## **Technical Specifications**

### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
  Disc Front (Yes or ) Yes
- Disc Front (Yes or ) Yes
   Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

### **Cargo Area Dimensions**



- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80.3ftÂ<sup>3</sup>
- Cargo Volume to Seat 2 38.2ftÂ<sup>3</sup>
- Cargo Volume to Seat 3 38.2ftÂ<sup>3</sup>

### **Cooling System**

• Total Cooling System Capacity N/Aqts

### **Electrical**

- Cold Cranking Amps @ O° F (Primary) 600
- Maximum Alternator Capacity (amps) 180

### **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8

### Engine

- Displacement 3.5 L/213
- Engine Order Code
- Engine Type Premium Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 302 @ 6500
- SAE Net Torque @ RPM 273 @ 3500

### **Exterior Dimensions**

- Height, Overall 70.7in
- Length, Overall N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.7in
  Track Width, Rear 65.2in
- Mhoolbood 114 Oir
- Wheelbase 114.8inWidth, Max w/o mirrors 75.8in

### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 24.6gal

### **Interior Dimensions**

- Front Head Room 40.4in
- Front Hip Room N/Ain
- Front Leg Room 40.3in
- Front Shoulder Room 58.5in
- Passenger Capacity 5
- Passenger Volume N/AftÂ<sup>3</sup>
- Second Head Room 38.5in
- Second Hip Room N/Ain
- Second Leg Room 38.4in
- Second Shoulder Room 58.4in

### Mileage

- Cruising Range City 442.80mi
- Cruising Range Hwy 565.80mi
- EPA Fuel Economy Est City 18MPG
- EPA Fuel Economy Est Hwy 23MPG
   EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 20MPG



### Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

### Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Double Wishbone
- Suspension Type Front Double Wishbone
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

### **Tires**

- Front Tire Order Code
- Front Tire Size P255/50HR19
- · Rear Tire Order Code
- Rear Tire Size P255/50HR19
- Spare Tire Order Code
- Spare Tire Size Compact

### **Trailering**

- Dead Weight Hitch Max Tongue Wt. 720lbs
- Dead Weight Hitch Max Trailer Wt. 7200lbs
- Maximum Trailering Capacity 7200lbs
- Wt Distributing Hitch Max Tongue Wt. 720lbs
- Wt Distributing Hitch Max Trailer Wt. 7200lbs

### **Transmission**

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.90
- First Gear Ratio (:1) 4.38
  Fourth Gear Ratio (:1) 1.37
- Reverse Ratio (:1) 3.42
- Second Gear Ratio (:1) 2.86
- Seventh Gear Ratio (:1) 0.73
- Sixth Gear Ratio (:1) 0.82
- Third Gear Ratio (:1) 1.92
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 427
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

### Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

### Weight Information

- Base Curb Weight 4751lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

### Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 8.5in
- Rear Wheel Material Aluminum







- Rear Wheel Size 19 X 8.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin