

## Vehicle Information

**Date:** January 2, 2019  
**Vehicle:** 2018 Kia Sportage Utility 4D LX AWD 2.4L I4  
**VIN:** KNDDPMCAC1J7435728  
**Weight:** 3,448



## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$25,100	N/A	\$990	<b>\$26,090</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CLEAR WHITE Code: UD	\$0.00	\$0.00
BLACK, CLOTH SEAT TRIM -inc: YES Essentials Code: WK	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock and Steering Wheel Controls
- Radio: AM/FM/MP3/SiriusXM -inc: 5" touch-screen, 6-speakers, 160-watts, Bluetooth phone and streaming audio and USB/auxiliary input jacks

### EXTERIOR

- Black Grille w/Chrome Surround
- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Bumper Insert
- Body-Colored Power Side Mirrors w/Manual Folding
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels



Licensed to J.D. Power

- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R17
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 17" Alloy

## INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Seat Trim -inc: YES Essentials
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats -inc: 6-way manually adjustable driver seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Glove Box
- Interior Trim -inc: Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Trip Computer
- Urethane Gear Shift Knob
- Vinyl Door Trim Insert

## MECHANICAL

- 16.4 Gal. Fuel Tank
- 3.20 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.4L GDI DOHC 16V I4 -inc: dual CVT
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,740 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Electronic 6-Speed Automatic w/OD -inc: sportmatic shifting,

## SAFETY



Licensed to J.D. Power

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

## Vehicle Information

### CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: \*\*\*\*\*

Overall Frontal Barrier Crash Rating: \*\*\*\*\*

Overall Side Crash Rating: \*\*\*\*\*

Side Barrier Rating: \*\*\*\*\*

Combined Side Barrier and Pole Ratings:

Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \*\*\*\*\*

Dynamic Test Result: No Tip

Risk of Rollover: 14.70%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

### WARRANTY

Basic:

5 Years/60,000 Miles

Drivetrain:

10 Years/100,000 Miles

Corrosion:

5 Years/100,000 Miles

Roadside Assistance:

5 Years/60,000 Miles

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain



- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 60.1ft<sup>3</sup>
- Cargo Volume to Seat 2 30.7ft<sup>3</sup>
- Cargo Volume to Seat 3 30.7ft<sup>3</sup>

## Cooling System

- Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

## Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 181 @ 6000
- SAE Net Torque @ RPM 175 @ 4000

## Exterior Dimensions

- Height, Overall 64.8in
- Length, Overall N/Ain
- Lifterover Height N/Ain
- Min Ground Clearance 6.8in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.5in
- Track Width, Rear 64in
- Wheelbase 105.1in
- Width, Max w/o mirrors 73in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16.4gal

## Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 54.3in
- Front Leg Room 41.5in
- Front Shoulder Room 57.1in
- Passenger Capacity 5
- Passenger Volume 98.6ft<sup>3</sup>
- Second Head Room 39.1in
- Second Hip Room 51.2in
- Second Leg Room 38.2in
- Second Shoulder Room 55.1in

## Mileage

- Cruising Range - City 344.40mi
- Cruising Range - Hwy 410.00mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 25MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG



Licensed to J.D. Power

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P225/60HR17
- Rear Tire Order Code
- Rear Tire Size P225/60HR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 165lbs
- Dead Weight Hitch - Max Trailer Wt. 1650lbs
- Maximum Trailering Capacity 1650lbs
- Wt Distributing Hitch - Max Tongue Wt. 165lbs
- Wt Distributing Hitch - Max Trailer Wt. 1650lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.19
- First Gear Ratio (:1) 4.21
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.38
- Second Gear Ratio (:1) 2.64
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.80
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3448lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in



Licensed to J.D. Power

- Spare Wheel Material Steel
- Spare Wheel Size Compactin