

Vehicle Information

Date:	October 4, 2019
Vehicle:	2016 Toyota Highlander Utility 4D XLE 4WD 3.5L V6
VIN:	5TDJKRFH3GS348950
Weight:	4,464



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$38,775	Options \$974	Destination \$995	Adjusted Value \$40,744
NADA New Vehicle Values				. ,
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment		Invoice	MSRP	
2ND ROW CAPTAIN CHAIRS -inc: folding side table w/two cupholders Co		\$246.00	\$275.00	
50 STATE EMISSIONS Code: FE-0		\$0.00	\$0.00	
STANDARD PAINT		\$0.00	\$0.00	
Code: -PAINT TOWING RECEIVER HITCH & WIRE H/ (PPO) Code: DH-0		\$530.00	\$699.00	
OOH LA LA ROUGE MICA		\$0.00	\$0.00	
Code: 3T0 ALMOND, LEATHER SEAT MATERIAL Code: LB00		\$0.00	\$0.00	

Standard Equipment

ENTERTAINMENT

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: Entune Premium Audio w/Nav & App Suite inc: the Entune Multimedia Bundle (8 inch high resolution touch-screen w/split screen display, AM/FM CD player, MP3/WMA playback capability, six speakers, auxiliary audio jack, USB 2.0 port w/iPod connectivity and control, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology), Siri Eyes Free, Entune App Suite, Intelligent Touch Controls, SiriusXM Radio w/3-month complimentary trial, HD radio, HD predictive traffic and doppler weather overlay, AM/FM cache radio, Gracenotes album cover art, and integrated back up camer display w/projected path

• Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Surround
- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. @2019 J.D.Power



- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/60R18 105S AS
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels w/Gray Accents
- · Wheels: 18" Split 5-Spoke Machined-Face Alloy -inc: gunmetal grey finish and black center caps

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Heated Cushion, Driver And Passenger Heated Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 6040 Split-Bench SofTex Leatherette 3rd Row Seat Front, Manual Recline, Manual Fold Into Floor, 3 Manual and Adjustable Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Bucket Seats inc: 8-way power adjustable driver's seat w/power thigh and lumbar support and 4-way passenger seat
- Front Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Seat Material
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access, Mechanical Fuel and Keyfob Rear Window
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch AutoLatch
- Valet Function

MECHANICAL

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2019 J.D.Power



- 1385lbs. Maximum Payload
- 150 Amp Alternator .
- 19.2 Gal. Fuel Tank
- 4.154 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- Automatic Full-Time All-Wheel Drive .
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power Assist Speed Sensing Steering •
- **Engine Oil Cooler** •
- Engine: 3.5L V6 DOHC 24-Valve w/Dual VVT-i •
- Front And Rear Anti-Roll Bars
- **Gas-Pressurized Shock Absorbers**
- GVWR: 6,000 lbs .
- Permanent Locking Hubs .
- **Single Stainless Steel Exhaust** .
- ٠ Strut Front Suspension w/Coil Springs
- **Trailer Wiring Harness** ٠
- Transmission w/Oil Cooler
- Transmission: Electronic 6-Speed Automatic w/OD inc: ECTi, sequential shift mode and snow mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- **Back-Up Camera** ٠
- Curtain 1st, 2nd And 3rd Row Airbags ٠
- Driver Knee Airbag and Passenger Cushion Front Airbag .
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags .
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning •
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- **Rear Child Safety Locks** ٠
- Side Impact Beams ٠

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 13.8in .
- Cargo Area Width @ Beltline N/Ain . Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain .
- Cargo Volume to Seat 1 83.2ftÂ³ .
- Cargo Volume to Seat 2 42.3ftÅ³ Cargo Volume to Seat 3 13.8ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8



Engine

- Displacement 3.5 L/211
- Engine Order Code
- Engine Type Regular Unleaded V-6 .
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 270 @ 6200
- SAE Net Torque @ RPM 248 @ 4700

Exterior Dimensions

- Height, Overall 68.1in
- Length, Overall N/Ain
- Liftover Height N/Ain •
- Min Ground Clearance 8in ٠
- Rear Door Opening Height N/Ain ٠
- Rear Door Opening Width N/Ain •
- Track Width, Front 64.4in
- Track Width, Rear 64.2in .
- Wheelbase 109.8in .
- Width, Max w/o mirrors 75.8in ٠

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.2gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 57.2in
- Front Leg Room 44.2in ٠
- Front Shoulder Room 59.3in ٠
- Passenger Capacity 7
- Passenger Volume 142.2ftÂ³ ٠ Second Head Room 39.6in •
- Second Hip Room 57.1in ٠
- Second Leg Room 38.4in .
- Second Shoulder Room 59.6in .
- Third Head Room 35.9in
- Third Hip Room 45.6in ٠
- Third Leg Room 27.7in ٠
- ٠ Third Shoulder Room 55in

Mileage

- Cruising Range City 345.60mi
- Cruising Range Hwy 460.80mi
- EPA Fuel Economy Est City 18MPG ٠
- EPA Fuel Economy Est Hwy 24MPG • EPA MPG Equivalent - City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est Combined 20MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion ٠
- Turning Diameter Curb to Curb 38.7ft •
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain • • Suspension Type - Front (Cont.) Strut
- •
- Suspension Type Front Strut •
- Suspension Type Rear (Cont.) Double Wishbone Suspension Type - Rear Double Wishbone •



Tires

- Front Tire Order Code
- Front Tire Size P245/60SR18
- Rear Tire Order Code . • Rear Tire Size P245/60SR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs •
- Wt Distributing Hitch Max Tongue Wt. 500lbs ٠ Wt Distributing Hitch - Max Trailer Wt. 5000lbs ٠
- Transmission
 - Clutch Size N/Ain
 - Drivetrain All Wheel Drive
 - Fifth Gear Ratio (:1) 0.71 ٠
 - Final Drive Axle Ratio (:1) 4.15
 - First Gear Ratio (:1) 3.30
 - Fourth Gear Ratio (:1) 1.00 • Reverse Ratio (:1) 4.15
 - .
 - Second Gear Ratio (:1) 1.90
 - Sixth Gear Ratio (:1) 0.61 Third Gear Ratio (:1) 1.42 •
 - **Trans Description Cont. Again** •
 - Trans Description Cont. Automatic w/OD ٠
 - Trans Order Code
 - Trans Type 6
 - Transfer Case Gear Ratio (:1), High N/A ٠
 - Transfer Case Gear Ratio (:1), Low N/A •

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4464lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs •
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs .

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in •
- **Rear Wheel Material Aluminum** •
- Rear Wheel Size 18 X 7.5in ٠
- **Spare Wheel Material Steel** • •
- Spare Wheel Size Compactin