



## Vehicle Information

**Date:** January 10, 2020  
**Vehicle:** 2019 Mazda CX3 Utility 4D Sport AWD 2.0L I4  
**VIN:** JM1DKFB75K0428058  
**Weight:** 2,952



## New Cars/Trucks Values

### Powered by Chrome Data

|           | Base     | Options | Destination | Adjusted Value  |
|-----------|----------|---------|-------------|-----------------|
| Base MSRP | \$21,790 | N/A     | \$1,045     | <b>\$22,835</b> |

### NADA New Vehicle Values

|     |          |     |         |                 |
|-----|----------|-----|---------|-----------------|
| Low | \$19,995 | N/A | \$1,045 | <b>\$21,040</b> |
|-----|----------|-----|---------|-----------------|

## Optional Equipment

|                                      | Invoice | MSRP   |
|--------------------------------------|---------|--------|
| STANDARD PAINT<br>Code: -PAINT       | \$0.00  | \$0.00 |
| TITANIUM FLASH MICA<br>Code: 42S     | \$0.00  | \$0.00 |
| BLACK, CLOTH UPHOLSTERY<br>Code: D0E | \$0.00  | \$0.00 |

## Standard Equipment

### ENTERTAINMENT

- 2 LCD Monitors In The Front
- Aha Internet Radio
- Infotainment System Voice Command
- Integrated Roof Antenna
- Pandora Internet Radio
- Radio Broadcast Data System Program Information
- Radio w/Seek-Scan and Clock
- Radio: AM/FM Modular Audio System -inc: 6-speaker sound system, 7" full-color touch-screen display, Automatic Level Control (ALC), auxiliary audio input jack, Bluetooth hands free phone and audio, multi-function Commander Control and USB audio input
- Stitcher Internet Radio

### EXTERIOR

- Auto Off Projector Beam Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Accents
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Light Tinted Glass
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks



- Tires: P215/60R16 94H AS
- Variable Intermittent Wipers
- Wheels w/Silver Accents
- Wheels: 16" x 6.5" Aluminum Alloy

## INTERIOR

- 1 12V DC Power Outlet
- 1 Seatback Storage Pocket
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cloth Upholstery
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- E911 Automatic Emergency Notification
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: 6-way manual driver's seat,
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Storage and 1 12V DC Power Outlet
- Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts
- Illuminated Glove Box
- Interior Trim -inc: Metal-Look Door Panel Insert, Piano Black Console Insert and Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Push Button Start Only
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Selective Service Internet Access
- SMS Text Msg Audio Delivery & Reply
- Trip Computer
- Urethane Gear Shift Knob

## MECHANICAL

- 100 Amp Alternator
- 11.9 Gal. Fuel Tank
- 4.325 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 60-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.0L SKYACTIV-G DOHC 16-Valve 4-Cylinder
- Front Anti-Roll Bar
- Gas-Pressurized Shock Absorbers
- GVWR: 3,990 lbs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Torsion Beam Rear Suspension w/Coil Springs
- Transmission: 6-Speed SKYACTIV-Drive Automatic -inc: manual-shift mode and sport mode

## PACKAGE

- MAZDA CONNECT Infotainment System



## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Monitoring Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision Mitigation and Rear Cross Traffic Alert
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.6in
- Rear Brake Rotor Diam x Thickness 11.1in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 56.7in
- Cargo Area Length @ Floor to Seat 2 30.9in
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings 39.4in
- Cargo Volume to Seat 1 44.5ft<sup>3</sup>
- Cargo Volume to Seat 2 12.4ft<sup>3</sup>
- Cargo Volume to Seat 3 12.4ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 100

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.1

### Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 148 @ 6000
- SAE Net Torque @ RPM 146 @ 2800

### Exterior Dimensions

- Height, Overall 60.9in
- Length, Overall 168.3in
- Liftover Height N/Ain
- Min Ground Clearance 6.1in
- Rear Door Opening Height N/Ain



Licensed to J.D. Power

- Rear Door Opening Width N/Ain
- Track Width, Front 60in
- Track Width, Rear 59.9in
- Wheelbase 101.2in
- Width, Max w/o mirrors 69.6in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 11.9gal

## Interior Dimensions

- Front Head Room 38.4in
- Front Hip Room 52.3in
- Front Leg Room 41.7in
- Front Shoulder Room 53.5in
- Passenger Capacity 5
- Passenger Volume 87.6ft<sup>3</sup>
- Second Head Room 37.2in
- Second Hip Room 49in
- Second Leg Room 35in
- Second Shoulder Room 50.4in

## Mileage

- Cruising Range - City 321.30mi
- Cruising Range - Hwy 380.80mi
- EPA Fuel Economy Est - City 27MPG
- EPA Fuel Economy Est - Hwy 32MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 29MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Torsion Beam
- Suspension Type - Rear Torsion Beam

## Tires

- Front Tire Order Code
- Front Tire Size P215/60HR16
- Rear Tire Order Code
- Rear Tire Size P215/60HR16
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Maximum Trailering Capacity N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

## Transmission

- Clutch Size N/Ain



Licensed to J.D. Power

- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.33
- First Gear Ratio (:1) 3.55
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.89
- Second Gear Ratio (:1) 2.02
- Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 2952lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin