

Vehicle Information

Date: January 10, 2020

Vehicle: 2018 Hyundai Tucson Utility 4D SEL Plus AWD 2.0L 14

VIN: KM8J3CA47JU797030

Weight: 3,463



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$28,100	\$240	\$980	\$29,320
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Optional Equipment				
• • • •			Invoice	MSRP
OPTION GROUP 01			\$0.00	\$0.00
Code: 01-0				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
CARGO NET			\$41.00	\$50.00
(PIO) Code: CN				
MUDGUARDS			\$96.00	\$120.00
(PIO) Code: MG				
REAR BUMPER APPLIQUE			\$57.00	\$70.00
(PIO) Code: RP				
AQUA BLUE			\$0.00	\$0.00
Late Availability Code: R2U				
BLACK, LEATHER SEAT TRIM			\$0.00	\$0.00
Code: TRY				

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Voice Activation
- Radio: AM/FM/HD Radio/MP3/Navigation Audio System inc: 8" LCD color touchscreen, 8-speaker Infinity audio system w/Clari-Fi music restoration technology, external amplifier, Bluetooth hands-free phone system, iPod/USB auxiliary input jacks, Android Auto, Apple CarPlay, SirusXM radio w/90 day trial and BlueLink connected car system w/3-year complimentary service
- Streaming Audio

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint



- Colored Grille
- Compact Spare Tire Mounted Inside Under Cargo
- **Deep Tinted Glass**
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- **Fully Galvanized Steel Panels**
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- **Roof Rack Rails Only**
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R17
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7.0J Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 6040 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- **Analog Display**
- **Blue Link Tracker System**
- Cargo Area Concealed Storage
- Cargo Space Lights
- **Carpet Floor Trim**
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- **Delayed Accessory Power**
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- **Driver Foot Rest**
- **Driver Seat**
- **Dual Zone Front Automatic Air Conditioning**
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- **Full Carpet Floor Covering**
- **Full Cloth Headliner**
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 8-way power adjustable front seats w/driver 2-way power lumbar support and height adjustment
- **HomeLink Garage Door Transmitter**
- **HVAC -inc: Underseat Ducts and Console Ducts**
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather Seat Trim
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- **Outside Temp Gauge**
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Mechanical Fuel
- Smart Device Remote Engine Start
- **Trip Computer**
- Valet Function

MECHANICAL

- 1138# Maximum Payload
- 150 Amp Alternator
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control



- Licensed to J.D. Power
- 68-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Axle Ratio: 3.648
- · Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.0L DOHC 16V I4 w/CVVT MPI
- Front And Rear Anti-Roll Bars
- GVWR: 4740 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- SACHS Gas-Pressurized Shock Absorbers
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/SHIFTRONIC

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Cross-Traffic Alert (RCTA)
- Back-Up Camera
- Blind Spot Detection (BSD) with Lane Change Assist (LCA) Blind Spot Sensor
- · Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) YesDisc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 61.9ft³
- Cargo Volume to Seat 2 31ftÂ³
- Cargo Volume to Seat 3 31ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine



- Displacement 2.0 L/122
- **Engine Order Code**
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 164 @ 6200
- SAE Net Torque @ RPM 151 @ 4000

Exterior Dimensions

- · Height, Overall 64.8in
- Length, Overall 176.2in
- Liftover Height N/Ain
- Min Ground Clearance 6.4in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.3in
- Track Width, Rear 63.8in
- Wheelbase 105.1in
- Width, Max w/o mirrors 72.8in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 16.4gal

Interior Dimensions

- Front Head Room 39.6in
- Front Hip Room 55.6in
- Front Leg Room 41.5in
- Front Shoulder Room 57.1in
- Passenger Capacity 5
- Passenger Volume 102.2ftÅ³
- Second Head Room 39.2in
- Second Hip Room 54.5in
- Second Leg Room 38.2in
- Second Shoulder Room 55.5in

Mileage

- Cruising Range City 344.40mi
- Cruising Range Hwy 426.40mi
- EPA Fuel Economy Est City 21MPG
- EPA Fuel Economy Est Hwy 26MPG
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 34.9ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut Suspension Type - Front Strut
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/60HR17
- Rear Tire Order Code
- Rear Tire Size P225/60HR17



- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 100lbs
- Dead Weight Hitch Max Trailer Wt. 1000lbs
- **Maximum Trailering Capacity 1000lbs**
- Wt Distributing Hitch Max Tongue Wt. 100lbs
- Wt Distributing Hitch Max Trailer Wt. 1000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.16
- Fourth Gear Ratio (:1) 1.37
- Reverse Ratio (:1) 3.50
- Second Gear Ratio (:1) 2.58 Sixth Gear Ratio (:1) 0.78
- Third Gear Ratio (:1) 1.77
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3463lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin