

Vehicle Information

Date:	January 24, 2020
Vehicle:	2017 Dodge Durango Utility 4D GT AWD 3.6L V6
VIN:	1C4RDJDGXHC726189
Weight:	4,987
	() () () () () () () () () ()



New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$40,095	\$3,085	\$1,095	\$44,275
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
2ND ROW FOLD/TUMBLE CAPTAIN CH	\$886.00	\$995.00		
-inc: 2nd Row Mini Console w/Cupholders, 2 Row Floor Mat & Mini Console Code: CFU	·			
BLACKTOP PACKAGE			\$530.00	\$595.00
-inc: GT Gloss Black Badging, Wheels: 20" Badges, Gloss Black Exterior Mirrors -inc: E Delete Roof Rack Code: ADX				
NAV & POWER LIFTGATE GROUP			\$1331.00	\$1495.00
-inc: For More Info, Call 888-539-7474, Siriu w/8.4" Display, Power Liftgate, 5-Year Sirius SiriusXM Traffic Service, SiriusXM Travel L				
RADIO: UCONNECT 3C NAV W/8.4" DIS	\$0.00	\$0.00		
Code: RA4				
QUICK ORDER PACKAGE 23E			\$0.00	\$0.00
-inc: Engine: 3.6L V6 24V VVT UPG I w/ES Code: 23E				
ENGINE: 3.6L V6 24V VVT UPG I W/ESS	\$0.00	\$0.00		
(STD) Code: ERC	• • • • •	• • • • •		
STANDARD PAINT	\$0.00	\$0.00		
			\$0.00	\$0.00
GRANITE METALLIC CLEARCOAT			\$0.00	\$0.00
			\$0.00	\$0.00
BLACK, LEATHER TRIMMED BUCKET SEATS Code: CLX9			φ0.00	φ0.00
TIRES: P265/50R20 BSW AS LRR			\$0.00	\$0.00
(STD) NO LONGER AVAILABLE for factory ordering; standard equipment as of October 12,			φ0.00	φ0.00
2016. Code: TKJ	5,	, ,		
TRANSMISSION: 8-SPEED AUTOMATIC	\$0.00	\$0.00		
(STD) Code: DFL	**	*		
WHEELS: 20" X 8.0" GLOSS BLACK ALUMINUM			\$0.00	\$0.00
Code: WEB				

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



ENTERTAINMENT

- 2 LCD Monitors In The Front
- 6 Speakers
- GPS Antenna Input
- Radio w/Seek Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Radio Data System and External Memory Control
- Radio: Uconnect 3C w/8.4" Display
- Streaming Audio

EXTERIOR

- Black Side Windows Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Grille
- Body-Colored Power Heated Side Mirrors w/Driver Auto Dimming, Manual Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper
- Chrome Bodyside Insert and Body-Colored Wheel Well Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Fully Automatic Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/50R20 BSW AS LRR NO LONGER AVAILABLE for factory ordering; standard equipment as of October 12, 2016.
- Wheels: 20" x 8.0" Premium Painted Aluminum

INTERIOR

- 10-Way Power Passenger Seat inc: Power Height Adjustment, Fore/Aft Movement, Cushion Tilt, Manual Recline, Power 4-Way Lumbar Support and Fold Flat
- 12-Way Power Driver Seat inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 4-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat
- 8.4" Touchscreen Display
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated Cushion, Driver And Passenger Heated Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench Vinyl 3rd Row Seat Front, Manual Fold Into Floor, 2 Power and Adjustable Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Heated Leather/MetalLook Steering Wheel
- HVAC -inc: Auxiliary Rear Heater, Headliner/Pillar Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Integrated Voice Command w/Bluetooth
- Interior Trim inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert and Chrome Interior Accents
- Leather Trimmed Bucket Seats
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat, Door Mirrors and Audio
- Nav-Capable! See Dealer for Details
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Cargo Access and Power Fuel
- Roadside Assistance & 9-1-1 Call
- Sentry Key Engine Immobilizer
- Smart Device Integration
- Systems Monitor
- Trip Computer
- UConnect Access Tracker System
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 1420# Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.45 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 50 State Emissions
- 650CCA Maintenance-Free Battery w/Run Down Protection
- Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Electric Power-Assist Steering
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT UPG I w/ESS
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Short And Long Arm Front Suspension w/Coil Springs
- Towing Equipment inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (845RE)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense Rear Parking Sensors
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel



- Brake Type 4-Wheel Disc
- . Disc - Front (Yes or) Yes
- Disc Rear (Yes or) Yes •
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in .
- Rear Brake Rotor Diam x Thickness 13in .
- Rear Drum Diam x Width in .

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
 Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain .
- ٠ Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain ٠
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain .
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 84.5ftÅ³ ٠
- Cargo Volume to Seat 2 47.7ftÅ³ .
- Cargo Volume to Seat 3 17.2ftÅ³ . Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain •

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ OŰ F (2nd) 650
- Cold Cranking Amps @ O° F (3rd) N/A Cold Cranking Amps @ O° F (Primary) 650 •
- .
- ٠ Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.4

Engine

- Displacement 3.6 L/220
- **Engine Oil Cooler Regular Duty** ٠
- Engine Order Code ERC
- Engine Type Regular Unleaded V-6 ٠
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 295 @ 6400
- SAE Net Torque @ RPM 260 @ 4000

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain ٠
- Cab to Body N/Ain •
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain .
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain •
- Ground to Top of Frame N/Ain ٠
- . Ground to Top of Load Floor N/Ain
- Height, Overall 70.9in ٠
- Length, Overall 201.2in ٠
- Length, Overall w/rear bumper N/Ain ٠
- Liftover Height 32.2in •
- Min Ground Clearance 8.1in
- Overhang, Front N/Ain •
- Overhang, Rear w/o bumper N/Ain ٠
- Rear Door Opening Height N/Ain .
- Rear Door Opening Width N/Ain •
- Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 119.8in



• Width, Max w/o mirrors 75.8in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 24.6gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.5in •
- Passenger Capacity 6
- Second Head Room 39.8in •
- Second Hip Room 56in
- Second Leg Room 38.6in •
- Second Shoulder Room 58.3in •
- Third Head Room 37.8in ٠
- Third Hip Room 42.8in .
- ٠ Third Leg Room 31.5in
- Third Shoulder Room 50.4in •

Mileage

- Cruising Range City 442.80mi
- Cruising Range Hwy 615.00mi
- EPA Fuel Economy Est City 18MPG ٠ • EPA Fuel Economy Est - Hwy 25MPG
- Fuel Economy Est-Combined 21MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A ٠
- Steering Ratio (:1), Overall N/A ٠
- Steering Type Rack-Pinion ٠
- Turning Diameter Curb to Curb 37.1ft .
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs ٠
- Axle Ratio (:1) Front 3.45 ٠
- Axle Ratio (:1) Rear 3.45
- Axle Type Front Independent
- Axle Type Rear Independent .
- Shock Absorber Diameter Front N/Amm .
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs •
- Spring Capacity Rear N/Albs ٠
- Stabilizer Bar Diameter Front N/Ain .
- Stabilizer Bar Diameter Rear N/Ain •
- Suspension Type Front Short And Long Arm
- Suspension Type Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code TKJ
- Front Tire Size P265/50TR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code TKJ



- Rear Tire Size P265/50TR20
- Revolutions/Mile @ 45 mph Front N/A .
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code .
- Spare Tire Size Compact •

Trailering

- Dead Weight Hitch Max Tongue Wt. 620lbs
- Dead Weight Hitch Max Trailer Wt. 6200lbs
- Maximum Trailering Capacity 6200lbs .
- Wt Distributing Hitch Max Tongue Wt. 620lbs
- Wt Distributing Hitch Max Trailer Wt. 6200lbs •

Transmission

- Clutch Size N/Ain
- **Drivetrain All Wheel Drive** .
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28 •
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67 . Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14 .
- •
- Seventh Gear Ratio (:1) 0.84 •
- Sixth Gear Ratio (:1) 1.00 • Third Gear Ratio (:1) 2.11
- **Trans Description Cont. Again** ٠
- Trans Description Cont. Automatic w/OD .
- . **Trans Order Code DFL**
- Trans Power Take Off N/A
- Trans Type 8 •
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A .
- **Transfer Case Model None**
- **Transfer Case Power Take Off No** •

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs •
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs .
- Curb Weight N/Albs .
- Gross Axle Weight Rating N/Albs .
- Gross Axle Wt Rating Front N/Albs •
- Gross Axle Wt Rating Rear N/Albs •
- Gross Combined Wt Rating N/Albs ٠
- Gross Vehicle Weight Rating 6500.00lbs .
- Maximum Payload Capacity N/Albs
- **Option Weight Front 0.00lbs**
- Option Weight Rear 0.00lbs .
- **Payload Weight Front Olbs** .
- **Payload Weight Rear Olbs** •
- Reserve Axle Capacity Front N/Albs
- Reserve Axle Capacity Rear N/Albs Reserve Axle Capacity N/Albs ٠
- .
- Standard Weight Front Olbs ٠
- Standard Weight Rear Olbs
- **Total Option Weight 0.00lbs**

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- **Rear Wheel Material Aluminum**
- Rear Wheel Size 20 X 8in
- **Spare Wheel Material Steel** ٠
- Spare Wheel Size Compactin