



## Vehicle Information

**Date:** January 23, 2020  
**Vehicle:** 2017 Toyota Highlander Utility 4D XLE 4WD 3.5L V6  
**VIN:** 5TDJZRFH5HS509134  
**Weight:** 4,590



## New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$39,980	\$69	\$995	<b>\$41,044</b>

NADA New Vehicle Values

Low	N/A	N/A	N/A	<b>N/A</b>
-----	-----	-----	-----	------------

## Optional Equipment

	Invoice	MSRP
SEATING FOR 8: 2ND ROW 60/40 BENCH SEAT DIG-12512: Updated description to match Monroney label. Code: BS	\$0.00	\$0.00
50 STATE EMISSIONS Code: FE-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
REAR BUMPER APPLIQUE (PPO) Code: EF	\$39.00	\$69.00
PREDAWN GRAY MICA Code: 1H1	\$0.00	\$0.00
BLACK, LEATHER SEAT TRIM Code: LB20	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 2 LCD Monitors In The Front
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Internal Memory
- Radio: Entune Premium Audio w/Nav & App Suite -inc: the Entune Multimedia Bundle (8" high resolution touch-screen w/split screen display, AM/FM CD player, MP3/WMA playback capability, 6 speakers, auxiliary audio jack, USB 2.0 port w/iPod connectivity and control, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology), Siri Eyes Free, Entune App Suite, Intelligent Touch controls, SiriusXM Satellite Radio w/3-month complimentary SiriusXM All Access trial, HD Radio, HD Radio predictive traffic and Doppler weather overlay, AM/FM cache radio, Gracenotes album cover art and integrated back up camera display w/projected path
- Window Grid Diversity Antenna

### EXTERIOR

- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade



- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brake Lights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Silver Grille
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/60R18 105S AS
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 18" Turbine-Look Alloy -inc: painted finish and black center caps

## INTERIOR

- 10-Way Driver Seat
- 2 12V DC Power Outlets
- 2 12V DC Power Outlets and 1 AC Power Outlet
- 2 Seatback Storage Pockets
- Air Filtration
- Analog Display
- Bucket Folding Captain Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench SofTex Leatherette 3rd Row Seat Front, Manual Recline, Manual Fold Into Floor, 3 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Center Armrest and Rear Seat Mounted Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror, 2 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 8-way power adjustable driver's seat w/power thigh and lumbar support and 4-way power passenger seat
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Seat Trim
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access, Mechanical Fuel and Keyfob Rear Window
- Seats w/Leatherette Back Material
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

## MECHANICAL

- 1340# Maximum Payload



Licensed to J.D. Power

- 150 Amp Alternator
- 19.2 Gal. Fuel Tank
- 3.003 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine Auto Stop-Start Feature
- Engine Oil Cooler
- Engine: 3.5L V6 w/D-4S
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,000 lbs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Trailer Wiring Harness
- Transmission w/Oil Cooler
- Transmission: Electronic 8-Speed Automatic (ECT-i) -inc: sequential shift mode w/dynamic rev management, snow mode and uphill/downhill shift logic

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Blind Spot Monitor (BSM) Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver Knee Airbag and Passenger Cushion Front Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Lane Departure Alert (LDA) w/Steering Assist Lane Departure Warning
- Lane Departure Alert (LDA) w/Steering Assist Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- Pre-Collision System (PCS) and Rear Cross-Traffic Alert (RCTA)
- Rear Child Safety Locks
- Side Impact Beams

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.9in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 83.2ft<sup>3</sup>
- Cargo Volume to Seat 2 42.3ft<sup>3</sup>
- Cargo Volume to Seat 3 13.8ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical


- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

### Emissions

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.

©2020 J.D.Power



- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

## Engine

- Displacement 3.5 L/211
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Port/Direct Injection
- SAE Net Horsepower @ RPM 295 @ 6600
- SAE Net Torque @ RPM 263 @ 4700

## Exterior Dimensions

- Height, Overall 68.1in
- Length, Overall 192.5in
- Lifter Height N/Ain
- Min Ground Clearance 8in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64.4in
- Track Width, Rear 64.2in
- Wheelbase 109.8in
- Width, Max w/o mirrors 75.8in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.2gal

## Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 57.2in
- Front Leg Room 44.2in
- Front Shoulder Room 59.3in
- Passenger Capacity 8
- Passenger Volume 142.2ft<sup>3</sup>
- Second Head Room 39.6in
- Second Hip Room 57.1in
- Second Leg Room 38.4in
- Second Shoulder Room 59.6in
- Third Head Room 35.9in
- Third Hip Room 45.6in
- Third Leg Room 27.7in
- Third Shoulder Room 55in

## Mileage

- Cruising Range - City 384.00mi
- Cruising Range - Hwy 499.20mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.7ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut



- Suspension Type - Rear (Cont.) Double Wishbone
- Suspension Type - Rear Double Wishbone

## Tires

- Front Tire Order Code
- Front Tire Size P245/60TR18
- Rear Tire Order Code
- Rear Tire Size P245/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.23
- Final Drive Axle Ratio (:1) 3.00
- First Gear Ratio (:1) 5.52
- Fourth Gear Ratio (:1) 1.49
- Reverse Ratio (:1) 4.22
- Second Gear Ratio (:1) 3.18
- Seventh Gear Ratio (:1) 0.80
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.05
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 4590lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin