



Vehicle Information

Date: February 14, 2020
Vehicle: 2019 Volkswagen Atlas Utility 4D SEL AWD 3.6L V6
VIN: 1V2MR2CA3KC510527
Weight: 4,502



New Cars/Trucks Values

Powered by Chrome Data

	Base	Options	Destination	Adjusted Value
Base MSRP	\$43,195	\$700	\$995	\$44,890

NADA New Vehicle Values

Low	\$35,891	\$582	\$995	\$37,468
-----	----------	-------	-------	-----------------

Optional Equipment

	Invoice	MSRP
20" SILVER TRIPLE 5-SPOKE WHEELS -inc: Wheels: 20" Silver Triple 5-Spoke Alloy, Tires: 20" All-Season Code: P17	\$602.00	\$700.00
TIRES: 20" ALL-SEASON Code: -NONTR0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
DEEP BLACK PEARL Code: 2T2T	\$0.00	\$0.00
SHETLAND BEIGE, V-TEX LEATHERETTE SEATING SURFACES Code: SL	\$0.00	\$0.00
WHEELS: 20" SILVER TRIPLE 5-SPOKE ALLOY -inc: Tires: 20" All-Season Code: CC6	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Audio Theft Deterrent
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Discover Media 8.0" Touchscreen w/Nav -inc: AM/FM/HD Radio, WMA/MP3/FLAC/CD player w/dual USB inputs and aux-in, voice control, 8-speaker sound system, Bluetooth connectivity (for compatible devices), SiriusXM Satellite Radio (w/limited time subscription), VW Car-Net app-connect smartphone integration and interface (w/Apple CarPlay, Android Auto and MirrorLink), VW Car-Net security and service connected car service (w/limited subscription) and VW Car-Net guide and inform enhanced navigation and infotainment (w/limited subscription)
- Real-Time Traffic Display
- Streaming Audio
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Metal-Look Rub Strip/Fascia Accent and Chrome Bumper Insert
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Side Windows Trim and Black Front Windshield Trim



- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Cornering Lights
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Programmable Aero-Composite Led Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off
- Rain Detecting Variable Intermittent Wipers w/Heated Jets
- Roof Rack Rails Only
- Spare Tire Mobility Kit
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: 18" All-Season
- Wheels: 18" 5-Spoke

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 8-Way Driver Seat
- Air Filtration
- Cargo Features -inc: Spare Tire Mobility Kit
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Covered Dashboard Storage, Refrigerated/Cooled Box Located In The Glovebox, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing w/Traffic Stop-Go
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Altimeter, Trip Odometer and Trip Computer
- Heated Comfort Front Bucket Seats -inc: 10-way power driver's seat w/power lumbar support, driver's seat position memory and 8-way power passenger seat
- Heated Leather/Piano Black Steering Wheel
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Piano Black Console Insert and Metal-Look Interior Accents
- Leather/Chrome Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors
- Outside Temp Gauge
- Passenger Seat
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -inc: Proximity Cargo Access
- Seats w/Leatherette Back Material
- Systems Monitor



- Tracker System
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- V-Tex Leatherette Seating Surfaces
- VW Car-Net Selective Service Internet Access

MECHANICAL

- 1213# Maximum Payload
- 18.6 Gal. Fuel Tank
- 3.60 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control, Hill Hold Control and Electric Parking Brake
- Class III Towing Equipment -inc: Hitch
- Electro-Hydraulic Power Assist Speed-Sensing Steering
- Engine: 3.6L VR6 DOHC 24-Valve -inc: FSI direct fuel injection and start/stop system
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 2,720 kgs (5,997 lbs)
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust
- Standard Suspension
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 8-Speed Automatic w/Tiptronic

SAFETY

- ABS And Driveline Traction Control
- Active Blind Spot Monitor Blind Spot Sensor
- Airbag Occupancy Sensor
- Back-Up Camera
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- FCW w/Autonomous Emergency Braking and Rear Traffic Alert
- Lane Keeping System (Lane Assist) Lane Departure Warning
- Lane Keeping System (Lane Assist) Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Park Distance Control Front And Rear Parking Sensors
- Power Rear Child Safety Locks
- Side Curtain Protection Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 12.2in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 96.8ft³
- Cargo Volume to Seat 2 55.5ft³
- Cargo Volume to Seat 3 20.6ft³



- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) N/A
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) N/A
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.6 L/220
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 276 @ 6200
- SAE Net Torque @ RPM 266 @ 2750

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 70in
- Length, Overall 198.3in
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.2in
- Track Width, Rear 67.8in
- Wheelbase 117.3in
- Width, Max w/o mirrors 78.3in

Frame


- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 18.6gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 41.3in
- Front Hip Room 58.2in



- Front Leg Room 41.5in
- Front Shoulder Room 61.5in
- Passenger Capacity 7
- Second Head Room 40.4in
- Second Hip Room 58in
- Second Leg Room 37.6in
- Second Shoulder Room 60.8in
- Third Head Room 38.3in
- Third Hip Room 45.1in
- Third Leg Room 33.7in
- Third Shoulder Room 54.9in

Mileage

- Cruising Range - City 316.20mi
- Cruising Range - Hwy 427.80mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.60
- Axle Ratio (:1) - Rear 3.60
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Strut
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P255/50HR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P255/50HR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.21



- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 5.59
- Fourth Gear Ratio (:1) 1.43
- Reverse Ratio (:1) 3.99
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model None
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 5997.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin