

Vehicle Information

Date:	February 7, 2020	
Vehicle:	2019 Hyundai Santa Fe XL Utility 4D Limited Ultimate	
	AWD 3.3L V6	
VIN:	KM8SRDHF1KU301415	
Weight:	4,169	



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$41,400	Options \$2,220	Destination \$1,095	Adjusted Value \$44,715		
NADA New Vehicle Values						
Low	N/A	N/A	N/A	N/A		
Optional Equipment	Invoice	MSRP				
LIMITED ULTIMATE TECH PACKAGE 0	\$1911.00	\$2100.00				
-inc: Option Group 03, Smart Cruise Control, stop/start, High Intensity Discharge (HID) Headlights, Electronic Parking Brake, auto hold, High Beam Assist, Automatic Emergency Braking, pedestrian detection, Lane Departure Warning, Dynamic Bending Light Code: 03-0						
OPTION GROUP 01	\$0.00	\$0.00				
Code: 01-0						
STANDARD PAINT			\$0.00	\$0.00		
Code: -PAINT						
MUDGUARDS			\$96.00	\$120.00		
(PIO) Code: MG						
NIGHT SKY PEARL			\$0.00	\$0.00		
Code: W9U						
GRAY, LEATHER SEATING SURFACES	\$0.00	\$0.00				
Code: VFG-I						

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 590w Regular Amplifier
- Integrated Roof Antenna
- Radio w/Seek Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/HD/CD/MP3 Infinity Premium Audio inc: 12-speakers, SiriusXM radio, QuantumLogic Surround, Clari-Fi music restoration technology, Blue Link connected car system, USB/auxiliary jacks, 8" color touchscreen display, Android Auto, Apple CarPlay, AVN 5.0 onboard navigation w/Traffic Flow including incident data via HD Radio HERE, Bluetooth handsfree phone system and voice recognition,
- Turn-By-Turn Navigation Directions

EXTERIOR

- Black Rear Bumper w/Metal-Look Rub Strip/Fascia Accent
- Body Colored Front Bumper w/Black Rub Strip/Fascia Accent and Metal-Look Bumper Insert
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Chrome Door Handles
- Chrome Grille
- Chrome Side Windows Trim
- Clearcoat Paint

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st And 2nd Row Sunroof w/Power Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
 Lip Spoiler
- Metal-Look Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/55R19
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 19" x 7.5J Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- 4-Way Power Passenger Seat -inc: Power Recline and Fore/Aft Movement
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Bucket Folding Captain Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Seat Mounted Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 4 12V DC Power Outlets and 1 AC Power Outlet
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated & Ventilated Front Bucket Seats inc: power driver's w/lumbar support, power height-adjustable front passenger's seat and driver's seat integrated memory system,
- Heated Leather Steering Wheel
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Interior Trim inc: Simulated Wood Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Leather Seating Surfaces
- Leather/Piano Black Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings -inc: Door Mirrors
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Smart Liftgate Proximity Cargo Access and Power Fuel
- Smart Device Remote Engine Start
- Systems Monitor
- Trip Computer
 Trunk/Hatch Auto-Latch
- Valet Function
- valet Function



MECHANICAL

- 150 Amp Alternator
- 18.8 Gal. Fuel Tank
- 3.041 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 54-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.3L GDI DOHC 24-Valve V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5,622 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode and Oil Cooler
- Transmission: 6-Speed Automatic w/SHIFTRONIC -inc: OD lock-up torque converter and manual shift mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Blue Link
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front Camera
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Collision Warning
- Rear Parking Sensors
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80ftÂ³
- Cargo Volume to Seat 2 40.9ftÂ³
- Cargo Volume to Seat 3 13.5ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.3 L/204
- Engine Order Code
- Engine Type Regular Unleaded V-6 ٠
- Fuel System Gasoline Direct Injection ٠
- SAE Net Horsepower @ RPM 290 @ 6400 . SAE Net Torque @ RPM 252 @ 5200 ٠
- **Exterior Dimensions**
 - Height, Overall 66.5in
 - Length, Overall 193.1in
 - Liftover Height N/Ain
 - Min Ground Clearance 7.3in •
 - Rear Door Opening Height N/Ain
 - Rear Door Opening Width N/Ain •
 - Track Width, Front 64.1in
 - Track Width, Rear 64.5in •
 - Wheelbase 110.2in
 - Width, Max w/o mirrors 74.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.8gal

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 56.7in
- Front Leg Room 41.3in
- Front Shoulder Room 59.4in
- Passenger Capacity 6
- Passenger Volume 146.6ftÂ³
- Second Head Room 39.4in .
- Second Hip Room 55.4in ٠
- Second Leg Room 40.4in ٠
- Second Shoulder Room 58.3in ٠ .
- Third Head Room 35.7in Third Hip Room 44.1in •
- Third Leg Room 30.9in
- Third Shoulder Room 53.9in •

Mileage

- Cruising Range City 319.60mi
- Cruising Range Hwy 413.60mi ٠
- EPA Fuel Economy Est City 17MPG EPA Fuel Economy Est Hwy 22MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A ٠
- EPA MPG Equivalent Hwy N/A •
- Fuel Economy Est Combined 19MPG •

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion ٠
- Turning Diameter Curb to Curb N/Aft .
- Turning Diameter Wall to Wall N/Aft

Suspension

• Shock Absorber Diameter - Front N/Amm



- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain .
- Stabilizer Bar Diameter Rear N/Ain •
- Suspension Type Front (Cont.) Strut ٠
- Suspension Type Front Strut ٠
- Suspension Type Rear (Cont.) Multi-Link .
- Suspension Type Rear Multi-Link •

Tires

- Front Tire Order Code
- Front Tire Size P235/55TR19
- **Rear Tire Order Code** .
- ٠ Rear Tire Size P235/55TR19
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 200lbs
- Dead Weight Hitch Max Trailer Wt. 2000lbs ٠
- Maximum Trailering Capacity 2000lbs ٠
- Wt Distributing Hitch Max Tongue Wt. 200lbs ٠
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive ٠
- Fifth Gear Ratio (:1) 1.00 .
- Final Drive Axle Ratio (:1) 3.04 First Gear Ratio (:1) 4.65 ٠
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.39
- Second Gear Ratio (:1) 2.83 •
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.84 •
- Trans Description Cont. Again ٠
- Trans Description Cont. Automatic w/OD ٠
- ٠ **Trans Order Code**
- Trans Type 6
- ٠
- Transfer Case Gear Ratio (:1), High N/A Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4169lbs
- Curb Weight Front N/Albs •
- Curb Weight Rear N/Albs •
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs • Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 7.5in •
- Rear Wheel Material Aluminum
- ٠ Rear Wheel Size 19 X 7.5in
- **Spare Wheel Material Steel** •
- Spare Wheel Size Compactin