Vehicle Information

Date:	February 12, 2020
Vehicle:	2016 Mazda CX9 Utility 4D GT AWD 2.5L I4 Turbo
VIN:	JM3TCBDY2G0115877
Weight:	4,504

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	$41,970	$300	$900	**$43,170**
NADA New Vehicle Values				
Low	N/A	N/A	N/A	**N/A**

Optional Equipment

	Invoice	MSRP
STANDARD PAINT	$0.00	$0.00
Code: -PAINT		
SOUL RED METALLIC	$258.00	$300.00
Code: 41V		
BLACK, LEATHER TRIMMED SEATS	$0.00	$0.00
-inc: 1st and 2nd row outboard seating positions Code: TC1		

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Aha Internet Radio
- Bluetooth Wireless Phone Connectivity
- Fixed Antenna
- Infotainment System Voice Command
- Pandora Internet Radio
- Radio Broadcast Data System Program Information
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM Sound System w/Bose Audio -inc: 12-speakers, Centerpoint 2.0 Surround technology, Audiopilot 2 noise compensation, Surroundstage signal processing, 8.0" color multi information display, auxiliary audio input jack, (4) USB inputs, HD Radio and Bluetooth audio profile
- SIRIUSXM Satellite Radio -inc: 4-month subscription
- Stitcher Internet Radio

EXTERIOR

- Black Rear Bumper w/Chrome Bumper Insert
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Grille
- Chrome Side Windows Trim and Black Rear Window Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Led Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Auto High-Beam Headlamps w/Delay-Off
- Fully Galvanized Steel Panels

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2020 J.D.Power

- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Rain Detecting Variable Intermittent Wipers
- Roof Rack Rails Only
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/50R20
- Wheels: 20" x 8.5J Aluminum Alloy

INTERIOR

- 2 12V DC Power Outlets
- 4 Seatback Storage Pockets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Distance Pacing w/Traffic Stop-Go
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Driver Seat
- Dual Zone Front Automatic Air Conditioning
- E911 Automatic Emergency Notification
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 50-50 Bench Vinyl 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- Head-Up Display
- Heated Front Bucket Seats -inc: 3 heat settings, 2 position memory setting, power 8-way adjustable driver seat w/power lumbar support and power 4-way adjustable front passenger seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Console Ducts
- Interior Trim -inc: Aluminum Instrument Panel Insert, Piano Black/Aluminum Door Panel Insert, Piano Black Console Insert and Chrome/Metal-Look Interior Accents
- Leather Steering Wheel
- Leather Trimmed Seats -inc: 1st and 2nd row outboard seating positions
- Leather/Metal-Look Gear Shift Knob
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Navigation System
- Outside Temp Gauge
- Passenger Seat
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Power Cargo Access and Mechanical Fuel
- Seats w/Leatherette Back Material
- SMS Text Msg Audio Delivery & Reply
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch

MECHANICAL

- 150 Amp Alternator
- 19.5 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2020 J.D.Power

- 65-Amp/Hr Maintenance-Free Battery
- Automatic Full-Time All-Wheel Drive
- Axle Ratio: 4.411
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L SKYACTIV-G 4-Cylinder Turbo -inc: 227 HP w/87 AKI, 250 HP w/93 AKI
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 5816 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing Equipment -inc: Trailer Sway Control
- Transmission w/Driver Selectable Mode
- Transmission: SKYACTIVE-DRIVE 6-Speed Automatic -inc: sport and manual shift modes

PACKAGE

- MAZDA CONNECT Infotainment System

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Lane Departure Warning
- Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Side Impact Beams
- Smart City Brake Support and Rear Collision Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 50.5in
- Cargo Area Length @ Floor to Seat 3 21.5in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 30.3in
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 71.3ftÂ³
- Cargo Volume to Seat 2 38.2ftÂ³
- Cargo Volume to Seat 3 14.4ftÂ³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2020 J.D.Power

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.6

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Intercooled Turbo Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 227 @ 5000
- SAE Net Torque @ RPM 310 @ 2000

Exterior Dimensions

- Height, Overall 67.6in
- Length, Overall 199.4in
- Liftover Height N/Ain
- Min Ground Clearance N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.3in
- Track Width, Rear 65.2in
- Wheelbase 115.3in
- Width, Max w/o mirrors 77.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.5gal

Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 56.7in
- Front Leg Room 41in
- Front Shoulder Room 57.9in
- Passenger Capacity 7
- Passenger Volume 135.1ftÂ³
- Second Head Room 38.5in
- Second Hip Room 57.4in
- Second Leg Room 39.4in
- Second Shoulder Room 58.1in
- Third Head Room 35.4in
- Third Hip Room 40.1in
- Third Leg Room 29.7in
- Third Shoulder Room 53.1in

Mileage

- Cruising Range - City 409.50mi
- Cruising Range - Hwy 526.50mi
- EPA Fuel Economy Est - City 21MPG
- EPA Fuel Economy Est - Hwy 27MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2020 J.D.Power

- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P255/50VR20
- Rear Tire Order Code
- Rear Tire Size P255/50VR20
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Maximum Trailering Capacity 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.41
- First Gear Ratio (:1) 3.49
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.99
- Second Gear Ratio (:1) 1.99
- Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4301lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.
NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power.
©2020 J.D.Power