

AD

Date:	February 12, 2020 💋
Vehicle:	2019 Ford F150 Crew Cab XLT EcoBoost 4WD 3.5L V6
	Turbo
VIN:	1FTEW1E46KKC77278
Weight:	

# **New Cars/Trucks Values**

Powered by Chrome Data Base MSRP	<b>Base</b> \$42,915	<b>Options</b> \$11,875	Destination \$1,595	Adjusted Value \$56,385
NADA New Vehicle Values	+ ,	Ŧ )	Ŧ ,	<i></i>
Low	\$36,966	\$10,229	\$1,595	\$48,790
Optional Equipment				MODD
				MSRP
110V/400W OUTLET			\$228.00	\$250.00
-inc: 2nd outlet in the console Code: 91V-R			<b><b><b><b></b></b></b></b>	
CHROME STEP BARS			\$578.00	\$635.00
			<b><b><b><b><b></b></b></b></b></b>	<b>ФО</b> Г ОО
CLASS IV TRAILER HITCH RECEIVER	\$87.00	\$95.00		
-inc: towing capability up to 6,000 lbs on 3.3L engine (99P) or up to 7,000 lbs on 3.5L EcoE engine (99G) and 5.0L V8 engine (995), sma harness Ordering the Trailer Tow Package do (67T). Integrated Brake Controller (67T) is a separately. Code: 53B	Boost engine (994), 3.5L E int trailer tow connector an bes not include Integrated	EcoBoost High Output d 4-pin/7-pin wiring Brake Controller		
ENGINE BLOCK HEATER			\$82.00	\$90.00
Code: 41H-R				
EQUIPMENT GROUP 302A LUXURY SAVINGS			\$-1593.00	\$-1750.00
*DISCOUNT* Code: -RET302A-R				
FX4 OFF-ROAD PACKAGE			\$823.00	\$905.00
-inc: Off-Road Tuned Front Shock Absorbers front differential, 4x4 FX4 Off-Road Bodyside Liner Code: 55A-R				
GVWR: 7,000 LBS PAYLOAD PACKAGE			\$0.00	\$0.00
Code: -NNGV6-A-R				
INTEGRATED TRAILER BRAKE CONTROLLER			\$250.00	\$275.00
Code: 67T-R				
LED BOX LIGHTING			\$114.00	\$125.00
Code: 85P-R				
MAX TRAILER TOW PACKAGE			\$1179.00	\$1295.00

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power

		2/12/2020
(NADA)	ΝΔΠΔ Ν	ew Cars/Trucks
Volues Licensed to J.D. Power		ew cars/ mucks
-inc: max towing capability up to TBD and upgraded rear bumper, Pro Trailer Backup Assist, Auxiliary Transmission Oil Cooler, Integrated Trailer Brake Controller, Electronic Locking w/3.55 Axle Ratio, Class IV Trailer Hitch Receiver, towing capability up to 6,000 lbs on 3.3L V6 PFDI engine (99B) and 2.7L EcoBoost engine (99P) or up to 7,000 lbs on 3.5L EcoBoost engine (994), 3.5L EcoBoost High Output engine (99G) and 5.0L V8 engine (995), smart trailer tow connector and 4-pin/7-pin wiring harness, Extended Range 36 Gallon Fuel Tank, Engine Oil Cooler, Upgraded Front Stabilizer Bar Ordering the Max Trailer Tow Package does not include Trailer Tow Mirrors. Trailer Tow Mirrors are a standalone option and must be ordered separately. (Option Code: 54Y/59S). Max GCWR/max tow only achieved on SuperCrew equipped with 20" wheels. These trucks will also come equipped with max springs, steering gear and upgraded stabilizer bar for this configuration. Code: 53C-B-0-R	Invoice	MSRP
POWER GLASS HEATED SIDEVIEW MIRRORS	\$173.00	\$190.00
-inc: manual folding, turn signal and black skull caps, Auto-Dimming Rearview Mirror Code: 54R-R	,	•
POWER-SLIDING REAR WINDOW	\$319.00	\$350.00
-inc: privacy glass, overhead console, dome lamp replacement and front and back map lamps, Rear Window Defroster Code: 435-R		
REAR WINDOW DEFROSTER Code: 57Q	\$0.00	\$0.00
REMOTE START SYSTEM	\$178.00	\$195.00
Code: 59R-R		
REVERSE SENSING SYSTEM	\$250.00	\$275.00
Code: 76R-R	<u>م</u> م م	ድር በሳ
-inc: fuel tank, transfer case and front differential Code: 413-R	\$0.00	\$0.00
TAILGATE STEP W/TAILGATE LIFT ASSIST	\$341.00	\$375.00
Code: 63T-R	<b>*</b> 4 4 0 0 0	<b>\$</b> 400.00
TRAY STYLE FLOOR LINER	\$146.00	\$160.00
	¢4004.00	Ф <b>4</b> 405 00
TWIN PANEL MOONROOF	\$1361.00	\$1495.00
Code: 43V-0 VOICE-ACTIVATED TOUCHSCREEN NAVIGATION	\$724.00	\$795.00
-inc: pinch-to-zoom capability, SiriusXM Traffic and Travel Link, Note: SiriusXM Traffic and Travel Link includes a 5-year prepaid subscription, SiriusXM Traffic and Travel Link service is not available in Alaska or Hawaii, SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc, If you decide to continue service after your trail, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM customer agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Sirius, XM and all related marks and logos are the trademarks of Sirius XM Radio Inc *GROSS* Code: 50N-0-R	<i>φ1</i> 24.00	\$79 <u>3</u> .00
VOICE-ACTIVATED TOUCHSCREEN NAVIGATION SAVINGS	\$-455.00	\$-500.00
*DISCOUNT* Code: -RET50N-R	<b>#</b> 000.00	
XLT POWER EQUIPMENT GROUP -inc: LED Box Lighting, Power-Sliding Rear Window, privacy glass, overhead console, dome lamp replacement and front and back map lamps, Rear Window Defroster, 110V/400W Outlet *GROSS* Code: 68X-0-R	\$660.00	\$725.00
XLT POWER EQUIPMENT GROUP SAVINGS	\$-228.00	\$-250.00
*DISCOUNT* Code: -RET68X-R	·	·
XLT SPORT APPEARANCE PACKAGE	\$273.00	\$300.00
-inc: body-color wheellip moldings and unique interior finish, Box Side Decals, Single-Tip Chrome Exhaust, Body-Color Door & Tailgate Handles, body-color bezel on side doors and black on tailgate, Wheels: 18" 6-Spoke Machined-Aluminum, magnetic painted pockets, Tires: P275/65R18 OWL A/S, Accent-Color Step Bars, Body-Color Front & Rear Bumpers, body-color front fascia, 2-Bar Style Grille w/2 Minor Bars Painted Dark, black surround and background mesh *GROSS* Code: 862-0-R		

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power

		2/12/2020
Values	NADA N	ew Cars/Trucks
Licensed to J.D. Power	Investore	MCDD
	Invoice	MSRP
XLT SPORT APPEARANCE PACKAGE SAVINGS	\$-683.00	\$-750.00
*DISCOUNT* Code: -RET862-R ELECTRONIC LOCKING W/3.55 AXLE RATIO	\$0.00	\$0.00
	φ0.00	φ0.00
Code: XL9-R ENGINE: 3.5L V6 ECOBOOST	\$2362.00	\$2595.00
	<b>ΦΖ30Ζ.</b> 00	\$Z395.00
-inc: auto start-stop technology, GVWR: 7,000 lbs Payload Package, 3.31 Axle Ratio Code: 994-R		
EQUIPMENT GROUP 302A LUXURY	\$3954.00	\$4345.00
-inc: XLT Chrome Appearance Package, 2 chrome front tow hooks, Single-Tip Chrome Exhaust, Tires: P275/65R18 OWL A/T, Chrome Door & Tailgate Handles w/Body-Color Bezel, bezel on side doors and black on tailgate, Wheels: 18" Chrome-Like PVD, 2-Bar Style Grille w/Chrome 2 Minor Bars, silver painted surround and black background mesh, Chrome Step Bars, Leather-Wrapped Steering Wheel, Remote Start System, 10-Way Power Driver & Passenger Seats, Rear Window Defroster, SiriusXM Radio, 7 speakers and 6-month prepaid subscription, Service is not available in Alaska and Hawaii, Subscriptions to all SiriusXM services are sold by SiriusXM after trial period, If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates, Fees and taxes apply, To cancel you must call SiriusXM at 1-866-635-2349, See SiriusXM Customer Agreement for complete terms at www.siriusxm.com, All fees and programming subject to change, Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc, 4.2" Productivity Screen in Instrument Cluster, Power Glass Heated Sideview Mirrors, manual folding, turn signal and black skull caps, Auto-Dimming Rearview Mirror, Power-Adjustable Pedals, Fixed Backlight w/Privacy Glass, Heated Front Seats, Rear Under-Seat Storage *GROSS* Code: 302A-0-R		
MONOTONE PAINT APPLICATION	\$0.00	\$0.00
Code: -PAINT	<b>*</b> • • • •	<b>*</b>
MAGNETIC METALLIC	\$0.00	\$0.00
Code: J7-P	<b>\$</b> 0.00	<b>\$</b> 0.00
BLACK, UNIQUE SPORT CLOTH 40/CONSOLE/40 FRONT-SEATS	\$0.00	\$0.00
-inc: 4-way adjustable driver/passenger headrests, flow-through console w/floor shift and 2nd outlet in console when ordered w/110V/400W outlet (91V) w/301A-inc: power driver/manual passenger lumbar w/302A-inc: power driver/passenger lumbar Code: FB-R		
TIRES: P275/55R20 OWL A/T	\$0.00	\$0.00
-inc: 275/65R18 OWL all-terrain spare tire Code: T24-R		
TRANSMISSION: ELECTRONIC 10-SPEED AUTOMATIC	\$0.00	\$0.00
-inc: selectable drive modes: normal/tow-haul/snow-wet/EcoSelect/sport Code: 44G		
WHEELS: 20" 6-SPOKE PREMIUM PAINTED ALUMINUM	\$1179.00	\$1295.00
Code: 64S-R		

Code: 64S-R

# **Standard Equipment**

# **ENTERTAINMENT**

- Fixed Antenna
- Radio w/Speed Compensated Volume Control, Radio Data System and External Memory Control
- Radio: AM/FM Stereo w/6 Speakers

# **EXTERIOR**

- Aluminum Panels
- Black Door Handles
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Cargo Lamp w/High Mount Stop Light
   Chrome Front Bumper w/Body-Colored Rub Strip/Fascia Accent and 2 Tow Hooks
- ٠ **Chrome Grille**
- ٠ **Chrome Rear Step Bumper**
- Clearcoat Paint
- Deep Tinted Glass





- Fixed Rear Window
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Aero-Composite Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Regular Box Style
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/70R17 OWL A/T
- Variable Intermittent Wipers
- Wheels: 17" Silver Painted Aluminum

## INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 4-Way Driver Seat inc: Manual Recline and Fore/Aft Movement
- 4-Way Passenger Seat inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Split-Bench Front Facing Fold-Up Cushion Rear Seat
- Analog Display
- Cloth 40/20/40 Front Seat -inc: 4-way adjustable driver/passenger headrests, manual driver/passenger lumbar and armrest w/storage
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors
- Fade-To-Off Interior Lighting
- FordPass Connect 4G LTE WiFi Mobile Hotspot Internet Access
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
- Glove Box
- HVAC -inc: Underseat Ducts
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 1st Row Underseat Storage
- Interior Trim inc: Metal-Look Instrument Panel Insert, Cabback Insulator and Chrome Interior Accents
- Keypad
- Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1 Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- Smart Device Remote Engine Start
- SYNC 3 -inc: enhanced voice recognition communications and entertainment system, 8" LCD capacitive touchscreen in center stack w/swipe capability, pinch-to-zoom capability included when equipped w/available voice-activated touchscreen navigation system, AppLink, 911 Assist, Apple CarPlay and Android Auto and 2 smart charging USB ports, Note: SYNC AppLink lets you control some of your favorite compatible mobile apps w/your voice, It is compatible w/select smartphone platforms, Commands may vary by phone and AppLink software
- Urethane Gear Shift Knob

## MECHANICAL

- 1680# Maximum Payload
- 200 Amp Alternator
- 26 Gal. Fuel Tank
- 3.73 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power Assist Speed Sensing Steering
- Electronic Transfer Case
- Engine: 3.3L V6 PFDI -inc: auto start-stop technology and flex-fuel capability
- Front Anti-Roll Bar
- Gas-Pressurized Shock Absorbers
- GVWR: 6,500 lbs Payload Package
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Towing Equipment inc: Trailer Sway Control
- Trailer Wiring Harness





- Transmission w/SelectShift Sequential Shift Control
- Transmission: Electronic 6-Speed Automatic inc: selectable drive modes: normal/tow-haul/sport

# SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Dynamic Hitch Assist Back-Up Camera
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Ford Co-Pilot360 Pre-Collision Assist with Automatic Emergency Braking (AEB)
- Mykey System inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Canopy System Curtain 1st And 2nd Row Airbags
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.7in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

- Cargo Box (Area) Height 21.4in
- Cargo Box Length @ Floor 66in
- Cargo Box Width @ Floor 65.2in
- Cargo Box Width @ Top, Rear 65.2in
- Cargo Box Width @ Wheelhousings 50.6in
- Cargo Volume 52.8ftÂ<sup>3</sup>
- Ext'd Cab Cargo Volume N/AftÂ<sup>3</sup>
- Tailgate Width 60.3in

# **Cooling System**

• Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0° F (2nd) 610
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) 610
- Maximum Alternator Capacity (amps) 200

#### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

## Engine

- Displacement 3.5 L/213
- Engine Oil Cooler Regular Duty
- Engine Order Code 994
- Engine Type Twin Turbo Regular Unleaded V-6
- Fuel System Port/Direct Injection
- SAE Net Horsepower @ RPM 375 @ 5000
   SAE Net Towns @ RPM 470 @ 2500
- SAE Net Torque @ RPM 470 @ 3500

# **Exterior Dimensions**

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



# **NADA New Cars/Trucks**

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9.3in
- Ground Clearance, Rear 9.3in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 34.6in
- Height, Overall 77.2in
  Length, Overall 231.9in
- Length, Overall v/o rear bumper N/Ain
- Length, Overall w/rear bumper N/Ain
   Length, Overall w/rear bumper N/Ain
- Overhang, Front 37.8in
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 145in
- Width, Max w/o mirrors 79.9in

#### Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ<sup>3</sup>

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 36gal
- Fuel Tank Location N/A

#### **Interior Dimensions**

- Front Head Room 40.8in
- Front Hip Room 62.5in
- Front Leg Room 43.9in
- Front Shoulder Room 66.7in
- Passenger Capacity 5
- Second Head Room 40.4in
- Second Hip Room 64.7in
- Second Leg Room 43.6in
- Second Shoulder Room 65.9in

#### Mileage

- Cruising Range City 612.00mi
- Cruising Range Hwy 828.00mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 23MPG
- Fuel Economy Est-Combined 19MPG

#### Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 47.8ft
- Turning Diameter Wall to Wall N/Aft

#### Suspension

- Axle Capacity Front 3750lbs
- Axle Capacity Rear 4800lbs
- Axle Ratio (:1) Front 3.55
- Axle Ratio (:1) Rear 3.55
- Axle Type Front Independent
- Axle Type Rear Rigid Axle
   Shock Above the Diameter
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front 3525lbs
- Spring Capacity Rear 3350lbs



- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Double Wishbone
- Suspension Type Rear Leaf

Tires

- Front Tire Capacity 3650lbs
- Front Tire Order Code T24
- Front Tire Size P275/55SR20
- Rear Tire Capacity 4056lbs
- Rear Tire Order Code T24
- Rear Tire Size P275/55SR20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code T24
- Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs
- Wt Distributing Hitch Max Trailer Wt. 5000lbs

#### Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.85
- Fifth Gear Ratio (:1) 1.52
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.77
- Ninth Gear Ratio (:1) N/A
- Reverse Ratio (:1) 4.87
- Second Gear Ratio (:1) 2.98
- Seventh Gear Ratio (:1) 1.00
- Sixth Gear Ratio (:1) 1.27
- Tenth Gear Ratio (:1) N/A
- Third Gear Ratio (:1) 2.15
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 44G
- Trans Power Take Off N/A
- Trans Type 10
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model Electronic
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight 5160.00lbs
- As Spec'd Payload 1715.00lbs
- Curb Weight Front 2826lbs
- Curb Weight Rear 1944lbs
- Curb Weight 4770.00lbs
- Gross Axle Weight Rating 6875.00lbs
- Gross Axle Wt Rating Front 3525lbs
- Gross Axle Wt Rating Rear 3350lbs
- Gross Combined Wt Rating 10200lbs
- Gross Vehicle Weight Rating 6875.00lbs
- Maximum Payload Capacity 2230.00lbs
- Option Weight Front 205.00lbs
- Option Weight Rear 185.00lbs
- Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front 494.00lbs
- Reserve Axle Capacity Rear 1221.00lbs
- Reserve Axle Capacity 1715.00lbs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 390.00lbs



NADA New Cars/Trucks



# Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8.5in
- Rear Wheel Material Aluminum
  Rear Wheel Size 20 X 8.5in
- Spare Wheel Material Steel
  Spare Wheel Size Full-Sizein