

Vehicle Information

Date:	February 17, 2020
Vehicle:	2017 Toyota Highlander Utility 4D SE 4WD 3.5L V6
VIN:	5TDJZRFH0HS359305
Weight:	4,590



New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base	Options N/A	Destination \$995	Adjusted Value
	\$41,150	IN/A	\$990	\$42,145
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
50 STATE EMISSIONS			\$0.00	\$0.00
Code: FE-0			φ0.00	ψ0.00
SE PACKAGE			\$0.00	\$0.00
Code: SE				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
SALSA RED PEARL			\$0.00	\$0.00
Code: 3Q3				
BLACK, LEATHER SEAT TRIM			\$0.00	\$0.00
Code: LG21				

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- 6 Speakers
- Bluetooth Wireless Phone Connectivity
- HD Predictive Traffic Real-Time Traffic Display
- SiriusXM AM/FM/HD/Satellite w/Seek-Scan, In-Dash Mounted Single CD, MP3 Player, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation, Entune External Memory Control and Internal Memory
- Streaming Audio
 Window Grid Diversity Antenna

EXTERIOR

- Black Grille
- Black Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Metal-Look Bumper Insert
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
 Chrome Side Windows Trim
- Chrome Side Windo
 Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster



- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Auto High-Beam Daytime Running Lights Preference Setting Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Lip Spoiler
- Power Liftgate Rear Cargo Access
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/55R19 105S AS
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 19" Multi-Spoke Machined Face Alloy inc: black finish and black center caps

INTERIOR

- 12-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Cushion Extension, Fore/Aft Movement, Cushion Tilt and Power 2-Way Lumbar Support
- 2 12V DC Power Outlets
- 2 12V DC Power Outlets and 1 AC Power Outlet
- 2 Seatback Storage Pockets
- 4-Way Power Passenger Seat -inc: Power Recline and Fore/Aft Movement
- Air Filtration
- Analog Display
- Black Roof Rails
- Bucket Folding Captain Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Bucket Front Seats w/Leatherette Back Material and Power 2-Way Driver Lumbar
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Entune Selective Service Internet Access
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench SofTex Leatherette 3rd Row Seat Front, Manual Recline, Manual Fold Into Floor, 3 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Center Armrest and Rear Seat Mounted Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror, 2 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Integrated Navigation System w/Voice Activation
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Seat Trim
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -Inc: Power Cargo Access, Mechanical Fuel and Keyfob Rear Window
- Smart Device Integration
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function

MECHANICAL

• 1340# Maximum Payload



- 150 Amn Alternator
- 19.2 Gal. Fuel Tank .
- 3.003 Axle Ratio
- 4 Wheel Disc Brakes w/4 Wheel ABS, Front Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- Automatic Full-Time All-Wheel Drive
- Double Wishbone Rear Suspension w/Coil Springs .
- Electric Power-Assist Speed-Sensing Steering
- **Engine Auto Stop Start Feature**
- Engine Oil Cooler •
- Engine: 3.5L V6 w/D-4S •
- Front And Rear Anti-Roll Bars •
- **Gas-Pressurized Shock Absorbers**
- GVWR: 6,000 lbs .
- Permanent Locking Hubs .
- **Single Stainless Steel Exhaust** •
- Sport Tuned Suspension
- Strut Front Suspension w/Coil Springs ٠
- **Trailer Wiring Harness** .
- Transmission w/Oil Cooler .
- Transmission: Electronic 8-Speed Automatic (ECT-i)-inc: sequential shift mode w/dynamic rev management, snow mode and uphill/downhill shift logic .

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- **Back-Up Camera** .
- Blind Spot Monitor (BSM) Blind Spot Sensor .
- Curtain 1st, 2nd And 3rd Row Airbags .
- Driver Knee Airbag and Passenger Cushion Front Airbag .
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags •
- **Electronic Stability Control (ESC)**
- Lane Departure Alert (LDA) w/Steering Assist Lane Departure Warning ٠
- Lane Departure Alert (LDA) w/Steering Assist Lane Keeping Assist .
- . Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- Pre-Collision System (PCS) and Rear Cross-Traffic Alert (RCTA) ٠
- **Rear Child Safety Locks** ٠
- Side Impact Beams .

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.9in .
- Rear Brake Rotor Diam x Thickness 12.2in •
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
 Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain ٠
- Cargo Box Width @ Wheelhousings N/Ain ٠
- Cargo Volume to Seat 1 83.2ftÂ³ .
- Cargo Volume to Seat 2 42.3ftÅ³
- Cargo Volume to Seat 3 13.8ftÂ³

Cooling System

Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 150



Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 3.5 L/211
- Engine Order Code .
- Engine Type Regular Unleaded V-6 •
- Fuel System Port/Direct Injection .
- SAE Net Horsepower @ RPM 295 @ 6600 .
- SAE Net Torque @ RPM 263 @ 4700

Exterior Dimensions

- Height, Overall 68.1in
- Length, Overall 192.5in .
- Liftover Height N/Ain •
- Min Ground Clearance 8in
- Rear Door Opening Height N/Ain •
- Rear Door Opening Width N/Ain ٠
- Track Width, Front 64.4in .
- Track Width, Rear 64.2in . • Wheelbase 109.8in
- Width, Max w/o mirrors 75.8in ٠

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19.2gal

Interior Dimensions

- Front Head Room 39.5in
- Front Hip Room 57.2in .
- Front Leg Room 44.2in •
- Front Shoulder Room 59.3in •
- Passenger Capacity 7 ٠
- Passenger Volume 142.2ftÂ³
- Second Head Room 39.6in ٠
- . Second Hip Room 57.1in
- Second Leg Room 38.4in •
- Second Shoulder Room 59.6in •
- Third Head Room 35.9in .
- Third Hip Room 45.6in •
- Third Leg Room 27.7in
- Third Shoulder Room 55in .

Mileage

- Cruising Range City 384.00mi
- Cruising Range Hwy 499.20mi
- EPA Fuel Economy Est City 20MPG •
- EPA Fuel Economy Est Hwy 26MPG
 EPA MPG Equivalent City N/A
- ٠

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion ٠
- Turning Diameter Curb to Curb 38.7ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain

- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 22MPG



- Suspension Type Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type Rear (Cont.) Double Wishbone •
- Suspension Type Rear Double Wishbone •

Tires

- Front Tire Order Code
- Front Tire Size P245/55TR19
- **Rear Tire Order Code**
- Rear Tire Size P245/55TR19 . • Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs .
- Wt Distributing Hitch Max Tongue Wt. 500lbs .
- Wt Distributing Hitch Max Trailer Wt. 5000lbs ٠

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67 •
- Fifth Gear Ratio (:1) 1.23 •
- Final Drive Axle Ratio (:1) 3.00 • First Gear Ratio (:1) 5.52
- Fourth Gear Ratio (:1) 1.49
- Reverse Ratio (:1) 4.22 ٠
- Second Gear Ratio (:1) 3.18 ٠
- Seventh Gear Ratio (:1) 0.80
- Sixth Gear Ratio (:1) 1.00 •
- Third Gear Ratio (:1) 2.05
- Trans Description Cont. Again •
- Trans Description Cont. Automatic w/OD ٠
- Trans Order Code ٠
- ٠ Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A ٠
- Transfer Case Gear Ratio (:1), Low N/A .

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4590lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs •
- Curb Weight N/Albs •
- Maximum Payload Capacity N/Albs •
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 7.5in
- **Rear Wheel Material Aluminum** •
- Rear Wheel Size 19 X 7.5in ٠ **Spare Wheel Material Steel** ٠
- Spare Wheel Size Compactin