

# **Vehicle Information**

Date:	February 19, 2020
Vehicle:	2019 Nissan Armada Utility 4D Platinum AWD 5.6L V8
VIN:	JN8AY2NE7K9758711
Weight:	5,972



# **New Cars/Trucks Values**

Powered by Chrome Data Base MSRP	<b>Base</b> \$63,330	<b>Options</b> \$1,615	Destination \$1,395	Adjusted Value \$66,340	
	ψ00,000	φ1,013	ψ1,090	<b>Φ00,040</b>	
NADA New Vehicle Values					
Low	\$53,949	\$1,376	\$1,395	\$56,720	
Optional Equipment					
<u>-h</u>			Invoice	MSRP	
[X01] CAPTAIN'S CHAIRS PACKAGE	\$398.00	\$450.00			
-inc: Seating revised from 8 to 7 passengers, 2nd Row Captain's Chairs, 2nd Row Center Console w/ Padded Armrest Code: SEA					
STANDARD PAINT			\$0.00	\$0.00	
Code: -PAINT					
[B92] CROSS BARS			\$301.00	\$380.00	
(PIO) Code: BAR					
[N92] ILLUMINATED KICK PLATES	\$317.00	\$390.00			
(PIO) Code: IKP					
[N94] WELCOME LIGHTING	\$343.00	\$395.00			
(PIO) Code: LG4					
SUPER BLACK	\$0.00	\$0.00			
Code: KH3					
CHARCOAL, LEATHER-APPOINTED	\$0.00	\$0.00			
Code: G-1					

# **Standard Equipment**

## **ENTERTAINMENT**

- 2 LCD Row Monitors In The Rear
- 2 Wireless Headphones
- A/V Remote
- Digital Signal Processor • Entertainment System w/DVD And Digital Media
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Voice Activation and Radio Data System
  Radio: AM/FM/SXM/CD/MP3/HD -inc: 13-speaker Bose audio system, MP3/WMA playback, Speed-Sensitive Volume Control (SSV), Bose AudioPilot, DVD audio capability, satellite radio pre-wiring, Telematics, NissanConnect w/navigation and services, Nissan navigation system w/enhanced voice recognition, 8" color display w/multi-touch control, SiriusXM Traffic and Travel Link w/3 years complimentary trial access, NissanConnect Services powered by SiriusXM and Bluetooth hands free phone system
- Regular Amplifier
- Window Grid Diversity Antenna

## **EXTERIOR**

- Aluminum Spare Wheel
- Body Colored Fender Flares



Values Licensed to J.D. Power

NADA

- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Rear Step Bumper w/1 Tow Hook
- Chrome Door Handles
- Chrome Grille
- Chrome Power Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Lip Spoiler
- Manual-Leveling Fully Automatic Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Running Boards
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Wiper Park
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P275/60R20 AS
- Wheels: 20" Machine-Faced Chrome w/Tinted CC

## INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Flip Forward Cushion/Seatback Rear Seat
- 6-Way Passenger Seat
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade To-Off Interior Lighting
- · Fixed 6040 Split-Bench 3rd Row Seat Front, Power Recline, Power Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls inc: Cargo Access, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Gauges inc: Speedometer, Ödometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated & Cooled Front Bucket Seats w/Driver Memory inc: 10-way power adjustable driver's seat including 2-way power lumbar and 8-way power adjustable passenger's seat including 2-way power lumbar
- Heated Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and Audio Media Storage
- Interior Trim inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Simulated Wood/Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Door Trim Insert
- Leather Gear Shifter Material
- Leather-Appointed Seat Trim
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings inc: Driver Seat, Door Mirrors and Steering Wheel
- NissanConnect Selective Service Internet Access
- NissanConnect Services Tracker System
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls



- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access
- Trip Computer
- Trunk/Hatch AutoLatch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

#### **MECHANICAL**

- 1 Skid Plate
- 150 Amp Alternator
- 1537# Maximum Payload
- 2.937 Axle Ratio
- 26 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 70-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Class IV Towing Equipment -inc: Hitch
- Double Wishbone Front Suspension w/Coil Springs
- Double Wishbone Rear Suspension w/Air Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 5.6L DOHC 32V Endurance V8
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel
- Gas-Pressurized Shock Absorbers
- GVWR: TBD
- Permanent Locking Hubs
- Rear Auto-Leveling Suspension
- Single Stainless Steel Exhaust
- Trailer Wiring Harness
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 7-Speed Automatic w/Manual Mode & OD inc: synchronized rev control

#### SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front And Rear Parking Sensors
- Front Camera
- Intelligent Around View Monitor (I-AVM) Back-Up Camera
- Intelligent Blind Spot Intervention Blind Spot
- Intelligent Forward Collision Warning with AEB
- Intelligent Lane Intervention (I-LI) Lane Departure Warning
- Intelligent Lane Intervention (I-LI) Lane Keeping Assist
- Left Side Camera
- NissanConnect Services Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

#### **Cargo Area Dimensions**

- Cargo Area Length @ Floor to Seat 1 86.2in
- Cargo Area Length @ Floor to Seat 2 49.1in



- Cargo Area Length @ Floor to Seat 3 20.3in
- Cargo Area Width @ Beltline 63.4in .
- Cargo Box (Area) Height 36.7in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain Cargo Box Width @ Wheelhousings 48.8in .
- Cargo Volume N/AftÂ<sup>3</sup>
- Cargo Volume to Seat 1 95.4ftÅ<sup>3</sup>
- Cargo Volume to Seat 2 49.9ftÅ<sup>3</sup> ٠
- Cargo Volume to Seat 3 16.5ftÅ<sup>3</sup> •
- Ext'd Cab Cargo Volume N/AftÂ<sup>3</sup> •
- Tailgate Width N/Ain

## **Cooling System**

• Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ 0° F (2nd) 650
- Cold Cranking Amps @ O° F (3rd) N/A ٠
- Cold Cranking Amps @ O° F (Primary) 650 ٠
- Maximum Alternator Capacity (amps) 150 •

## Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.8

## Engine

- Displacement 5.6 L/339
- **Engine Oil Cooler None** .
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Gasoline Direct Injection ٠
- SAE Net Horsepower @ RPM 390 @ 5800 .
- SAE Net Torque @ RPM 394 @ 4000

## **Exterior Dimensions**

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain .
- Cab to End of Frame N/Ain ٠
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain ٠
- Ground Clearance, Front N/Ain .
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain •
- Ground to Top of Load Floor N/Ain ٠
- Height, Overall 75.8in •
- Length, Overall 208.9in •
- Length, Overall w/rear bumper N/Ain
- Liftover Height 35in .
- Min Ground Clearance 9.2in .
- Overhang, Front N/Ain ٠
- Overhang, Rear w/o bumper N/Ain •
- Rear Door Opening Height N/Ain •
- Rear Door Opening Width N/Ain .
- Track Width, Front 67.5in .
- Track Width, Rear 67.9in
- Wheelbase 121.1in
- Width, Max w/o mirrors 79.9in •

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A .
- Sect Modulus Rails Only N/AinÂ<sup>3</sup>

## **Fuel Tank**

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power. ©2020 J.D.Power



- . Aux Fuel Tank Location N/A
- Fuel Tank Capacity, Approx 26gal •
- Fuel Tank Location N/A

#### **Interior Dimensions**

- Front Head Room 39.8in
- Front Hip Room 59.2in
- Front Leg Room 41.9in
- Front Shoulder Room 63.8in .
- Passenger Capacity 7
- Second Head Room 40in •
- ٠ Second Hip Room 58.4in
- Second Leg Room 39in ٠ Second Shoulder Room 63.4in
- ٠ Third Head Room 36.4in .
- Third Hip Room 48.8in •
- Third Leg Room 28.3in
- Third Shoulder Room 60.5in •

## Mileage

- Cruising Range City 338.00mi
- Cruising Range Hwy 468.00mi
- EPA Fuel Economy Est City 13MPG
- EPA Fuel Economy Est Hwy 18MPG
- Fuel Economy Est-Combined 15MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A •
- Steering Ratio (:1), Overall N/A •
- Steering Type Rack-Pinion ٠
- Turning Diameter - Curb to Curb 41.3ft
- Turning Diameter Wall to Wall N/Aft

#### Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs •
- Axle Ratio (:1) Front 2.94
- Axle Ratio (:1) Rear 2.94 ٠
- Axle Type Front Independent .
- Axle Type Rear Independent .
- Shock Absorber Diameter Front N/Amm •
- Shock Absorber Diameter Rear N/Amm ٠
- Spring Capacity Front N/Albs ٠
- . Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain •
- Suspension Type Front Double Wishbone ٠ •
- Suspension Type Rear Double Wishbone

## Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/60HR20 .
- Rear Tire Capacity N/Albs
- **Rear Tire Order Code** •
- Rear Tire Size P275/60HR20 •
- Revolutions/Mile @ 45 mph Front N/A ٠
- Revolutions/Mile @ 45 mph Rear N/A •
- Revolutions/Mile @ 45 mph Spare N/A ٠
- Spare Tire Capacity N/Albs ٠
- Spare Tire Order Code
- Spare Tire Size Full-Size

## Trailering

- Dead Weight Hitch Max Tongue Wt. 850lbs
- Dead Weight Hitch Max Trailer Wt. 8500lbs
- Maximum Trailering Capacity 8500lbs



- Wt Distributing Hitch Max Tongue Wt. 850lbs
- Wt Distributing Hitch Max Trailer Wt. 8500lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel
- Fifth Gear Ratio (:1) 1.00 .
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.89 •
- Fourth Gear Ratio (:1) 1.41 ٠
- Reverse Ratio (:1) 3.54
- Second Gear Ratio (:1) 3.17 ٠
- Seventh Gear Ratio (:1) 0.78
- Sixth Gear Ratio (:1) 0.86 ٠
- Third Gear Ratio (:1) 2.03 ٠
- Trans Description Cont. Again .
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A ٠
- Trans Type 7 .
- Transfer Case Gear Ratio (:1), High N/A •
- Transfer Case Gear Ratio (:1), Low N/A •
- **Transfer Case Model Electronic** ٠
- Transfer Case Power Take Off No .

## Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs ٠
- Curb Weight Rear N/Albs .
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs •
- Gross Axle Wt Rating Front N/Albs •
- Gross Axle Wt Rating Rear N/Albs •
- Gross Combined Wt Rating 14700lbs .
- Gross Vehicle Weight Rating 7500.00lbs
- Maximum Payload Capacity N/Albs •
- Option Weight Front 0.00lbs Option Weight Rear 0.00lbs ٠
- •
- **Payload Weight Front Olbs**
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs ٠
- Reserve Axle Capacity Rear N/Albs ٠
- **Reserve Axle Capacity N/Albs**
- Standard Weight Front Olbs •
- Standard Weight Rear Olbs •
- **Total Option Weight 0.00lbs** .

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in •
- **Spare Wheel Material Aluminum** •
- Spare Wheel Size Full-Sizein •